California HIV Counseling and Testing Annual Report

January - December 2003



Arnold Schwarzenegger, Governor State of California

Kimberly Belshé, Secretary California Health and Human Services Agency

Sandra Shewry, Director
California Department of Health Services



December 2006

The California Department of Health Services, Office of AIDS, HIV Counseling, Testing, and Training Section oversees state-funded HIV counseling and testing throughout California. The counseling and testing performed by these programs is reported to the Office of AIDS monthly. The HIV Prevention Research and Evaluation Section compiles this information and distributes it to interested parties in the form of annual reports. Presented in this report are a feature article, an overview of the 2003 HIV counseling and testing data, and detailed tables of the 2003 data.

State of California
California Health and Human Services Agency
California Department of Health Services
State Public Health Officer
Prevention Services
Office of AIDS
HIV/AIDS Epidemiology Branch
HIV Education and Prevention Services Branch
HIV Prevention Research and Evaluation Section

Arnold Schwarzenegger, Governor
Kimberly Belshé, Secretary
Sandra Shewry, Director
Mark Horton, M.D., MSPH
Kevin Reilly, D.V.M., M.P.V.M., Deputy Director
Barbara Bailey, M.S., Acting Chief
Juan Ruiz, M.D., M.P.H., Dr.P.H., Chief
Kevin Farrell, L.C.S.W., Chief
Christopher S. Krawczyk, Ph.D., Chief
David S. Webb, M.S., Research Scientist
Atsuko Nonoyama, Ph.D., Research Scientist

This report and past annual reports are available via the Internet at: www.dhs.ca.gov/AIDS

California HIV Counseling and Testing Annual Report

January – December 2003

December 2006

Prepared by:

California Department of Health Services
Office of AIDS
HIV/AIDS Epidemiology Branch
HIV Education and Prevention Services Branch
HIV Prevention Research and Evaluation Section
MS 7700
P.O. Box 997426
Sacramento, CA 95899-7426
(916) 449-5900
www.dhs.ca.gov/AIDS

Arnold Schwarzenegger
Governor
State of California

Kimberly Belshé Secretary California Health and Humans Services Agency

| California HIV Counseling and Testing Annual Report, January – December 2003 | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Table of Contents

| Table of Contents | j |
|--|-----|
| Feature Article | 1 |
| The 2003 HIV Counselor Survey: Results, Recommendations, and Implementations | 1 |
| Summary of 2003 HIV Counseling and Testing at Publicly-Funded Sites | 11 |
| | |
| Office of AIDS-Funded HIV Counseling and Testing Services: Client Profile | |
| HIV Counseling and Testing Services Funded By Non-Office of AIDS Sources | |
| Office of AIDS-Funded HIV Counseling and Testing Services: Quality Assurance Indicators | 23 |
| HIV Counseling and Testing Tables | 29 |
| Guide to HIV Counseling and Testing Tables | 29 |
| All Services—Office of AIDS Funded and Non-Office of AIDS-Funded | |
| Table 1: OA-Funded HIV Counseling and Testing Services by Year, Quarter, and Month | |
| Table 2: Non-OA-Funded HIV Counseling and Testing Services by Year, Quarter, and Month | 32 |
| Table 3: OA-Funded HIV Counseling and Testing Services by Program and Clinic Type | |
| Table 4: Non-OA-Funded HIV Counseling and Testing Services by Program and Clinic Type | |
| Table 5: OA-Funded HIV Counseling and Testing Services by Risk Behavior and Gender | |
| Table 6: Non-OA-Funded HIV Counseling and Testing Services by Risk Behavior and Gender | 37 |
| All Services—Office of AIDS Funded | |
| Table 7: HIV Counseling and Testing Services by Race/Ethnicity and Gender | |
| Table 8: HIV Counseling and Testing Services by Age Group and Gender | |
| Table 9: HIV Counseling and Testing Services by Risk Behavior, Gender, and Age Group | |
| Table 10: HIV Counseling and Testing Services by Risk Behavior and Pregnancy Status | |
| Table 11: HIV Counseling and Testing Services by Risk Behavior and Gender (Outreach Services) | |
| Table 12: HIV Counseling and Testing Services by Risk Behavior, Gender, and STD History Table 13: HIV Counseling and Testing Services by Risk Behavior, Gender, and STD/Hepatitis Diagnosis | |
| Table 14: HIV Counseling and Testing Services by Risk Behavior, Gender, and Number of Partners | |
| Table 15: HIV Counseling and Testing Services by Risk Behavior, Gender, and Number of Prior Tests | |
| Table 16: HIV Counseling and Testing Services by Program Type and Agency | |
| Counseling and Testing Services Only | |
| Table 17: HIV Counseling and Testing Services by Risk Behavior, Gender, and Race/Ethnicity | |
| Table 18: HIV Counseling and Testing Services by Drug Use, Gender, and Test Result | |
| Table 19: No Show Rate by Program Type, Agency and Funding Source. | |
| Table 20: HIV Counseling and Testing Services by Disclosure Referrals and Client Risk Level | |
| HIV Counceling Information Form | 65 |
| HIV Counseling Information Form | 0 / |

| California HIV Counseling and Testing Annual Report, January – December 2003 | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

The 2003 HIV Counselor Survey: Results, Recommendations, and Implementations

Valorie L. Eckert, M.P.H. and Nyann Biery, M.S. California Department of Health Services, Office of AIDS

Introduction

The California Department of Health Services, Office of AIDS (CDHS/OA) provides funding and counselor training for HIV counseling and testing (C&T) sites throughout the state. In the winter of 2003, OA designed and distributed the HIV Counselor Survey to these state-funded HIV C&T sites as part of a multi-pronged effort to gather helpful information in order to strengthen the current HIV C&T program.

Because job satisfaction is a critical component of quality service, the needs and feelings of HIV counselors in these direct service, or "front-line" positions, are pivotal to both local and statewide operations. The summarized information from the survey assisted OA in focusing limited resources on the most crucial needs in order to better serve HIV counselors and their clients. The HIV Counselor Survey also serves as the primary communication between the counselors and policy makers for this state program.

Method


The 2003 HIV Counselor Survey instrument was adapted from a similar counselor questionnaire administered in 1994. The survey design was a 20 question survey, some multi-part, with sections focusing on general counselor demographics, comfort level with specific HIV counseling topics, opinions on their current work situation, and open-ended questions covering any frustrations, satisfactions, and other comments that the counselors chose to share with OA.

In order to maximize survey efficiency and obtain valuable and pertinent information about HIV counseling, our survey population was limited to experienced counselors only. For our purposes, counselors with greater than 20 counseling sessions the previous fiscal year (2001-2002) at the time of the February 2003 mailing were considered eligible to participate in the survey. In order to ensure confidentiality, surveys were answered anonymously and returned to OA in individual self-addressed and stamped envelopes. While only experienced counselors were targeted, no HIV counselor was excluded from being surveyed if interest was expressed. Five hundred thirty-eight of the 880 surveys mailed were returned for an overall response rate of 61 percent. Returned surveys were accepted until July 2003.

HIV Counselor Profile: 2003 Versus 1994


Age Distribution

Figure 1 shows the age distribution of the counselors in 1994 and in the 2003 survey. Responding HIV counselors appear evenly distributed between the ages of 20 and 60, with about 25 percent of respondents represented in each of the four ten-year categories. Though the average age (40 years) has not changed, the distribution across the age groups has expanded to include a greater percentage of counselors over the age of 50.




Race and Ethnicity

The race/ethnic distribution of HIV counselors in 1994 and 2003 are shown in Figure 2. While the majority of HIV counselors are still White, there has been a significant increase in the number of counselors with other race/ethnic backgrounds that is more representative of the clients they serve.



Gender


The graph in Figure 3 reveals a 64.5 percent majority of counselors are female, a significant decrease from 1994 data where 84 percent were female. Across the same time period, male counselors doubled from 16.4 percent in 1994 to over one-third (34.2 percent) in 2003. The observed increase in the proportion of male counselors better reflects the 62 percent male client majority seen in state-funded sites. In 2003, seven counselors (1.3 percent) were transgender. Transgender was not a response option in the 1994 survey.



Prepared by CDHS/OA.

Length of Counseling Service

Since 1994, the average length of time respondents have been performing HIV counseling has increased from 3 years to 5.2 years, indicating a significant shift toward more experienced and, ultimately, a more stable HIV counselor pool (Figure 4). (Note: The "less than two years" category underestimates the actual number of HIV counselors because the 2003 survey targeted only experienced counselors.)



Education and Professional Background

An overwhelming majority (95 percent) of respondents have at least some college training, with more than 60 percent having achieved a four-year degree or more. A high school diploma or general equivalency diploma was earned by 3.6 percent, and 1.5 percent stated they had not completed high school.

Half of the responding counselors (51 percent) have a clinical or medical background, 30 percent are community health outreach workers, 17 percent are trained in behavioral or mental health, 17 percent in social services, 11 percent have HIV counselor training only, and 3 percent have some other type of training, including administrative, computer science, manager, positive speaking, translator, and treatment advocacy. (1994 Survey: Health 54 percent, Mental Health 12 percent, Social Service 11 percent, Other 24 percent.)

Over the past ten years, the counselor pool has diversified significantly to better reflect the clients served. Counselors today are more experienced in HIV counseling and remain highly qualified to perform required duties.

HIV Work Responsibilities and Job Satisfaction

Work Responsibilities

Two out of three responding counselors (66 percent) have other primary work responsibilities considered of equal priority. When asked the amount of time that they were actually scheduled for HIV counseling, only a third were scheduled half time or more. In addition, over half of responding counselors reported five or fewer counseling sessions a week.


When asked about the type of counseling that they have performed, all (100 percent) indicated that they perform risk assessments and negative disclosures, two-thirds (65 percent) have performed a positive disclosure, and over half (54 percent) have performed post-disclosure counseling. Of the 538 responses, over half (54 percent) stated that they have performed all three. Most respondents (90 percent) have counseled in a clinic setting, while 44 percent performed street outreach counseling; 35 percent worked in a mobile van, and 2 percent worked in other settings. Twenty-two percent of counselors have counseled in clinic settings, street outreach settings, and mobile vans.

The role of a typical 2003 HIV counselor was one of multiple hats worn on the job. Forty percent of their workload was dedicated to HIV counseling, primarily in a clinic setting, with six to ten HIV counseling sessions per week.

Job Satisfaction

The counselors were asked several questions to assess counselor opinions about their general work environment and job satisfaction. The responses were based on a Likert scale from one to six, with one being "disagree very much" and six being "agree very much." Figure 5 shows the results from these questions.


HIV counselors are generally confident about their skills, are happy about and proud of the work they do, and feel good about their co-workers and supervisors; however, there was less satisfaction on topics related to communication and feedback within their work environment, with counselors agreeing least with the statement that they had a "fair chance at promotion."



Continuing Education Training

All HIV counselors working in state-funded C&T sites are required to take one continuing education training (CET) course each year with the goal of keeping their HIV knowledge current. To maintain the effectiveness of CETs, it is important that they remain relevant to current issues in HIV while also reflective of the knowledge level and training needs of the current HIV counselor pool. To this end, respondents were given a list of topics that were currently being offered as CETs and were asked to 'rate' their comfort level with each topic.

On a scale from one to five with five being "very comfortable," responding HIV counselors reported being "very comfortable" with most CET topics. Relative to the other topics, HIV counselors are more comfortable with sexually transmitted diseases (STDs) and sex/sexuality issues, both scoring a mean of about 4.6 on the 5 point scale, and less comfortable with partner notification/partner counseling and referral services (PCRS), domestic violence/sexual assault issues and prevention with HIV-positive clients, with scores of 3.7, 3.9 and 3.9, respectively. For every topic, those who had taken a CET on that topic scored their comfort level significantly higher (p<.01, t-test) than those who had not taken a CET on that topic (Figure 6).



Counselors were also asked to rate their comfort level on a set of topics not currently offered as CET courses, but with potential to be offered in the future. Survey respondents consistently expressed interest in CET topics they are least comfortable with. The topics of interest were mental health (35 percent), homeless issues (27 percent), and dealing with resistant clients (26 percent).

Some respondents suggested topics or ways to improve the state's CET program from 75 respondents (14 percent). Responding counselors wanted transgender issues covered; and more in-depth information on the "party and play" men who have sex with men (MSM) population, including addressing barebacking, "meth parties," and the late night/early morning lifestyles. The need for a course covering more "intense" street outreach issues was also mentioned. This course would cover issues such as street safety for outreach workers, interfacing with hostile clients, as well as the creative client behavior change strategies necessary to reach difficult populations. Also, HIV counselors asked for a self-facilitated peer network session in order to address and prevent burnout by sharing experiences and trading stories on "successes" and "challenges" encountered.

There were several respondents who asked that the existing CETs be expanded to include more information. Examples of this were the need for more specific information on HIV and women, especially pregnancy issues; updated HIV treatment options for all populations; information on immigration issues, including possible legal ramifications of seeking care; dealing with specific youth or teen issues, such as currently popular drugs and associated risks; information on club and designer drugs; and more specific information regarding STDs.

Suggestions for CET improvements included offering topics that are tailored to the current epidemic and to specific course locations. Respondents also suggested that CET topics be rotated at the locations where they are offered, which would decrease the need to travel in order to get new information. Online CET courses were suggested to ease travel resources and reduce time away from work.

Qualitative Feedback

The final part of the questionnaire consisted of a series of open-ended questions focusing on what is "most satisfying" and "most frustrating" about being an HIV counselor.

Most Satisfying

Counselors mentioned something as simple as "giving a negative result" as most satisfying while others felt satisfied by grander goals such as actually "reducing HIV in the community." Almost all counselors (98 percent) described something along the lines of "helping others," "providing a service that has integrity" or "making a difference" in people's lives and in the field of HIV prevention and advocacy as being the most satisfying aspect of their job. Other, more specific, comments related to their impact on individual clients, namely "giving clients tools to help themselves" and "helping clients to realize their risk."

Also important to job satisfaction was the connection counselors have with their clients, a non-judgmental relationship built on trust, support, and encouragement. In general, "meeting new people" every day and, specifically, "being appreciated" by those clients makes the job satisfying for many counselors. Other counselors felt satisfied when they are actually able to witness clients change their behavior, however slight that change may be. A final gratifying aspect of counseling was being able to actually "connect clients to services they need."

Most Frustrating

Respondents mentioned different aspects of their jobs when asked what was most frustrating about being an HIV counselor. Of the frustrations mentioned that were client-related, working with clients who do not follow through with goals/behavior change or are resistant to counseling was mentioned by the most respondents (82 percent). Counselors felt frustrated when they "can't get through to high risk clients," or when the client cannot recognize their risks for HIV acquisition. Equally frustrating for counselors are clients who are "no shows"— who test but do not show up to receive results; "low risk" clients who come in to test anyway; and clients who feel that a negative result "vindicates" their previous behaviors.

Some counselors mentioned frustration with the fiscal climate, namely the "lack of resources" and the "inability to give needed referrals," especially drug and alcohol rehabilitation. Along similar lines, misdirected resources, "not testing the right people," and "not being able to access high-risk clients adequately" were mentioned as frustrating issues as well. Others narrowed their frustrations to aspects of the job itself, such as "lack of benefits," "no room to move up," "inconsistent work schedule," and "time constraints with clients." Still others cited broader inherent job concepts such as "lack of power" and not being included in decision making and policy formulation.

Again, like satisfaction comments, frustrations ranged from very specific frustrating events such as "giving an HIV-positive result" to much larger-scale frustrations such as they "can't help everybody," and "...admitting [they] can't save the world."

Implementation of Findings: HIV Counselor Training

The surveys expressed need for the HIV C&T program to "grow and change with the times" and for CETs and other trainings to be more tailored toward specific issues, populations, and the local needs of counselors. OA has made a number of significant program changes as a direct or indirect result of the findings from the 2003 HIV Counselor Survey.

CETs

Overall, CETs appear to be serving their main purpose: to make the counselors more comfortable in discussing relevant topics with their clients. However, CET topics that HIV counselors felt the least comfortable with were reassessed and retooled to maximize their impact, and new CETs were developed based on topic areas suggested by the HIV counselors.

OA recognized that additional dimensions to the basic CETs were necessary because Prevention with Positives (PwP) and PCRS are particularly highlighted by the paradigm shift of HIV/AIDS from a fatal to a chronic disease. This, together with the counselors' expressed need to address mental health issues with clients and to provide support networks, helped to shape the following tailored PwP CETs: Supporting Positive Sexual Health; Developing a New Relationship; Supporting Positive Mental Health; and Major Depression and Living with HIV. Additionally, in addressing expanded needs for PCRS, the counselors' desire for more workshop-style trainings, three distinct interactive trainings were developed: Conducting HIV Anonymous Third Party Notification in the Field; Disclosure Assistance Program; and Preparing a Client to Self Disclose.

In response to counselor suggestions for more tailored information, "party and play" and MSM issues were added to the existing *Substance Use and HIV* CET and highlighted in multiple issues of HIV Counselor Perspectives. CETs *STDs*, *HIV Prevention Strategies for Youth* and *Partner and Domestic Violence* have also been updated to include contemporary issues and *Meeting the STD/HIV Needs of Transgender Clients* was developed to address the request for a CET covering the unique issues of transgender clients.

Along with programmatic movements toward streamlining rapid testing utilization (which was piloted beginning in late 2003), a host of rapid HIV testing CETs and training modules have been developed to accommodate most levels of knowledge and expertise. To begin, rapid testing has been incorporated into the curricula of Basic I and II trainings. The rapid HIV testing training is a comprehensive two-day training covering all issues related to rapid testing. Also added were: *Rapid HIV Test Orientation for Supervisors* and *Rapid Test Refresher*, a CET for counselors who where trained but have not yet started rapid testing. Finally, *Rapid Testing Case Consultation (Debrief)* is a CET that allows for experienced rapid HIV test counselors to discuss any issues that have come up in the field around rapid testing.

While encouraged by the two-year increase in the average length of time HIV counselors have remained counseling since the 1994 survey, OA also recognized the often-demanding nature of the job and the continued need for HIV counselor support. As one means to address this concern directly, a CET entitled, "Burnout and HIV: Practicing Safer Stress" was developed. This course provides a means for counselors to be in a receptive environment with their peers while learning ways to cope with the challenges and frustrations of HIV counseling.

Basic I and Basic II

To address counselors' desire for more information on mental health issues and dealing with 'resistant' clients, as well as their desire for more interactive trainings, modules on challenging clients and creative client behavior change strategies were added to the curricula for Basic I and II. In addition, a Spanish language Basic I course has been developed, reaffirming our commitment to provide culturally specific and accessible HIV trainings.

Training Access

To better accommodate the busy and often sporadic schedules of HIV counselors, the following Web based CET courses were developed: *Hepatitis C; Substance Use and HIV; HIV Prevention Strategies for Youth,* and *Human Sexuality*. In addition, an online *Basic II Pretraining* course is in development to bridge the time gap that often occurs between Basic I and Basic II trainings.

Responding counselors also asked for locally scheduled CETs to be relevant to local counselor needs and client populations. As a result, HIV coordinators are now contacted by trainers and asked what CETs they need in their area. This interactive process creates more customized local trainings while minimizing travel expenses.

Goals and Vision

The findings from the HIV Counselor Survey reaffirmed OA's commitment to high-risk and disenfranchised populations. Additionally, in 2003, OA acted upon HIV counselors' frustration with "low-risk, repeat testers" as well as their desire for "better and more confident outreach targeting" by introducing the High Risk Initiatives Program. The primary purpose of this program was to fund interventions that target populations in highest need.

The enhanced effort toward targeted outreach has also made rapid testing a high priority for OA. More comprehensive training modules have been developed and movement toward lessening restrictions on rapid testing protocols is underway.

Conclusions

The HIV Counselor Survey continues to be a valuable communication link between HIV counselors and program and policy makers at the State level. The feelings, ideas and opinions of the counselors in regards to programmatic enhancements and changes proved insightful and were incorporated, whenever possible, in important decision making processes. OA would like to thank all HIV counselors who participated in this survey.

Courses offered to state-funded HIV counselors can be found on the University of California, San Francisco, AIDS Health Project Web site (2H<u>www.ucsf-ahp.org</u>) and the California STD/HIV Prevention Training Center Web site (3H<u>www.stdhivtraining.org</u>)

| California HIV Counseling and Testing Annual Report, January - | - December 2003 |
|--|-----------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |


Summary of 2003 HIV Counseling and Testing at Publicly Funded Sites

California publicly funded HIV C&T data were collected for 2003 using the fifth version of the HIV Counseling Information System (HIV5). These data include client testing as well as sexual behaviors that occurred in the past two years or since the client's last HIV test result. A copy of the HIV Counseling Information Form (CIF) used during HIV C&T sessions is located on page 67.

Total annual test volume reported to OA increased by 0.5 percent from 179,597 in 2002 to 180,508 in 2003. Non-OA-funded sources¹ reported 21,746 tests (12 percent of 2003 tests), 2,246 more than in 2002. The number of these voluntarily reported non-OA-funded tests increased for a second year, after a steady decline from 1998 to 2001.

Figure 1 shows both OA-funded and non-OA-funded testing service volume by month. For OA-funded tests, monthly test volume ranged between 11,914 and 17,376 tests per month. Test volume was highest in the months of January, March, July, and October and a typical seasonal decline was seen in November and December. The monthly volume of non-OA-funded tests was also variable, ranging from about 1,400 to 2,400 tests reported per month.

Alternative test sites (ATS) performed 26 percent of all OA-funded tests, non-ATS sites reported about 73 percent of all tests, and less than 1 percent of the tests were reported by Indian Health and Rural Health Program sites. The proportion of tests conducted at ATS locations had decreased by a few percentage points each year since 1998 (51 percent), and dropped by nearly 8 percentage points from 34 percent in 2002.



Prepared by CDHS/OA.


-

¹ For the present report, records were treated as non-OA funded if: the client's test election was court-ordered or other non-OA test, OA was not billed, or the record was from a Department of Alcohol and Drug Programs (DADP) funded agency. Non-OA-funded services represented approximately 11 percent of services reported to OA in 2003. Services are reported to OA voluntarily to enhance the completeness of this information source.

Geographic Distribution of HIV-positive Results

Figure 2 presents a map of HIV infections reported to OA in 2003 from OA-funded and non-OA-funded HIV testing sites in California (2,348 in total), by client county of residence. The four counties with the largest number of newly identified HIV infections were Los Angeles (994), San Francisco (360), San Diego (240), and Alameda (178). Clients who indicated that they previously tested HIV positive, or whose county of residence is unknown were excluded.





Office of AIDS-Funded HIV Counseling and Testing Services: Client Profile

The data presented in the following sections represent only HIV C&T services funded by OA. Please note that numbers and percentages represent services provided and not numbers or percentages of clients, unless otherwise specified.

HIV Positivity Rates

The overall HIV positivity rate for OA-funded tests in 2003 was 1.63 percent (2,950 cases). This represents a fairly large increase for the second year in a row and a continued upward trend since 2000. From 1998 to 2000, the rate remained about 1.25 percent (1.26 percent in 1998; 1.24 percent in 1999; and 1.25 percent in 2000), increasing to 1.38 percent in 2001 and 1.50 percent in 2002. Twenty-four percent of clients in 2003 who tested HIV positive reported having tested HIV positive in the past (23 percent in 2002). The increase in the positivity rate should be interpreted with caution, however, as it may be attributable to a number of factors including an increase in the proportion of high-risk clients testing (individuals with multiple high risk factors are in fact at greater risk than those who are considered high risk based on single factor), and/or a larger proportion of HIV-positive clients repeat testing in the same calendar year. As C&T continues to improve targeting of high-risk clients, the relative proportion of positive tests is expected to increase.

HIV Testing Reported by Race and Gender

Figures 3 and 4 show the race/ethnicity breakdown for all OA-funded HIV tests and for OA-funded HIV tests with positive results, respectively. In 2003, about 17 percent of all test clients were African American, an increase from 15 percent in 2002. Positive test results among African Americans remained disproportionately high (25 percent of all positive tests). Latinos represented about 31 percent of all testing services, a slight increase from 30 percent in 2002. Likewise, the percentage of Latinos with positive test results increased from 30 percent in 2002 to 33 percent in 2003. The overall proportion of clients identifying as White declined to 41 percent (42 percent in 2002) as did the proportion of Whites testing positive (34 percent of all positives), a 3 percent point decrease from 37 percent in 2002. Nearly 6 percent of all clients identified as Asian American/Pacific Islanders (PI), and this group represented 4 percent of all positive tests, the same as the previous year. African Americans continue to be the most disproportionately represented among those testing and receiving positive tests results, further emphasizing the importance of education and prevention programs focusing on this population.







Figure 4




Prepared by CDHS/OA.


Figure 5 shows the total number of HIV tests by gender and race and Figure 6 shows the percentage of positive HIV tests by gender and race. Males continue to account for more than half of the tests for all races (64 percent) and most HIV-positive test results (82 percent). African American males had the highest infection rate at 2.74 percent followed by Latino males (2.22 percent), Native American males (2.08 percent), White males (1.86 percent), other race males (1.85 percent), and Asian American/PI males (1.49 percent). Compared to 2002, the percent positive in 2003 increased in most race categories except for African American males whose infection rate dropped, and Asian/PI males whose percentage remained the same. In sum, although the exact percent positive fluctuates from year to year, an overall pattern of positivity by race and gender has remained the same: African American males represent the highest, and Latino males the second highest positive rates. The consistency of these findings over a number of years suggest that emphasis should continue to be placed on developing and/or expanding culturally relevant outreach and prevention programs targeting African American and Latino men. Corresponding to this need, the number of tests provided to African American and Latino males showed a sharp increase between 2002 and 2003, by 24 percent and 16 percent, respectively.

The number of African American women tested increased 17 percent from the previous year to 12,142 after two years of decrease. The total number of HIV-positive tests among African American females was 171, a 25 percent increase from 137 cases reported in 2002. The HIV infection rate of African American females also increased (from 1.32 percent to 1.41 percent), after three years of remaining fairly stable. A similar upward trend in the number of positive tests since 2000, followed by what appears to be a "spike" in 2003, is observed in Latinas (0.38 percent in 2000, 0.46 percent in 2002, and 0.69 percent in 2003).

The relatively small number of women who test positive limits the ability to draw conclusions when comparing women's HIV positivity rates by race. However, the percentage of African American women who test positive continues to be disproportionately higher than Native American (0.89 percent), other race (0.83 percent), Latina (0.69 percent), White (0.42 percent), or Asian/PI females (0.36 percent). This suggests that more culturally specific HIV prevention programs focusing on the issues encountered by African American women are needed.









HIV Testing Reported by Age and Gender

Figure 7 shows test volume by age and gender. The proportion of each age group with HIV-positive test results can be seen on Figure 8. Nearly 60 percent of all HIV tests were administered to individuals between the ages of 20 to 39 years, with the largest number of tests provided to clients ages 20 to 29, followed by those aged 30 to 39. The age distribution of services provided is similar for males and females. The majority of clients with HIV-positive test results (35 percent) continue to be 30 to 39 years old, followed by 40 to 49 year olds (26 percent) and 20 to 29 year olds (24 percent). The number of adults who are 40 years old or above testing positive for HIV has increased for the third year in a row. This year the number of positive tests among adults 40 to 59 years old increased by 18 percent (from 829 to 977) and since 2001, the number of positives for this age group has increased by 41 percent. The number of positive tests for those 60 years and older increased by 49 percent (33 in 2002, 49 in 2003). These numbers compare to the 10 percent increase in positive tests for 30 to 39 years olds since 2002. In addition to the steady rise in the percent positive in older age groups, year 2003 is marked by a sharp rise in HIV infection in persons ages 20 to 29. While positive test results for this group remained stable between 2001 (599 cases) to 2002 (594 cases), 718 positive cases were found in 2003, an increase of 21 percent. Again, it should be noted that these data include repeat testers and therefore must be interpreted with caution.








HIV Testing Reported by Risk Behavior Category

In the HIV C&T database, each client is assigned to a mutually exclusive risk category based on behavioral information provided at risk assessment and disclosure counseling sessions. Clients reporting multiple risk behaviors are assigned to the category that evidence shows is most likely to put them at risk for HIV infection. Figure 9 lists the hierarchy of risks and the percent of HIV-positive tests for each risk group.

Male injection drug users (IDUs) who have sex with men are at highest risk for HIV, with 11.1 percent of their tests having positive results. The positivity rate for this risk group had been increasing over the past few years, from 8.63 percent in 1998 to 5.44 percent in 2000, but increased dramatically since 2002 when the positivity rate was 7.45 percent. The percentage of HIV-positive MSM IDUs has now surpassed the higher levels seen in the late 1990s (7.2 percent in 1999, 8.6 percent in 1998, 7.8 percent in 1997, and 9.0 percent in 1996). This signals an alarming trend of increasing HIV risk for MSM IDUs that has important implications for prevention, and must be monitored.


Clients with an HIV-infected sex partner (4.77 percent positives) and MSM (4.23 percent positives) are at high risk as well. Clients with unknown risk behavior also continued to have a high HIV-positive rate (2.83 percent).



Prior HIV Testing History


Many clients seen at publicly funded test sites have previously tested for HIV. MSM, regardless of their injection drug use status, and heterosexual IDUs continue to report the largest percentage of repeat testing. MSM (IDUs and non-IDUs) had the highest rate of prior testing with 40 percent reporting five or more previous HIV tests. This group has consistently reported high levels of repeat testing for the past six years, with more than a third reporting over five previous tests, suggesting that these clients are aware of their high risk for HIV and monitor their HIV status with regular HIV testing. About 66 percent of clients in all other risk groups (combined) had tested previously, a 7 percent-point drop from 73 percent in 2002, indicating a rise in the proportion of first-time testers in lower risk groups.

First-time testers accounted for 29 percent of all OA-funded tests, and 18 percent of the HIV-positive tests. Twenty-four percent of clients with HIV-positive test results reported a previous HIV-positive test result suggesting that almost a quarter of clients are returning to test sites to validate initial test results (Figure 10). About half (47 percent) of clients with HIV-positive results reported a prior negative result. This continues to indicate that a single HIV C&T session often does not result in behavior change that prevents HIV infections for these clients, and highlights the importance of referring HIV-negative high-risk clients to prevention programs to help them gain the skills and information that can result in behavior change.



Sexually Transmitted Disease (STD) Diagnosis for Positive and Negative Test Results

Clients who test positive were more likely to report STDs than were HIV-negative clients (Figure 11). Among clients with positive tests, 26 percent reported having an STD diagnosed within the past two years or since the last test result, compared to 18 percent of those who received negative test results. Hepatitis C (8.5 percent), gonorrhea (7.1 percent), and hepatitis B (4.0 percent) were the most commonly reported STDs among those with a positive HIV test. Reported in descending order, the most commonly reported disease diagnoses for all C&T clients were chlamydia (5.7 percent), gonorrhea (4.1 percent), hepatitis C (3.4 percent), genital/anal warts (2.1 percent), genital herpes (2.0 percent), hepatitis B (1.3 percent), syphilis (1.1 percent) and trichomoniasis (0.9 percent). The proportion of clients reporting a specific disease diagnosis varies depending on the client behavior risk (see Appendix C&T Data Table).




Prepared by CDHS/OA.

Drugs and Alcohol Used with Sex

Fifty-five percent of C&T clients reported recent alcohol use (within the past two years) and 27 percent reported recent marijuana use. The most commonly reported drugs after alcohol and marijuana were amphetamines (14.3 percent), cocaine (10.3 percent), crack (7.7 percent), heroin (7.2 percent), and ecstasy (4.1 percent). Sexual activity while using alcohol and drugs remains prevalent and was reported by 75 percent of all contacts that reported using alcohol or other drugs. Figure 12 shows that drugs most likely to be used with sex sometimes or usually were amphetamine (63 percent), crack (57 percent), nitrates (53 percent), cocaine (49 percent), alcohol (49 percent), and heroin (49 percent).

The proportion of drug use with sex was even higher among HIV-positive clients, and the choice of drugs was somewhat different from that for HIV-negative clients. The most common drug used with sex among HIV-positive clients was nitrates (77 percent), followed by amphetamine (72 percent), crack (66 percent), other drugs (61 percent), ecstasy (58 percent), and cocaine (57 percent).






Transgender Counseling and Testing Clients

The number of self-identified transgender (TG) clients testing for HIV increased to 1,203 in 2003 from 881 in 2002. This represents a 37 percent increase, and the largest increase was observed in Latino/a, from 428 in 2002 to 755 in 2003. The sudden rise in the number of TG clients is attributed to one Los Angeles-based agency that targets Latino gay and TG populations, which reported only 37 TG clients served in 2002 but 309 in 2003. Although TG clients represent a small proportion of the entire HIV C&T population they continue to be at extremely high risk for HIV and were again the group with the overall highest HIV infection rate (6.31 percent) (see Appendix C&T Data Table). Steady increases in the number of TG clients seeking testing over the past five years are consistent with the OA's ongoing emphasis on better targeting high-risk individuals for C&T.

Figure 13 shows the total numbers of positive versus negative test results in the TG-identified persons by race for 2003. African American TG clients accounted for 126 tests and had the highest HIV infection rate (28.6 percent). Latino/a clients continue to represent the largest racial/ethnic group of all TG clients testing (n=755) with their HIV positivity rate 2.91 percent. Because the data report number of tests and not number of clients, some client(s) may be counted more than once in the data for the year. Consistent with this speculation, 33 percent of HIV-positive TG clients (25 clients) reported having had a positive HIV test in the past.





Matching Criteria

Prior to 2001, HIV C&T services could only be described in terms of service units, not in the number of distinct clients served. In 2001, the CIF revision added elements that, when combined with existing elements, creates a unique record identifier. As reported in the 2001 C&T Annual Report, the matching criteria (MC) code that includes race/ethnicity, gender, date of birth, and client ZIP Code distinguishes unique records with 95 percent accuracy. Using the MC code permits more accurate reporting of essential statistics such as the number of individuals testing positive for the first time at OA C&T sites.

Of the 2,950 cases (or counseling episodes) with HIV-positive results reported in 2003, 2,636 cases (89 percent) contain all four elements of the MC code. Of these, 2,390 (91 percent) distinct clients tested positive only once at a publicly funded HIV test sites during the 2003 calendar year. One hundred eleven clients (4.2 percent) tested positive two times and eight individuals (0.3 percent) tested positive three times. An additional 314 (11 percent of all positive tests) positive HIV test records did not contain enough information to assign a unique MC code. If we make an assumption that all of these 314 cases represent unique clients, the MC coded records and the cases with incomplete information together lead to an estimate that no more than 2,823 distinct individuals tested positive in 2003 (96 percent of all positive HIV tests).

The MC code can also be used to estimate the number of new HIV infections reported in 2003. Five hundred sixty-nine of the 2,509 clients who tested positive one or more times reported a previous positive HIV test, leaving 1,940 new HIV infections found in 2003. Of the 314 records that are missing MC element information, 81 reported a previous positive result, thus the number of new infections for this group may be as high as 233. Altogether, between 1,940 and 2,173 new infections were identified through OA C&T sites in 2003.

The reliability and utility of the MC code depends on accurate and complete recording of demographic information by counseling staff and the consistency of information reported by repeat clients over time. The majority of sites providing OA-funded HIV C&T are increasingly reporting all four demographic elements of the MC code for the majority of their clients. For the most part, organizations and counselors realize that the MC code permits estimation of the number of unduplicated clients who receive publicly funded HIV test services, and neither identify individual clients nor breach client anonymity or confidentiality. Unfortunately, unfounded concerns that documenting the date of birth, a critical component of the MC code, constitutes unnecessary delving into personal information and places clients at risk for breached confidentiality has resulted in a significant number of locations from a few health jurisdictions (San Francisco County, Yolo County, and City of Berkeley) that decline to report date of birth. More than 9,000 client records (160 positive tests) from these sites do not contain date of birth information. When these sites comply with the requirement to request date of birth information, the MC code can be used to produce more accurate estimates of number of positive tests and number of new positives testing at public sites in California. A potential weakness of the matching criteria is that a single individual may be identified as two distinct clients if that person reports different residence ZIP Codes when seeking services twice during the same calendar year.

Overall Trends in Testing

The number of OA-funded HIV tests administered in 2003 increased only slightly by 911 tests from the previous year. Racial composition of tests shows an increase among African Americans and Latinos with a decrease among Whites, Asian/PIs, and Native Americans. The proportion of high-risk clients (57 percent) to all clients tested remained about the same as in 2002 (56 percent). As California's C&T program more effectively targets persons who engage in risky behaviors, it is expected that both the proportion of high-risk clients and HIV-positive test results will rise in coming years.

In 2003, the number of African American males testing increased by 24 percent from 2002 while the number of positive tests among African American males (n=522) increased by a smaller percentage (17 percent). This resulted in a decrease in the positivity rate (2.7 percent) for African American males compared to the previous year (3.0 percent). The number of positive tests for African American females increased for the first time since 2000, with a rise in the positivity rate to 1.4 percent in 2003. The total number of tests by Latino males increased by about eight percent in 2003, with an increase in the number of HIV-positive results, leading to a slightly higher positivity rate (2.2 percent) than in 2002 (2.1 percent). Whereas the total number of tests by White males dropped, the number of HIV-positive tests by White males increased for the third year in a row (1.6 percent in 2001, 1.7 percent in 2002, and 1.9 percent in 2003).

For the fourth consecutive year, the number of identified TG clients increased, but by over 50 percent in 2003. Despite the growing number of clients reached and their high risk of testing HIV positive, the clients comprise a small percentage (0.7 percent) of the entire testing population. The vast majority of infections remain among men, especially MSM. In public test sites, HIV infection remains highest among MSM/IDUs (11.1 percent), TG (6.3 percent), HIV-positive sex partner (4.8 percent), MSM (4.2 percent), 'unknown' risk (2.8 percent), African American male (2.7 percent), and Latino male (2.2 percent) testing clients.

Information as to whether clients consider themselves homeless was collected for the third year. The number of service contacts who self-identified as homeless increased slightly in 2003 from 7,749 (4.3 percent) to 8,320 (4.6 percent). Almost half of the service contacts by clients who are homeless were from three counties. Twenty-six percent of the homeless client contacts were in Los Angeles County, 14 percent were in San Francisco County, and 11 percent were in Orange County. Of all homeless clients tested, 201 were HIV positive. The positivity rate in 2003 for homeless contacts remained at the same level (2.4 percent) as the previous year (2.5 percent), and is higher than the overall positivity rate of 1.6 percent.

HIV Counseling and Testing Services Funded by Non-Office of AIDS Sources

Several C&T sites receive funding not only from OA, but also directly from other sources including the Centers for Disease Control and Prevention (CDC) and Department of Alcohol and Drug Programs (DADP). Approximately 21,746 non-OA-funded tests were reported in 2003, a 34 percent increase from 2002. This represents an increase for the second year in a row, after three years of declining numbers of non-OA-funded tests. Non-OA-funded services comprised just over 10 percent of all HIV C&T data reported to OA for 2003.

Los Angeles County, Office of AIDS Programs and Policy (OAPP) reported the largest number of non-OA-funded tests (34 percent), San Diego County was the second largest (12 percent), followed by Fresno County DADP (8 percent) and Orange County (6 percent), with the remainder from a variety of locations throughout California. The percent of HIV-positive test results for non-OA-funded services was 1.2 percent, compared to 1.6 percent for OA-funded tests in 2003. The positivity rate for non-OA-funded tests had increased gradually in the past few years, from 0.81 percent in 2001 and 0.78 percent in 2002.

The proportion of heterosexual IDU clients at non-OA-funded sites (16 percent) was greater than OA-funded sites (10 percent). Non-OA-funded sites also provide larger proportions of services to clients who reported an injection drug using sex partner than OA-funded sites (7 percent versus 5 percent) as well as those who had sex for drugs or money (7 percent versus 2 percent). Non-OA-funded locations reported a much smaller proportion of tests by MSM (5 percent compared to 16 percent at OA-funded locations). Ethnic composition and rates of failing to return for test results were similar at OA-funded and non-OA-funded sites in 2003. However, positivity rates were higher across races in OA-funded tests than in non-OA-funded tests. Additional information on non-OA-funded services is provided in the C&T Data Tables section.

Office of AIDS-Funded HIV Counseling and Testing Services: Quality Assurance Indicators

The following data provide information that can help to monitor the effectiveness and improve the quality of C&T services over time. These measures were first provided in the 1998 HIV Counseling and Testing Annual Report, and include the number of times clients did not return to receive test results and the amount of data that is missing (information that is not documented) from the HIV CIFs.

Failure to Return for HIV Test Result

Of all clients who tested, 24 percent did not receive their HIV test result. Since 1998, the overall percentage of testing clients not returning for a test result has consistently been between 24 percent and 27 percent. This includes rapid tests which allow delivery of results to clients within the same session. About 2 percent of all tests taken in 2003 were rapid tests, and rapid tests represent 0.35 percent of the test results not received. Rates of failing to return for HIV test results, or client no-show rates, differ among clinic types. ATS typically have the lowest no-show rates, and in 2003, 16 percent of test results were not disclosed. Of the cases for which clinic type was identified, mobile van testing (36 percent), family planning (36 percent) and STD clinic (29 percent) had the highest no-show rates (Figure 14). There are a variety of reasons why clients may fail to return for HIV test results. Mobile vans reach more clients who are homeless and disenfranchised making it difficult to reunite with clients. Clients seeking services from family planning or STD clinic may have sought services other than HIV testing and, therefore, are less likely to return for results unless motivated by HIV counselors.

Figure 15 shows the percent of HIV test results that were not disclosed by client risk category. Clients with unknown risk history (37 percent), where risk behaviors are not recorded during the counseling session, and those who traded sex for drugs or money (31 percent) were the most likely to fail to return for their test result. Partners of IDUs (29 percent) were the next most likely to fail to return. Of all risk categories, MSM clients most often returned for test results (14 percent "no-shows," compared to 13 percent in 2002). OA is hopeful that new HIV rapid testing, introduced in 2003-04, gradually replaces older test technologies in many sites, and the number of clients who do not receive their HIV test results be greatly reduced in following years.





Figure 15



Missing Information on the Counseling Information Form

The 2003 data suggest that counselors are still not completely recording information on the CIF. However, the amount of missing information has decreased for most items on the CIF, possibly due to HIV counselor increasing familiarity with the new CIF form that was introduced in 2001. Table 1 reports selected items from the form and the corresponding percent of missing data (i.e., item was blank). San Francisco County contributed more than half of the cases with missing data. When San Francisco County records were excluded, the date of birth was missing in just 3.2 percent of remaining records, and residence county was missing from only 1.6 percent of the CIF forms, and residence ZIP Code was missing only 2.1 percent of the time. Although missing data on demographic items (from the front side of CIF) continued to decline, missing data increased on most items measuring client risk behaviors (from the back side of CIF) in 2003. While the percent of missing responses for the number of sex partners, having a male partner, and having a female partner increased by less than 3 percent points, missing data on having had sex with a prostitute, an injection drug using partner, or an HIV-infected partner, increased by over 4 percent.

Table 1

| Selected HIV CIF Items by Percentage of Missing Data* | | |
|---|--|--|
| Percent Missing | | |
| 1.4% | | |
| 8.6% | | |
| 0.7% | | |
| 13.8% | | |
| 5.6% | | |
| 4.8% | | |
| 2.7% | | |
| 5.3% | | |
| 2.4% | | |
| 2.9% | | |
| 22.5% | | |
| Percent Missing | | |
| 2.6% | | |
| 4.9% | | |
| 6.9% | | |
| 9.6% | | |
| 9.3% | | |
| 9.9% | | |
| 13.9% | | |
| 8.9% | | |
| | | |

^{*}Declined/refused response is not counted as missing.

Prepared by CDHS/OA.

Follow up with High-Risk/No-Show Confidentially Tested Clients

Follow-up services for clients who fail to appear for disclosure counseling continue to be either seriously under utilized by confidential testing sites or information is simply not recorded on the CIF. About 30 percent of confidentially tested clients failed to return for a test result. Only 39 percent of all eligible clients (i.e., confidentially tested, high-risk, no-show) had a follow-up service reported on the form. Statewide this translates to 6,069 confidential high-risk or HIV-positive test takers who did not initially receive a test result and were subsequently contacted. Of those confidentially tested no-show clients

contacted through follow-up, 38 percent returned for their test result, an improvement from the 33 percent that returned after follow-up contact in 2002. Among confidentially tested HIV-positive results, 493 (29 percent) did not return for the test result. Of the 250 follow-ups made for confidentially tested HIV-positive clients, 129 (52 percent) returned for the test result. Given that confidentially tested clients are identifiable, technically there should be no HIV-positive result that is undisclosed for this group. Additionally, while HIV-negative results cannot be provided after 60 days from the test date, an HIV-positive result may be disclosed at any time.

Attempting to reschedule a missed disclosure session provides a second chance for clients to receive their test result and for counselors to provide additional prevention counseling and referrals, in particular for the HIV-positive clients. Making the follow-up attempt and recording the date on the form increases reimbursement by \$10 for high-risk clients and \$25 for HIV-positive and HIV-inconclusive clients. Had all confidential follow-ups been attempted and all clients responded, an additional 9,465 clients would have known their HIV status, including 243 HIV-positive clients. However, the implementation of rapid HIV testing should greatly reduce, and possibly eliminate no-shows.

Referrals for High-Risk Clients

In 2003, 9 percent of high-risk client risk assessments had 'NONE' or missing information for the risk assessment referral column (3 percent points less than in 2002). Additionally, 25 percent of high-risk disclosure sessions had 'NONE' or missing information in the disclosure referral column, about the same level as in 2002. Approximately 20,002 high-risk testers had no disclosure referral indicated. All high-risk and HIV-positive clients should receive a referral at the disclosure session. Disclosure session referrals are reimbursed at \$5 for high-risk clients and \$15 for HIV-positive and HIV-inconclusive clients.

Counselor Turnover

There were 1,884 counselors in 2003, an increase of 85 counselors from 2002 and nearly 200 more counselors than reported in 2001. From 2002 to 2003, approximately 600 HIV counselors discontinued working at OA-funded test sites. Consistent with the previous year, this represents 32 percent of the 2003 HIV counselor workforce and is still fewer counselors than the number who discontinued in 2001 (n=640). When turnover was examined by workload level for the year, it was found that 48 percent of the counselors who left had provided fewer than ten risk assessments sessions. About 35 percent of HIV counselors had provided between 11 and 58 sessions, 14 percent between 59-261 sessions, and 4 percent had provided 262 or more risk assessments during the year. Counselors who provide little HIV counseling are more likely to leave compared with counselors who engage in higher counseling workloads. This trend was observed in 2001 and 2002 as well. These data suggest that high levels of counselor turnover are the norm rather than the exception. With a third of the HIV counselor workforce leaving each year, strategies and incentives need to be considered to help retain HIV counselors and weed out individuals prior to training who are not prepared to make a longer term commitment.


Counselor Workload

Counselor workload was calculated by averaging the number of weekly risk assessments performed by each counselor. The average number of risk assessment sessions performed each week by HIV counselors was just over three sessions (mean=3.1). Counselors who provide few sessions each week may not be gaining the necessary experience to become proficient HIV counselors. In many cases, HIV counselors also work in other capacities within a clinic or health department, some counselors are volunteers, and others have part-time jobs outside of the testing clinic. Additionally, the needs of rural versus urban and suburban HIV testing sites are very different when it comes to HIV counselor personnel needs.

HIV Counselor Training

Examination of enrollment in OA-sponsored HIV counselor trainings (including the two components of the Basic Training series and CETs) demonstrated that in 2000 more than two-thirds of the people attending Basic I training did not actually engage in HIV counseling. As a result, a number of changes in the requirements for enrolling potential HIV counselors in OA-sponsored trainings were implemented in 2001. These policy modifications are fully described in the 2001 C&T Report. As a result of these changes, the percentage of active counselors (counselors who perform five or more counseling sessions a year) who are enrolled in the training classes has increased. This change is most clearly seen in CETs, in which enrollment of active counselors increased by 29 percent over 2001 (Figure 16). This represents significant progress once policy changes were made and implemented. Additionally, the overall number of participants attending the Basic I counselor training dropped from 530 participants in 2000 to 195 participants in 2003, a 63 percent reduction in the number of individuals being sent to the initial training.

Figure 16



Prepared by CDHS/OA.

While there has been an increase in the percentage of active counselors attending OA-sponsored trainings, quality assurance measures indicate a need to reduce counselor turnover and increase counselor workload to improve the quality of client-centered HIV counseling. Increasing follow-up services for confidentially tested clients will assist in reducing the number of clients who do not receive their test results. The percentage of clients who do not receive their HIV test results will be substantially reduced as the number of rapid HIV testing sites increases. Improved services and counseling quality has a direct impact on assisting clients on strategies to reduce their risks for HIV and encouraging clients to return for their HIV test results.

| California HIV Counseling and Testing Annual Report, January – December 2003 |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

HIV Counseling and Testing Tables

HIV C&T data are reported to OA by county/city local health departments (LHDs) through contracts and agreements with OA to provide these services. Programs funded through LHDs are divided into legislatively mandated anonymous testing services at ATS, anonymous, and confidential services at county or municipal STD and other clinics, Indian health programs, and other venues (referred to in the tables as Non-ATS LHDs). This section of the report contains 20 tables of client data from OA-funded programs and also presents limited client data from non-OA-funded programs (e.g., DADP). Data are accumulated annually.

Effective July 1994, major changes were made to the system used to collect and report client data to OA and a new client-centered counseling approach was implemented. Further modifications to the data collection system were implemented in July 1997, including the introduction of a more comprehensive HIV CIF (DHS 8458). Much more detailed risk behavior information is now being discussed with clients and collected for analysis with the introduction of the fifth version of the CIF in January 2001. Clients voluntarily provide risk information during the counseling sessions, and the heading "Unknown" in any table means that the client did not provide an item of information. The "HIV Risk Behavior Category" variable presented in some tables is not strictly comparable with that variable as reported before July 1, 1994.

The basic tabulated information is a client visit/service unit. The service unit includes, at a minimum, an HIV risk assessment session. If the client elected to be tested, the client visit also includes a test result. For those clients who elected to be tested the service includes a disclosure session, unless the client did not return for the result. A client may have obtained more than one HIV test in a reporting period; in this case each test and its related services is reported separately. It is important to keep in mind that these data represent C&T services administered through these programs and, hence, recipients of these services are a self-selected group. Therefore, these data should not be interpreted as representing discrete persons or the population of California in general.

Guide to HIV Counseling and Testing Tables

Tables 1 through 6 are for all services, both OA-funded and non-OA-funded, and include information on volume of testing per quarter and month, program and clinic type, and client risk. Tables 7 through 16 report OA-funded services only and contain information on race, age group, gender, client risk, pregnancy status, outreach clients, past STD, STD/hepatitis diagnosis, number of sex partners, number of prior HIV tests, and program type and agency. OA-funded services for clients who have been tested are described in Tables 17 through 20 and include information on race, risk group, gender, drug use, no show rates, and disclosure referrals. Tables 21 and 22 provide a summary of risk group, gender, race, and age group for OA-funded services provide to clients who elected not to be tested. Below is a description of each table.

OA- and Non-OA-Funded Services

Table 1 presents total C&T services by quarter and month provided by OA-funded programs in 2003 for all clients who have tested or who have chosen not to be tested.

Table 2 presents the same information as Table 1, but for non-OA-funded programs reporting data to OA.

Table 3 provides test result and risk assessment-only services for OA-funded programs by program and clinic type.

Table 4 is the same information as Table 3, but for non-OA-funded programs reporting data to OA.

Table 5 provides test result and risk assessment-only services at OA-funded programs by a categorical assignment of client risk. Behaviors reported by the client on the HIV CIF (DHS 8458) are ranked by decreasing risk of exposure and the client is assigned the category producing the greatest probable risk for contracting HIV. These risk groups are further subdivided by gender.

Table 6 has the same information as Table 5, but for non-OA-funded programs reporting data to OA.

All OA-Funded Services

Table 7 summarizes test results and risk assessment-only services by race and gender.

Table 8 shows test results and risk assessment-only services by age group and gender.

Table 9 summarizes risk groups by gender and age group.

Table 10 shows test results for female clients by risk behavior and pregnancy status.

Table 11 shows test results for outreach clients (those reached through a mobile van or referred by an OA outreach worker) by risk behavior and gender.

Table 12 presents recent (past two years) STD history by risk behavior and gender.

Table 13 presents specific STD/hepatitis diagnosis by risk behavior and gender.

Table 14 summarizes the number of sex partners in the past year by risk behavior and gender.

Table 15 summarizes the number of prior HIV tests by risk behavior and gender.

Table 16 provides test results by program type and LHD.

OA-Funded Services for Clients Who Have Tested

Table 17 describes counseling and testing clients by race, risk group, and gender.

Table 18 describes C&T clients by drug use, gender, and test result.

Table 19 provides no-show rates by program and LHD for both OA- and non-OA-funded programs.

Table 20 shows disclosure referrals at different levels of client risk.

| | . OA-FUNDE ING AND TE | | | | | TES | ΓED | | | | NOT TES | TED | TOTAL | |
|----------------|--------------------------|-----------------|--------|-----|--------|------|-----------|------|---------|------|---------|------|----------|------|
| | S BY YEAR, | | POSITI | /E | NEGATI | VΕ | INCONCLUS | SIVE | TOTAL E | | TOTAL I | | SERVICES | S BY |
| | | | NUMBER | 96 | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| YEAR TESTED | QUARTER | MONTH TESTED | | | | | | | | | | | | |
| 2003 | 1 | JANUARY | 257 | 1.5 | 17100 | 98.4 | 19 | 0.1 | 17376 | 9.6 | 778 | 8.0 | 18154 | 9.5 |
| | | FEBRUARY | 220 | 1.5 | 14464 | 98.3 | 24 | 0.2 | 14708 | 8.1 | 664 | 6.9 | 15372 | 8.1 |
| | | MARCH | 268 | 1.7 | 15477 | 98.1 | 28 | 0.2 | 15773 | 8.7 | 760 | 7.9 | 16533 | 8.7 |
| | | SUBTOTAL | 745 | 1.6 | 47041 | 98.3 | 71 | 0.1 | 47857 | 26.5 | 2202 | 22.8 | 50059 | 26.3 |
| | 2 | MONTH TESTED | | | | | | | | | | | | |
| | | APRIL | 232 | 1.5 | 15028 | 98.3 | 32 | 0.2 | 15292 | 8.5 | 793 | 8.2 | 16085 | 8.5 |
| | | MAY | 263 | 1.8 | 14009 | 97.9 | 39 | 0.3 | 14311 | 7.9 | 764 | 7.9 | 15075 | 7.9 |
| | | JUNE | 308 | 2.0 | 15098 | 97.7 | 50 | 0.3 | 15456 | 8.6 | 714 | 7.4 | 16170 | 8.5 |
| | | SUBTOTAL | 803 | 1.8 | 44135 | 97.9 | 121 | 0.3 | 45059 | 25.0 | 2271 | 23.6 | 47330 | 24.9 |
| | 3 | MONTH TESTED | | | | | | | | | | | | |
| | | JULY | 277 | 1.7 | 15862 | 97.8 | 75 | 0.5 | 16214 | 9.0 | 998 | 10.4 | 17212 | 9.1 |
| | | AUGUST | 244 | 1.6 | 14978 | 98.2 | 30 | 0.2 | 15252 | 8.4 | 914 | 9.5 | 16166 | 8.5 |
| | | SEPTEMBER | 219 | 1.5 | 14789 | 98.3 | 41 | 0.3 | 15049 | 8.3 | 947 | 9.8 | 15996 | 8.4 |
| | | SUBTOTAL | 740 | 1.6 | 45629 | 98.1 | 146 | 0.3 | 46515 | 25.8 | 2859 | 29.7 | 49374 | 26.0 |
| | 4 | MONTH TESTED | | | | | | | | | | | | |
| | | OCTOBER | 250 | 1.6 | 15535 | 98.1 | 49 | 0.3 | 15834 | 8.8 | 837 | 8.7 | 16671 | 8.8 |
| | | NOVEMBER | 201 | 1.7 | 11685 | 98.1 | 28 | 0.2 | 11914 | 6.6 | 605 | 6.3 | 12519 | 6.6 |
| | | DECEMBER | 211 | 1.6 | 13054 | 97.9 | 64 | 0.5 | 13329 | 7.4 | 866 | 9.0 | 14195 | 7.5 |
| | | SUBTOTAL | 662 | 1.6 | 40274 | 98.0 | 141 | 0.3 | 41077 | 22.8 | 2308 | 23.9 | 43385 | 22.8 |
| TOTAL BY | Y RESULT | • | 2950 | 1.6 | 177079 | 98.1 | 479 | 0.3 | 180508 | 100 | 9640 | 100 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS: CDHS = California Department of Health Services OA = Office of AIDS

| ! | NON-OA-F | | | | | TES | ΓED | | | | NOT TES | TED | ТОТА | |
|----------------|----------|-----------------|--------|-----|---------|------|-----------|------|---------|------|---------|------|-------------------|------|
| | BY YEAR, | | POSITI | /E | NEGATI' | /E | INCONCLUS | SIVE | TOTAL I | | TOTAL I | | SERVICE: MONTI | S BY |
| | | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| YEAR TESTED | QUARTER | MONTH TESTED | | | | | | | | | | | | |
| 2003 | 1 | JANUARY | 21 | 1.1 | 1844 | 98.9 | | | 1865 | 8.6 | 137 | 8.1 | 2002 | 8.5 |
| | | FEBRUARY | 20 | 1.1 | 1749 | 98.7 | 3 | 0.2 | 1772 | 8.1 | 91 | 5.4 | 1863 | 7.9 |
| | | MARCH | 24 | 1.3 | 1768 | 98.6 | 1 | 0.1 | 1793 | 8.2 | 79 | 4.7 | 1872 | 8.0 |
| | | SUBTOTAL | 65 | 1.2 | 5361 | 98.7 | 4 | 0.1 | 5430 | 25.0 | 307 | 18.2 | 5737 | 24.5 |
| | 2 | MONTH TESTED | | | | | | | | | | | | |
| | | APRIL | 24 | 1.5 | 1551 | 98.2 | 5 | 0.3 | 1580 | 7.3 | 67 | 4.0 | 1647 | 7.0 |
| | | MAY | 21 | 1.4 | 1449 | 98.4 | 3 | 0.2 | 1473 | 6.8 | 92 | 5.4 | 1565 | 6.7 |
| | | JUNE | 26 | 1.6 | 1618 | 98.3 | 2 | 0.1 | 1646 | 7.6 | 41 | 2.4 | 1687 | 7.2 |
| | | SUBTOTAL | 71 | 1.5 | 4618 | 98.3 | 10 | 0.2 | 4699 | 21.6 | 200 | 11.8 | 4899 | 20.9 |
| | 3 | MONTH TESTED | | | | | | | | | | | | |
| | | JULY | 22 | 0.9 | 2312 | 99.0 | 1 | 0.0 | 2335 | 10.7 | 256 | 15.1 | 2591 | 11.1 |
| | | AUGUST | 20 | 1.1 | 1800 | 98.7 | 3 | 0.2 | 1823 | 8.4 | 160 | 9.5 | 1983 | 8.5 |
| | | SEPTEMBER | 23 | 1.2 | 1890 | 98.5 | 6 | 0.3 | 1919 | 8.8 | 140 | 8.3 | 2059 | 8.8 |
| | | SUBTOTAL | 65 | 1.1 | 6002 | 98.8 | 10 | 0.2 | 6077 | 27.9 | 556 | 32.9 | 6633 | 28.3 |
| | 4 | MONTH TESTED | | | | | | | | | | | | |
| | | OCTOBER | 21 | 0.9 | 2205 | 99.0 | 2 | 0.1 | 2228 | 10.2 | 252 | 14.9 | 2480 | 10.6 |
| | | NOVEMBER | 22 | 1.3 | 1729 | 98.5 | 4 | 0.2 | 1755 | 8.1 | 174 | 10.3 | 1929 | 8.2 |
| | | DECEMBER | 19 | 1.2 | 1532 | 98.4 | 6 | 0.4 | 1557 | 7.2 | 202 | 11.9 | 1759 | 7.5 |
| | | SUBTOTAL | 62 | 1.1 | 5466 | 98.7 | 12 | 0.2 | 5540 | 25.5 | 628 | 37.1 | 6168 | 26.3 |
| TOTAL BY | RESULT | • | 263 | 1.2 | 21447 | 98.6 | 36 | 0.2 | 21746 | 100 | 1691 | 100 | 23437 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS: CDHS = California Department of Health Services OA = Office of AIDS

| TABLE 3. OA-FU | | | | | TES | ΓED | | | | NOT TE | STED | | |
|-------------------------|---------------------------------|--------|-----|--------|-----------|----------|-------|----------------------------|------|----------------------------|------|------------------------|------|
| BY PROGRAM AND | TESTING SERVICES CLINIC TYPE | POSITI | IVE | NEGAT | IVE | INCONCLU | JSIVE | TOTAL PROGRAM CLINIC | AND | TOTAL PROGRAM CLINIC | AND | TOTA SERVI PROVI | CES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| PROGRAM TYPE | CLINIC TYPE | | | | | | | | | | | | |
| LHJ PROGRAM | ALTERNATIVE TEST SITE | 764 | 1.6 | 45852 | 98.2 | 97 | 0.2 | 46713 | 26.1 | 4412 | 47.0 | 51125 | 27.1 |
| | FAMILY PLANNING | 9 | 0.6 | 1509 | 99.3 | 2 | 0.1 | 1520 | 0.8 | 125 | 1.3 | 1645 | 0.9 |
| | STD CLINIC | 372 | 1.2 | 30697 | 98.7 | 21 | 0.1 | 31090 | 17.4 | 3102 | 33.0 | 34192 | 18.1 |
| | ALCOHOL/DRUG TREAT | 26 | 0.5 | 5140 | 99.3 | 11 | 0.2 | 5177 | 2.9 | 270 | 2.9 | 5447 | 2.9 |
| | DETENTION FACILITY | 106 | 0.7 | 14078 | 99.1 | 27 | 0.2 | 14211 | 7.9 | 408 | 4.3 | 14619 | 7.8 |
| | PRIMARY CARE | 105 | 1.9 | 5356 | 97.9 | 12 | 0.2 | 5473 | 3.1 | 21 | 0.2 | 5494 | 2.9 |
| | HIV TESTING | 950 | 2.8 | 33151 | 96.8 | 135 | 0.4 | 34236 | 19.1 | 293 | 3.1 | 34529 | 18.3 |
| | STREET OUTREACH | 91 | 1.5 | 5791 | 98.1 | 21 | 0.4 | 5903 | 3.3 | 245 | 2.6 | 6148 | 3.3 |
| | MOBILE VAN | 373 | 1.4 | 26064 | 98.3 | 70 | 0.3 | 26507 | 14.8 | 303 | 3.2 | 26810 | 14.2 |
| | TB SCREENING | 3 | 1.4 | 203 | 98.1 | 1 | 0.5 | 207 | 0.1 | 3 | 0.0 | 210 | 0.1 |
| | YOUTH DROP IN | 19 | 1.4 | 1365 | 98.6 | 1 | 0.1 | 1385 | 0.8 | 4 | 0.0 | 1389 | 0.7 |
| | OTHER HD | 87 | 2.5 | 3332 | 97.0 | 16 | 0.5 | 3435 | 1.9 | 66 | 0.7 | 3501 | 1.9 |
| | OTHER | 42 | 1.3 | 3044 | 96.6 | 65 | 2.1 | 3151 | 1.8 | 134 | 1.4 | 3285 | 1.7 |
| | SUBTOTAL | 2947 | 1.6 | 175582 | 98.1 | 479 | 0.3 | 179008 | 99.2 | 9386 | 97.4 | 188394 | 99.1 |
| RURAL HEALTH PROGRAM | CLINIC TYPE | | | | | | | | | | | | |
| FROGRAW | ALCOHOL/DRUG TREAT | | | 2 | 100 | | | 2 | 0.2 | | | 2 | 0.2 |
| | PRIMARY CARE | 1 | 0.1 | 1000 | 99.9 | | | 1001 | 99.1 | 246 | 98.0 | 1247 | 98.9 |
| | HIV TESTING | | | 6 | 100 | | | 6 | 0.6 | 4 | 1.6 | 10 | 0.8 |
| | MOBILE VAN | | | 1 | 100 | | | 1 | 0.1 | 1 | 0.4 | 2 | 0.2 |
| | SUBTOTAL | 1 | 0.1 | 1009 | 99.9 | | | 1010 | 0.6 | 251 | 2.6 | 1261 | 0.7 |
| INDIAN HEALTH | CLINIC TYPE | | | | | | | | | | | | |
| INGRAM | PRIMARY CARE | 2 | 0.4 | 486 | 99.6 | | | 488 | 99.6 | 3 | 100 | 491 | 99.6 |
| | HIV TESTING | | | 1 | 100 | | | 1 | 0.2 | | | 1 | 0.2 |
| | OTHER HD | | | 1 | 100 | | | 1 | 0.2 | | | 1 | 0.2 |
| | SUBTOTAL | 2 | 0.4 | 488 | 99.6 | | | 490 | 0.3 | 3 | 0.0 | 493 | 0.3 |
| TOTAL BY RESUL | Т | 2950 | 1.6 | 177079 | 98.1 | 479 | 0.3 | 180508 | 100 | 9640 | 100 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:
CDHS = California Department of Health Services
HD = Health Department
OA = Office of AIDS
STD = Sexually Transmitted Disease
TB = Tuberculosis
LHJ = Local Health Jurisdiction

| TABLE 4. NON-O | | | | | TES | TED | | | | NOT TES | STED | | |
|----------------|------------------------------|--------|-----|--------|------|----------|-------|----------------------------|------|----------------------------|------|---------------------------|------|
| BY PROGRAM AND | TESTING SERVICES CLINIC TYPE | POSIT | IVE | NEGAT | IVE | INCONCLU | JSIVE | TOTAL PROGRAM CLINIC | AND | TOTAL PROGRAM CLINIC | AND | TOTAI SERVIO PROVII | CES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| PROGRAM TYPE | CLINIC TYPE | | | | | | | | | | | | |
| LHJ PROGRAM | ALTERNATIVE TEST SITE | 1 | 2.9 | 34 | 97.1 | | | 35 | 0.2 | 2 | 0.1 | 37 | 0.2 |
| | FAMILY PLANNING | 1 | 1.6 | 60 | 98.4 | | | 61 | 0.4 | 3 | 0.2 | 64 | 0.4 |
| | STD CLINIC | 36 | 1.0 | 3575 | 98.9 | 5 | 0.1 | 3616 | 22.5 | 875 | 60.1 | 4491 | 25.6 |
| | ALCOHOL/DRUG TREAT | 24 | 0.6 | 4118 | 99.2 | 8 | 0.2 | 4150 | 25.8 | 229 | 15.7 | 4379 | 24.9 |
| | DETENTION FACILITY | 72 | 3.7 | 1868 | 96.0 | 6 | 0.3 | 1946 | 12.1 | 10 | 0.7 | 1956 | 11.1 |
| | PRIMARY CARE | 3 | 1.9 | 151 | 98.1 | | | 154 | 1.0 | 2 | 0.1 | 156 | 0.9 |
| | HIV TESTING | 92 | 2.2 | 4144 | 97.6 | 8 | 0.2 | 4244 | 26.4 | 5 | 0.3 | 4249 | 24.2 |
| | STREET OUTREACH | 1 | 1.1 | 92 | 98.9 | | | 93 | 0.6 | 1 | 0.1 | 94 | 0.5 |
| | MOBILE VAN | 3 | 0.3 | 974 | 99.7 | | | 977 | 6.1 | 2 | 0.1 | 979 | 5.6 |
| | TB SCREENING | 2 | 1.3 | 153 | 98.7 | | | 155 | 1.0 | 52 | 3.6 | 207 | 1.2 |
| | YOUTH DROP IN | | | 27 | 100 | | | 27 | 0.2 | | | 27 | 0.2 |
| | OTHER HD | 1 | 0.8 | 125 | 96.9 | 3 | 2.3 | 129 | 0.8 | 14 | 1.0 | 143 | 0.8 |
| | OTHER | 9 | 1.7 | 509 | 98.1 | 1 | 0.2 | 519 | 3.2 | 262 | 18.0 | 781 | 4.4 |
| | SUBTOTAL | 245 | 1.5 | 15830 | 98.3 | 31 | 0.2 | 16106 | 74.1 | 1457 | 86.2 | 17563 | 74.9 |
| DADP | CLINIC TYPE | | | | | | | | | | | | |
| | FAMILY PLANNING | | | 3 | 100 | | | 3 | 0.1 | 1 | 0.4 | 4 | 0.1 |
| | STD CLINIC | | | 35 | 100 | | | 35 | 0.6 | | | 35 | 0.6 |
| | ALCOHOL/DRUG TREAT | 17 | 0.3 | 5137 | 99.6 | 5 | 0.1 | 5159 | 91.5 | 206 | 88.0 | 5365 | 91.3 |
| | DETENTION FACILITY | | | 194 | 100 | | | 194 | 3.4 | 1 | 0.4 | 195 | 3.3 |
| | PRIMARY CARE | | | 2 | 100 | | | 2 | 0.0 | | | 2 | 0.0 |
| | HIV TESTING | | | 5 | 100 | | | 5 | 0.1 | | | 5 | 0.1 |
| | STREET OUTREACH | | | 1 | 100 | | | 1 | 0.0 | 1 | 0.4 | 2 | 0.0 |
| | MOBILE VAN | 1 | 2.4 | 40 | 97.6 | | | 41 | 0.7 | | | 41 | 0.7 |
| | TB SCREENING | | | 1 | 100 | | | 1 | 0.0 | | | 1 | 0.0 |
| | OTHER HD | | | 5 | 100 | | | 5 | 0.1 | | | 5 | 0.1 |
| | OTHER | | | 194 | 100 | | | 194 | 3.4 | 25 | 10.7 | 219 | 3.7 |
| | SUBTOTAL | 18 | 0.3 | 5617 | 99.6 | 5 | 0.1 | 5640 | 25.9 | 234 | 13.8 | 5874 | 25.1 |
| TOTAL BY RESUL | т | 263 | 1.2 | 21447 | 98.6 | 36 | 0.2 | 21746 | 100 | 1691 | 100 | 23437 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

CDHS = California Department of Health Services DADP = Department of Alcohol and Drug Programs HD = Health Department OA = Office of AIDS

STD = Sexually Transmitted Disease

TB = Tuberculosis

LHJ = Local Health Jurisdiction

| TABLE 5. OA-F | | | | | TES | TED | | | | NOT TE | STED | | |
|--|----------|--------|------|--------|------|----------|-------|-----------------|------|-----------------|------|------------------------|------|
| COUNSELING AN SERVICES BY F AND GENDER | | POSIT | IVE | NEGAT | IVE | INCONCLU | JSIVE | TOTAL RISK A | AND | TOTAL RISK A | AND | TOTA SERVI PROVI | CES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 1220 | 4.2 | 27543 | 95.5 | 67 | 0.2 | 28830 | 100 | 2108 | 100 | 30938 | 100 |
| | SUBTOTAL | 1220 | 4.2 | 27543 | 95.5 | 67 | 0.2 | 28830 | 16.0 | 2108 | 21.9 | 30938 | 16.3 |
| BISEXUAL | MALE | 237 | 3.3 | 6862 | 96.3 | 23 | 0.3 | 7122 | 67.6 | 193 | 65.9 | 7315 | 67.5 |
| | FEMALE | 13 | 0.4 | 3396 | 99.4 | 7 | 0.2 | 3416 | 32.4 | 100 | 34.1 | 3516 | 32.5 |
| | SUBTOTAL | 250 | 2.4 | 10258 | 97.3 | 30 | 0.3 | 10538 | 5.8 | 293 | 3.0 | 10831 | 5.7 |
| IDU | MALE | 214 | 2.0 | 10317 | 97.7 | 31 | 0.3 | 10562 | 61.3 | 182 | 67.9 | 10744 | 61.4 |
| | FEMALE | 83 | 1.4 | 6019 | 98.2 | 29 | 0.5 | 6131 | 35.6 | 79 | 29.5 | 6210 | 35.5 |
| | TG | 35 | 8.5 | 376 | 91.5 | | | 411 | 2.4 | 3 | 1.1 | 414 | 2.4 |
| | UNKNOWN | 2 | 1.7 | 115 | 96.6 | 2 | 1.7 | 119 | 0.7 | 4 | 1.5 | 123 | 0.7 |
| | SUBTOTAL | 334 | 1.9 | 16827 | 97.7 | 62 | 0.4 | 17223 | 9.5 | 268 | 2.8 | 17491 | 9.2 |
| GAY/IDU | MALE | 190 | 11.1 | 1517 | 88.6 | 5 | 0.3 | 1712 | 100 | 16 | 100 | 1728 | 100 |
| | SUBTOTAL | 190 | 11.1 | 1517 | 88.6 | 5 | 0.3 | 1712 | 0.9 | 16 | 0.2 | 1728 | 0.9 |
| PARTNER HIV | MALE | 46 | 5.1 | 846 | 94.6 | 2 | 0.2 | 894 | 37.7 | 13 | 37.1 | 907 | 37.7 |
| POSITIVE | FEMALE | 55 | 4.0 | 1316 | 95.8 | 3 | 0.2 | 1374 | 58.0 | 22 | 62.9 | 1396 | 58.0 |
| | TG | 8 | 11.9 | 58 | 86.6 | 1 | 1.5 | 67 | 2.8 | | | 67 | 2.8 |
| | UNKNOWN | 4 | 11.1 | 32 | 88.9 | | | 36 | 1.5 | | | 36 | 1.5 |
| | SUBTOTAL | 113 | 4.8 | 2252 | 95.0 | 6 | 0.3 | 2371 | 1.3 | 35 | 0.4 | 2406 | 1.3 |
| PARTNER OF | FEMALE | 13 | 0.8 | 1670 | 99.2 | 1 | 0.1 | 1684 | 100 | 10 | 100 | 1694 | 100 |
| BISEXUAL | SUBTOTAL | 13 | 0.8 | 1670 | 99.2 | 1 | 0.1 | 1684 | 0.9 | 10 | 0.1 | 1694 | 0.9 |
| PARTNER OF | MALE | 35 | 0.8 | 4417 | 98.8 | 17 | 0.4 | 4469 | 55.0 | 28 | 52.8 | 4497 | 55.0 |
| 100 | FEMALE | 25 | 0.7 | 3467 | 99.1 | 7 | 0.2 | 3499 | 43.0 | 23 | 43.4 | 3522 | 43.0 |
| | TG | 1 | 1.7 | 59 | 98.3 | | | 60 | 0.7 | | | 60 | 0.7 |
| | UNKNOWN | 2 | 2.0 | 100 | 98.0 | | | 102 | 1.3 | 2 | 3.8 | 104 | 1.3 |
| | SUBTOTAL | 63 | 0.8 | 8043 | 98.9 | 24 | 0.3 | 8130 | 4.5 | 53 | 0.5 | 8183 | 4.3 |
| SEX FOR DRUGS/MONEY | MALE | 14 | 1.6 | 878 | 98.2 | 2 | 0.2 | 894 | 30.4 | 15 | 33.3 | 909 | 30.4 |
| DRUGS/ MONE I | FEMALE | 31 | 1.7 | 1792 | 97.7 | 12 | 0.7 | 1835 | 62.4 | 23 | 51.1 | 1858 | 62.2 |
| | TG | 9 | 4.8 | 177 | 95.2 | | | 186 | 6.3 | 7 | 15.6 | 193 | 6.5 |
| | UNKNOWN | | | 28 | 100 | | | 28 | 1.0 | | | 28 | 0.9 |
| | SUBTOTAL | 54 | 1.8 | 2875 | 97.7 | 14 | 0.5 | 2943 | 1.6 | 45 | 0.5 | 2988 | 1.6 |
| TRANSFUSION | MALE | 8 | 1.8 | 449 | 98.2 | | | 457 | 51.6 | 3 | 60.0 | 460 | 51.7 |
| | FEMALE | 8 | 1.9 | 407 | 97.6 | 2 | 0.5 | 417 | 47.1 | 2 | 40.0 | 419 | 47.1 |
| | TG | 1 | 50.0 | 1 | 50.0 | | | 2 | 0.2 | | | 2 | 0.2 |
| | UNKNOWN | | | 9 | 100 | | | 9 | 1.0 | | | 9 | 1.0 |
| | SUBTOTAL | 17 | 1.9 | 866 | 97.9 | 2 | 0.2 | 885 | 0.5 | 5 | 0.1 | 890 | 0.5 |

| TABLE 5. OA-F | | | | | TES | ΓED | | | | NOT TE | STED | | |
|-----------------------------|----------|--------|------|--------|------|----------|-------|--------------------------|------|-----------------|------|------------------------|------|
| SERVICES BY R AND GENDER | | POSIT | IVE | NEGAT | IVE | INCONCLU | JSIVE | TOTAL RISK / GENDI | AND | TOTAL RISK A | AND | TOTA SERVI PROVI | CES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HETEROSEXUAL- | MALE | 226 | 0.5 | 41861 | 99.2 | 98 | 0.2 | 42185 | 63.9 | 1754 | 63.0 | 43939 | 63.9 |
| PARTNERS | FEMALE | 90 | 0.4 | 22717 | 99.4 | 44 | 0.2 | 22851 | 34.6 | 994 | 35.7 | 23845 | 34.7 |
| | TG | 16 | 4.8 | 313 | 94.8 | 1 | 0.3 | 330 | 0.5 | 13 | 0.5 | 343 | 0.5 |
| | UNKNOWN | 1 | 0.2 | 619 | 99.4 | 3 | 0.5 | 623 | 0.9 | 23 | 0.8 | 646 | 0.9 |
| | SUBTOTAL | 333 | 0.5 | 65510 | 99.3 | 146 | 0.2 | 65989 | 36.6 | 2784 | 28.9 | 68773 | 36.2 |
| OCCUPATIONAL | MALE | 2 | 4.1 | 47 | 95.9 | | | 49 | 32.2 | | | 49 | 32.2 |
| | FEMALE | | | 100 | 99.0 | 1 | 1.0 | 101 | 66.4 | | | 101 | 66.4 |
| | TG | | | 1 | 100 | | | 1 | 0.7 | | | 1 | 0.7 |
| | UNKNOWN | | | 1 | 100 | | | 1 | 0.7 | | | 1 | 0.7 |
| | SUBTOTAL | 2 | 1.3 | 149 | 98.0 | 1 | 0.7 | 152 | 0.1 | | | 152 | 0.1 |
| PARENT RISK | MALE | 1 | 33.3 | 2 | 66.7 | | | 3 | 60.0 | | | 3 | 60.0 |
| | FEMALE | 1 | 50.0 | 1 | 50.0 | | | 2 | 40.0 | | | 2 | 40.0 |
| | SUBTOTAL | 2 | 40.0 | 3 | 60.0 | | | 5 | 0.0 | | | 5 | 0.0 |
| NO REPORTED RISK | MALE | 181 | 1.0 | 17139 | 98.7 | 49 | 0.3 | 17369 | 45.8 | 896 | 43.0 | 18265 | 45.7 |
| nion | FEMALE | 110 | 0.5 | 19914 | 99.1 | 61 | 0.3 | 20085 | 53.0 | 1149 | 55.2 | 21234 | 53.1 |
| | TG | 4 | 3.1 | 126 | 96.9 | | | 130 | 0.3 | 5 | 0.2 | 135 | 0.3 |
| | UNKNOWN | 3 | 1.0 | 303 | 98.1 | 3 | 1.0 | 309 | 0.8 | 33 | 1.6 | 342 | 0.9 |
| | SUBTOTAL | 298 | 0.8 | 37482 | 98.9 | 113 | 0.3 | 37893 | 21.0 | 2083 | 21.6 | 39976 | 21.0 |
| UNKNOWN | MALE | 47 | 3.8 | 1187 | 96.0 | 2 | 0.2 | 1236 | 57.4 | 1322 | 68.1 | 2558 | 62.5 |
| | FEMALE | 12 | 1.5 | 767 | 97.8 | 5 | 0.6 | 784 | 36.4 | 491 | 25.3 | 1275 | 31.2 |
| | TG | 2 | 11.1 | 16 | 88.9 | | | 18 | 0.8 | 4 | 0.2 | 22 | 0.5 |
| | UNKNOWN | | | 114 | 99.1 | 1 | 0.9 | 115 | 5.3 | 123 | 6.3 | 238 | 5.8 |
| | SUBTOTAL | 61 | 2.8 | 2084 | 96.8 | 8 | 0.4 | 2153 | 1.2 | 1940 | 20.1 | 4093 | 2.2 |
| TOTAL BY RESU | LT | 2950 | 1.6 | 177079 | 98.1 | 479 | 0.3 | 180508 | 100 | 9640 | 100 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:
CDHS = California Department of Health Services
IDU = Injection Drug User
OA = Office of AIDS
TG = Transgender

| TABLE 6. NON- | OA-FUNDED HIV | | | | TES | TED | | | | NOT TE | STED | | |
|---|---------------|--------|------|--------|------|----------|-------|-----------------|----------|-----------------|---------|------------------------|----------|
| COUNSELING AN SERVICES BY R AND GENDER | | POSIT | TVF | NEGAT | TVF | INCONCLU | ISTVE | TOTAL RISK / | AND | TOTAL RISK / | AND | TOTA SERVI PROVI | CES |
| | | NUMBER | % | NUMBER | - % | NUMBER | % | NUMBER | -n -% | NUMBER | -n % | NUMBER | % % |
| HOMOSEXUAL | MALE | 84 | 7.3 | | 92.4 | 4 | 0.3 | 1156 | 100 | 180 | 100 | 1336 | 100 |
| HOWOSEXUAL | | - | | | - | | | | - | | | | - |
| D. T. O. T. W. L. | SUBTOTAL | 84 | 7.3 | 1068 | - | 4 | 0.3 | 1156 | 5.3 | 180 | 10.6 | 1336 | 5.7 |
| BISEXUAL | MALE | 20 | 4.3 | 441 | 95.2 | 2 | 0.4 | 463 | - | | 65.8 | 515 | - |
| | FEMALE | 2 | 0.3 | 595 | - | 3 | 0.5 | 600 | | 27 | 34.2 | 627 | - |
| | SUBTOTAL | 22 | 2.1 | | 97.5 | 5 | 0.5 | 1063 | 4.9 | 79 | 4.7 | 1142 | 4.9 |
| IDU | MALE | 9 | 0.5 | 1797 | 99.3 | 3 | 0.2 | 1809 | 51.8 | 45 | 57.7 | 1854 | 51.9 |
| | FEMALE | 14 | 0.8 | 1641 | 98.9 | 4 | 0.2 | 1659 | 47.5 | 32 | 41.0 | 1691 | 47.3 |
| | TG | 2 | 12.5 | 14 | 87.5 | | | 16 | 0.5 | 1 | 1.3 | 17 | 0.5 |
| | UNKNOWN | | | 11 | 100 | | | 11 | 0.3 | | | 11 | 0.3 |
| | SUBTOTAL | 25 | 0.7 | 3463 | 99.1 | 7 | 0.2 | 3495 | 16.1 | 78 | 4.6 | 3573 | 15.2 |
| GAY/IDU | MALE | 16 | 8.5 | 172 | 91.0 | 1 | 0.5 | 189 | 100 | 10 | 100 | 199 | 100 |
| | SUBTOTAL | 16 | 8.5 | 172 | 91.0 | 1 | 0.5 | 189 | 0.9 | 10 | 0.6 | 199 | 0.8 |
| PARTNER HIV POSITIVE | MALE | 2 | 2.7 | 72 | 96.0 | 1 | 1.3 | 75 | 35.4 | | | 75 | 33.9 |
| 1117 10011172 | FEMALE | 6 | 4.9 | 117 | 95.1 | | | 123 | 58.0 | 6 | 66.7 | 129 | 58.4 |
| | TG | 1 | 7.1 | 13 | 92.9 | | | 14 | 6.6 | 3 | 33.3 | 17 | 7.7 |
| | SUBTOTAL | 9 | 4.2 | 202 | 95.3 | 1 | 0.5 | 212 | 1.0 | 9 | 0.5 | 221 | 0.9 |
| PARTNER OF | FEMALE | 1 | 0.5 | 193 | 99.0 | 1 | 0.5 | 195 | 100 | 3 | 100 | 198 | 100 |
| BISEXUAL | SUBTOTAL | 1 | 0.5 | 193 | 99.0 | 1 | 0.5 | 195 | 0.9 | 3 | 0.2 | 198 | 0.8 |
| PARTNER OF | MALE | 6 | 0.8 | 782 | 99.2 | | | 788 | 49.2 | 15 | 57.7 | 803 | 49.3 |
| IDU | FEMALE | 3 | 0.4 | 802 | 99.6 | | | 805 | 50.2 | 10 | 38.5 | 815 | 50.0 |
| | TG | 1 | 16.7 | 5 | 83.3 | | | 6 | 0.4 | 1 | 3.8 | 7 | 0.4 |
| | UNKNOWN | | | 4 | 100 | | | 4 | 0.2 | | | 4 | 0.2 |
| | SUBTOTAL | 10 | 0.6 | 1593 | 99.4 | | | 1603 | 7.4 | 26 | 1.5 | 1629 | 7.0 |
| SEX FOR | MALE | | | 205 | 99.5 | 1 | 0.5 | 206 | 14.0 | 20 | 17.1 | 226 | 14.2 |
| DRUGS/MONEY | FEMALE | 15 | 1.3 | 1149 | 98.5 | 2 | 0.2 | 1166 | 79.1 | 85 | 72.6 | 1251 | 78.6 |
| | TG | 19 | 18.8 | 81 | 80.2 | 1 | 1.0 | 101 | 6.8 | 11 | 9.4 | 112 | 7.0 |
| | UNKNOWN | | | 2 | 100 | | | 2 | 0.1 | 1 | 0.9 | 3 | 0.2 |
| | SUBTOTAL | 34 | 2.3 | 1437 | 97.4 | 4 | 0.3 | 1475 | 6.8 | 117 | 6.9 | 1592 | 6.8 |
| TRANSFUSION | MALE | | | 57 | 98.3 | 1 | 1.7 | 58 | 49.6 | | | 58 | 48.7 |
| | FEMALE | | | 59 | 100 | | | 59 | 50.4 | 1 | 50.0 | 60 | 50.4 |
| | UNKNOWN | | | | | | | | | 1 | 50.0 | 1 | 0.8 |
| | SUBTOTAL | | | 116 | 99.1 | 1 | 0.9 | 117 | 0.5 | 2 | 0.1 | 119 | |
| HETEROSEXUAL - | MALE | 16 | 0.3 | | 99.5 | 7 | 0.1 | | 66.0 | | 73.5 | | 66.5 |
| /MULTIPLE PARTNERS | FEMALE | 16 | 0.7 | | 99.3 | 2 | 0.1 | | 32.9 | | 25.1 | | 32.3 |
| . / WITH LING | TG | 2 | 4.3 | | 95.7 | | 0.1 | 46 | | 5 | 0.9 | 51 | 0.6 |
| | | | 4.3 | | | | | | | | | | - |
| | UNKNOWN | | | 36 | | | | 36 | | 3 | 0.5 | 39 | |
| | SUBTOTAL | 34 | 0.5 | 7308 | 99.4 | 9 | 0.1 | 7351 | 33.8 | 581 | 34.4 | 7932 | 33.8 |

| TABLE 6. NON- | | | | | TES | ΓED | | | | NOT TES | STED | | |
|-----------------------------|----------|--------|-----|--------|------|----------|-------|-----------------|------|-----------------|------|------------------------|------|
| SERVICES BY R AND GENDER | | POSIT | IVE | NEGAT | IVE | INCONCLU | JSIVE | TOTAL RISK A | AND | TOTAL RISK A | AND | TOTA SERVI PROVI | CES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| OCCUPATIONAL | MALE | | | 3 | 100 | | | 3 | 60.0 | 1 | 100 | 4 | 66.7 |
| | FEMALE | | | 2 | 100 | | | 2 | 40.0 | | | 2 | 33.3 |
| | SUBTOTAL | | | 5 | 100 | | | 5 | 0.0 | 1 | 0.1 | 6 | 0.0 |
| NO REPORTED | MALE | 14 | 0.5 | 2533 | 99.3 | 3 | 0.1 | 2550 | 53.6 | 321 | 56.5 | 2871 | 53.9 |
| HISK | FEMALE | 10 | 0.5 | 2161 | 99.5 | | | 2171 | 45.6 | 235 | 41.4 | 2406 | 45.2 |
| | TG | | | 17 | 100 | | | 17 | 0.4 | 3 | 0.5 | 20 | 0.4 |
| | UNKNOWN | 1 | 5.6 | 17 | 94.4 | | | 18 | 0.4 | 9 | 1.6 | 27 | 0.5 |
| | SUBTOTAL | 25 | 0.5 | 4728 | 99.4 | 3 | 0.1 | 4756 | 21.9 | 568 | 33.6 | 5324 | 22.7 |
| UNKNOWN | MALE | 3 | 5.5 | 52 | 94.5 | | | 55 | 42.6 | 23 | 62.2 | 78 | 47.0 |
| | FEMALE | | | 68 | 100 | | | 68 | 52.7 | 13 | 35.1 | 81 | 48.8 |
| | TG | | | 1 | 100 | | | 1 | 0.8 | | | 1 | 0.6 |
| | UNKNOWN | | | 5 | 100 | | | 5 | 3.9 | 1 | 2.7 | 6 | 3.6 |
| | SUBTOTAL | 3 | 2.3 | 126 | 97.7 | | | 129 | 0.6 | 37 | 2.2 | 166 | 0.7 |
| TOTAL BY RESU | LT | 263 | 1.2 | 21447 | 98.6 | 36 | 0.2 | 21746 | 100 | 1691 | 100 | 23437 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS: CDHS = California Department of Health Services IDU = Injection Drug User OA = Office of AIDS TG = Transgender

| TABLE 7. 0A-FU | | | | | TES | ΓED | | | | NOT TES | TED | TOTA | |
|--|------------------|--------|------|--------|------|-----------|------|---------------------|------|---------------------|------|--------------------------|------|
| COUNSELING AND SERVICES BY RA GENDER | CE/ETHNICITY AND | POSITI | VΕ | NEGATI | VE | INCONCLUS | SIVE | TOTAL BY AND GEN | | TOTAL BY AND GEN | | TOTA SERVIC PROVID | ES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| AFRICAN | MALE | 522 | 2.7 | 18439 | 97.0 | 57 | 0.3 | 19018 | 60.4 | 1154 | 64.0 | 20172 | 60.6 |
| AMERICAN | FEMALE | 171 | 1.4 | 11917 | 98.1 | 54 | 0.4 | 12142 | 38.6 | 630 | 34.9 | 12772 | 38.4 |
| | TG | 36 | 28.6 | 90 | 71.4 | | | 126 | 0.4 | 8 | 0.4 | 134 | 0.4 |
| | UNKNOWN | 2 | 1.1 | 174 | 98.9 | | | 176 | 0.6 | 11 | 0.6 | 187 | 0.6 |
| | SUBTOTAL | 731 | 2.3 | 30620 | 97.3 | 111 | 0.4 | 31462 | 17.4 | 1803 | 18.7 | 33265 | 17.5 |
| AMERICAN | MALE | 26 | 2.1 | 1223 | 97.7 | 3 | 0.2 | 1252 | 49.4 | 34 | 59.6 | 1286 | 49.6 |
| INDIAN | FEMALE | 11 | 0.9 | 1228 | 99.0 | 1 | 0.1 | 1240 | 48.9 | 22 | 38.6 | 1262 | 48.7 |
| | TG | 2 | 8.7 | 21 | 91.3 | | | 23 | 0.9 | | | 23 | 0.9 |
| | UNKNOWN | | | 19 | 100 | | | 19 | 0.7 | 1 | 1.8 | 20 | 0.8 |
| | SUBTOTAL | 39 | 1.5 | 2491 | 98.3 | 4 | 0.2 | 2534 | 1.4 | 57 | 0.6 | 2591 | 1.4 |
| ASIAN/PACIFIC | MALE | 94 | 1.5 | 6216 | 98.3 | 15 | 0.2 | 6325 | 61.6 | 473 | 69.5 | 6798 | 62.1 |
| ISLANDER | FEMALE | 14 | 0.4 | 3819 | 99.4 | 8 | 0.2 | 3841 | 37.4 | 200 | 29.4 | 4041 | 36.9 |
| | TG | 4 | 8.2 | 45 | 91.8 | | | 49 | 0.5 | 2 | 0.3 | 51 | 0.5 |
| | UNKNOWN | | | 50 | 98.0 | 1 | 2.0 | 51 | 0.5 | 6 | 0.9 | 57 | 0.5 |
| | SUBTOTAL | 112 | 1.1 | 10130 | 98.7 | 24 | 0.2 | 10266 | 5.7 | 681 | 7.1 | 10947 | 5.8 |
| LATINO | MALE | 814 | 2.2 | 35718 | 97.5 | 103 | 0.3 | 36635 | 65.1 | 1306 | 61.1 | 37941 | 64.9 |
| | FEMALE | 129 | 0.7 | 18416 | 99.0 | 48 | 0.3 | 18593 | 33.0 | 796 | 37.2 | 19389 | 33.2 |
| | TG | 22 | 2.9 | 733 | 96.8 | 2 | 0.3 | 757 | 1.3 | 12 | 0.6 | 769 | 1.3 |
| | UNKNOWN | 1 | 0.3 | 319 | 99.1 | 2 | 0.6 | 322 | 0.6 | 23 | 1.1 | 345 | 0.6 |
| | SUBTOTAL | 966 | 1.7 | 55186 | 98.0 | 155 | 0.3 | 56307 | 31.2 | 2137 | 22.2 | 58444 | 30.7 |
| WHITE | MALE | 886 | 1.9 | 46729 | 97.9 | 104 | 0.2 | 47719 | 66.1 | 3261 | 74.4 | 50980 | 66.6 |
| | FEMALE | 100 | 0.4 | 23672 | 99.4 | 53 | 0.2 | 23825 | 33.0 | 1087 | 24.8 | 24912 | 32.5 |
| | TG | 11 | 4.8 | 216 | 95.2 | | | 227 | 0.3 | 8 | 0.2 | 235 | 0.3 |
| | UNKNOWN | 5 | 1.2 | 415 | 97.6 | 5 | 1.2 | 425 | 0.6 | 27 | 0.6 | 452 | 0.6 |
| | SUBTOTAL | 1002 | 1.4 | 71032 | 98.4 | 162 | 0.2 | 72196 | 40.0 | 4383 | 45.5 | 76579 | 40.3 |
| OTHER RACE | MALE | 64 | 1.8 | 3393 | 98.0 | 5 | 0.1 | 3462 | 66.3 | 226 | 58.7 | 3688 | 65.8 |
| | FEMALE | 14 | 0.8 | 1663 | 99.0 | 2 | 0.1 | 1679 | 32.2 | 112 | 29.1 | 1791 | 31.9 |
| | TG | 1 | 5.6 | 17 | 94.4 | | | 18 | 0.3 | 1 | 0.3 | 19 | 0.3 |
| | UNKNOWN | | | 63 | 100 | | | 63 | 1.2 | 46 | 11.9 | 109 | 1.9 |
| | SUBTOTAL | 79 | 1.5 | 5136 | 98.4 | 7 | 0.1 | 5222 | 2.9 | 385 | 4.0 | 5607 | 2.9 |
| UNKNOWN | MALE | 15 | 1.1 | 1347 | 98.2 | 9 | 0.7 | 1371 | 54.4 | 76 | 39.2 | 1447 | 53.3 |
| | FEMALE | 2 | 0.2 | 851 | 99.1 | 6 | 0.7 | 859 | 34.1 | 46 | 23.7 | 905 | 33.3 |
| | TG | | | 5 | 100 | | | 5 | 0.2 | 1 | 0.5 | 6 | 0.2 |
| | UNKNOWN | 4 | 1.4 | 281 | 98.3 | 1 | 0.3 | 286 | 11.3 | 71 | 36.6 | 357 | 13.1 |
| | SUBTOTAL | 21 | 0.8 | 2484 | 98.5 | 16 | 0.6 | 2521 | 1.4 | 194 | 2.0 | 2715 | 1.4 |
| TOTAL BY RESUL | T | 2950 | 1.6 | 177079 | 98.1 | 479 | 0.3 | 180508 | 100 | 9640 | 100 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS: CDHS = California Department of Health Services OA = Office of AIDS TG = Transgender

ALL SERVICES

| TABLE 8. 0A- | | | | | TES | ΓED | | | | NOT TES | TED | | |
|--|---------------|--------|------|--------|------|-----------|------|----------------------------|------|------------------------------|------|--------------------------|------|
| COUNSELING AN SERVICES BY A GENDER | AGE GROUP AND | POSITI | /E | NEGATI | VE | INCONCLUS | SIVE | TOTAL BY GROUP GENDE | AND | TOTAL B' GROUP / GENDE | AND | TOTA SERVIC PROVID | ES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| 0-11 YEARS | MALE | 3 | 3.0 | 98 | 97.0 | | | 101 | 60.1 | 9 | 69.2 | 110 | 60.8 |
| | FEMALE | 1 | 1.6 | 62 | 96.9 | 1 | 1.6 | 64 | 38.1 | 1 | 7.7 | 65 | 35.9 |
| | TG | | | 3 | 100 | | | 3 | 1.8 | 2 | 15.4 | 5 | 2.8 |
| | UNKNOWN | | | | | | | | | 1 | 7.7 | 1 | 0.6 |
| | SUBTOTAL | 4 | 2.4 | 163 | 97.0 | 1 | 0.6 | 168 | 0.1 | 13 | 0.1 | 181 | 0.1 |
| 12-19 YEARS | MALE | 49 | 0.5 | 9372 | 99.4 | 10 | 0.1 | 9431 | 50.5 | 398 | 47.5 | 9829 | 50.4 |
| | FEMALE | 26 | 0.3 | 8967 | 99.4 | 25 | 0.3 | 9018 | 48.3 | 424 | 50.6 | 9442 | 48.4 |
| | TG | 1 | 1.3 | 76 | 98.7 | | | 77 | 0.4 | 5 | 0.6 | 82 | 0.4 |
| | UNKNOWN | 1 | 0.7 | 151 | 99.3 | | | 152 | 0.8 | 11 | 1.3 | 163 | 0.8 |
| | SUBTOTAL | 77 | 0.4 | 18566 | 99.4 | 35 | 0.2 | 18678 | 10.3 | 838 | 8.7 | 19516 | 10.3 |
| 20-29 YEARS | MALE | 586 | 1.6 | 36812 | 98.2 | 82 | 0.2 | 37480 | 63.4 | 1859 | 61.2 | 39339 | 63.3 |
| | FEMALE | 107 | 0.5 | 20664 | 99.2 | 52 | 0.2 | 20823 | 35.2 | 1145 | 37.7 | 21968 | 35.3 |
| | TG | 23 | 4.9 | 441 | 94.6 | 2 | 0.4 | 466 | 0.8 | 12 | 0.4 | 478 | 0.8 |
| | UNKNOWN | 2 | 0.6 | 345 | 98.9 | 2 | 0.6 | 349 | 0.6 | 20 | 0.7 | 369 | 0.6 |
| | SUBTOTAL | 718 | 1.2 | 58262 | 98.6 | 138 | 0.2 | 59118 | 32.8 | 3036 | 31.5 | 62154 | 32.7 |
| 30-39 YEARS | MALE | 888 | 2.9 | 29726 | 96.8 | 87 | 0.3 | 30701 | 67.5 | 2091 | 74.0 | 32792 | 67.8 |
| | FEMALE | 126 | 0.9 | 13975 | 98.9 | 32 | 0.2 | 14133 | 31.1 | 704 | 24.9 | 14837 | 30.7 |
| | TG | 26 | 6.4 | 380 | 93.6 | | | 406 | 0.9 | 5 | 0.2 | 411 | 0.9 |
| | UNKNOWN | 2 | 0.7 | 269 | 98.5 | 2 | 0.7 | 273 | 0.6 | 27 | 1.0 | 300 | 0.6 |
| | SUBTOTAL | 1042 | 2.3 | 44350 | 97.4 | 121 | 0.3 | 45513 | 25.2 | 2827 | 29.3 | 48340 | 25.4 |
| 40-49 YEARS | MALE | 630 | 2.9 | 21250 | 96.8 | 69 | 0.3 | 21949 | 65.8 | 1203 | 76.8 | 23152 | 66.3 |
| | FEMALE | 120 | 1.1 | 10901 | 98.5 | 45 | 0.4 | 11066 | 33.2 | 341 | 21.8 | 11407 | 32.7 |
| | TG | 23 | 15.5 | 125 | 84.5 | | | 148 | 0.4 | 4 | 0.3 | 152 | 0.4 |
| | UNKNOWN | 5 | 2.5 | 196 | 96.1 | 3 | 1.5 | 204 | 0.6 | 19 | 1.2 | 223 | 0.6 |
| | SUBTOTAL | 778 | 2.3 | 32472 | 97.3 | 117 | 0.4 | 33367 | 18.5 | 1567 | 16.3 | 34934 | 18.4 |
| 50-59 YEARS | MALE | 142 | 1.6 | 8926 | 98.2 | 25 | 0.3 | 9093 | 69.4 | 459 | 77.8 | 9552 | 69.8 |
| | FEMALE | 54 | 1.4 | 3784 | 98.2 | 14 | 0.4 | 3852 | 29.4 | 121 | 20.5 | 3973 | 29.0 |
| | TG | 2 | 3.2 | 60 | 96.8 | | | 62 | 0.5 | 1 | 0.2 | 63 | 0.5 |
| | UNKNOWN | 1 | 1.1 | 85 | 97.7 | 1 | 1.1 | 87 | 0.7 | 9 | 1.5 | 96 | 0.7 |
| | SUBTOTAL | 199 | 1.5 | 12855 | 98.2 | 40 | 0.3 | 13094 | 7.3 | 590 | 6.1 | 13684 | 7.2 |
| 60 YEARS & | MALE | 44 | 1.4 | 2989 | 98.0 | 17 | 0.6 | 3050 | 76.2 | 149 | 83.2 | 3199 | 76.5 |
| OLDER | FEMALE | 5 | 0.5 | 905 | 99.3 | 1 | 0.1 | 911 | 22.8 | 25 | 14.0 | 936 | 22.4 |
| | TG | | | 19 | 100 | | | 19 | 0.5 | 1 | 0.6 | 20 | 0.5 |
| | UNKNOWN | | | 24 | 100 | | | 24 | 0.6 | 4 | 2.2 | 28 | 0.7 |
| | SUBTOTAL | 49 | 1.2 | 3937 | 98.3 | 18 | 0.4 | 4004 | 2.2 | 179 | 1.9 | 4183 | 2.2 |

| TABLE 8. OA-F | | | | | TES | ΓED | | | | NOT TES | ΓED | | |
|---------------|----------|--------|-----|--------|------|-----------|------|-------------------------------|------|---------------------|------|-----------------------------|------|
| SERVICES BY A | | POSITI | /E | NEGATI | VE | INCONCLUS | SIVE | TOTAL BY GROUP / GENDER | AND | TOTAL B' GROUP A | AND | TOTAI SERVICI PROVIDI | ES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| UNKNOWN | MALE | 79 | 2.0 | 3892 | 97.9 | 6 | 0.2 | 3977 | 60.6 | 362 | 61.4 | 4339 | 60.6 |
| | FEMALE | 2 | 0.1 | 2308 | 99.8 | 2 | 0.1 | 2312 | 35.2 | 132 | 22.4 | 2444 | 34.2 |
| | TG | 1 | 4.2 | 23 | 95.8 | | | 24 | 0.4 | 2 | 0.3 | 26 | 0.4 |
| | UNKNOWN | 1 | 0.4 | 251 | 99.2 | 1 | 0.4 | 253 | 3.9 | 94 | 15.9 | 347 | 4.8 |
| | SUBTOTAL | 83 | 1.3 | 6474 | 98.6 | 9 | 0.1 | 6566 | 3.6 | 590 | 6.1 | 7156 | 3.8 |
| SUBTOTALS BY | GENDER | | | | | | | | | | | | |
| MALE | | 2421 | 2.1 | 113065 | 97.7 | 296 | 0.3 | 115782 | 64.1 | 6530 | 67.7 | 122312 | 64.3 |
| FEMALE | | 441 | 0.7 | 61566 | 99.0 | 172 | 0.3 | 62179 | 34.4 | 2893 | 30.0 | 65072 | 34.2 |
| TG | | 76 | 6.3 | 1127 | 93.5 | 2 | 0.2 | 1205 | 0.7 | 32 | 0.3 | 1237 | 0.7 |
| UNKNOWN | | 12 | 0.9 | 1321 | 98.4 | 9 | 0.7 | 1342 | 0.7 | 185 | 1.9 | 1527 | 0.8 |
| TOTAL BY RESU | ILT | 2950 | 1.6 | 177079 | 98.1 | 479 | 0.3 | 180508 | 100 | 9640 | 100 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

CDHS = California Department of Health Services
OA = Office of AIDS
TG = Transgender

| TABLE 9. OA-F | | | | | | | | | AGE (| GROUP | | | | | | | | | |
|---|----------------|---------|------|----------|------|---------|------|----------|-------|---------|------|---------|------|---------|------|--------|------|---------|------|
| COUNSELING AN SERVICES BY F GENDER, AND A | RISK BEHAVIOR, | 0-11 YI | EARS | 12-19 YI | EARS | 20-29 Y | EARS | 30-39 YI | EARS | 40-49 Y | EARS | 50-59 Y | EARS | 60 YEAF | | UNKNO | WN | TOTAL I | |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 25 | 0.1 | 1245 | 4.0 | 9536 | 30.8 | 10506 | 34.0 | 5642 | 18.2 | 1807 | 5.8 | 883 | 2.9 | 1294 | 4.2 | 30938 | 100 |
| | SUBTOTAL | 25 | 0.1 | 1245 | 4.0 | 9536 | 30.8 | 10506 | 34.0 | 5642 | 18.2 | 1807 | 5.8 | 883 | 2.9 | 1294 | 4.2 | 30938 | 16.3 |
| BISEXUAL | MALE | 10 | 0.1 | 529 | 7.2 | 2443 | 33.4 | 2009 | 27.5 | 1338 | 18.3 | 494 | 6.8 | 224 | 3.1 | 268 | 3.7 | 7315 | 67.5 |
| | FEMALE | 3 | 0.1 | 570 | 16.2 | 1427 | 40.6 | 836 | 23.8 | 417 | 11.9 | 82 | 2.3 | 25 | 0.7 | 156 | 4.4 | 3516 | 32.5 |
| | SUBTOTAL | 13 | 0.1 | 1099 | 10.1 | 3870 | 35.7 | 2845 | 26.3 | 1755 | 16.2 | 576 | 5.3 | 249 | 2.3 | 424 | 3.9 | 10831 | 5.7 |
| IDU | MALE | 5 | 0.0 | 304 | 2.8 | 2129 | 19.8 | 2888 | 26.9 | 3348 | 31.2 | 1657 | 15.4 | 252 | 2.3 | 161 | 1.5 | 10744 | 61.4 |
| | FEMALE | 6 | 0.1 | 320 | 5.2 | 1416 | 22.8 | 1808 | 29.1 | 2012 | 32.4 | 499 | 8.0 | 65 | 1.0 | 84 | 1.4 | 6210 | 35.5 |
| | TG | 2 | 0.5 | 20 | 4.8 | 158 | 38.2 | 146 | 35.3 | 60 | 14.5 | 21 | 5.1 | 3 | 0.7 | 4 | 1.0 | 414 | 2.4 |
| | UNKNOWN | 1 | 0.8 | 11 | 8.9 | 24 | 19.5 | 24 | 19.5 | 33 | 26.8 | 18 | 14.6 | 1 | 0.8 | 11 | 8.9 | 123 | 0.7 |
| | SUBTOTAL | 14 | 0.1 | 655 | 3.7 | 3727 | 21.3 | 4866 | 27.8 | 5453 | 31.2 | 2195 | 12.5 | 321 | 1.8 | 260 | 1.5 | 17491 | 9.2 |
| GAY/IDU | MALE | 3 | 0.2 | 65 | 3.8 | 477 | 27.6 | 517 | 29.9 | 470 | 27.2 | 128 | 7.4 | 18 | 1.0 | 50 | 2.9 | 1728 | 100 |
| | SUBTOTAL | 3 | 0.2 | 65 | 3.8 | 477 | 27.6 | 517 | 29.9 | 470 | 27.2 | 128 | 7.4 | 18 | 1.0 | 50 | 2.9 | 1728 | 0.9 |
| PARTNER HIV | MALE | 2 | 0.2 | 38 | 4.2 | 195 | 21.5 | 251 | 27.7 | 252 | 27.8 | 119 | 13.1 | 26 | 2.9 | 24 | 2.6 | 907 | 37.7 |
| POSITIVE | FEMALE | | | 87 | 6.2 | 296 | 21.2 | 434 | 31.1 | 395 | 28.3 | 112 | 8.0 | 24 | 1.7 | 48 | 3.4 | 1396 | 58.0 |
| | TG | 1 | 1.5 | | | 24 | 35.8 | 28 | 41.8 | 8 | 11.9 | 4 | 6.0 | | | 2 | 3.0 | 67 | 2.8 |
| | UNKNOWN | | | 2 | 5.6 | 3 | 8.3 | 9 | 25.0 | 10 | 27.8 | 5 | 13.9 | 1 | 2.8 | 6 | 16.7 | 36 | 1.5 |
| | SUBTOTAL | 3 | 0.1 | 127 | 5.3 | 518 | 21.5 | 722 | 30.0 | 665 | 27.6 | 240 | 10.0 | 51 | 2.1 | 80 | 3.3 | 2406 | 1.3 |
| PARTNER OF | FEMALE | 2 | 0.1 | 190 | 11.2 | 503 | 29.7 | 402 | 23.7 | 359 | 21.2 | 150 | 8.9 | 19 | 1.1 | 69 | 4.1 | 1694 | 100 |
| BISEXUAL | SUBTOTAL | 2 | 0.1 | 190 | 11.2 | 503 | 29.7 | 402 | 23.7 | 359 | 21.2 | 150 | 8.9 | 19 | 1.1 | 69 | 4.1 | 1694 | 0.9 |
| PARTNER OF | MALE | 2 | 0.0 | 335 | 7.4 | 1219 | 27.1 | 1195 | 26.6 | 1094 | 24.3 | 452 | 10.1 | 102 | 2.3 | 98 | 2.2 | 4497 | 55.0 |
| IDU | FEMALE | | | 467 | 13.3 | 1014 | 28.8 | 933 | 26.5 | 792 | 22.5 | 223 | 6.3 | 26 | 0.7 | 67 | 1.9 | 3522 | 43.0 |
| | TG | | | 2 | 3.3 | 26 | 43.3 | 24 | 40.0 | 7 | 11.7 | | | | | 1 | 1.7 | 60 | 0.7 |
| | UNKNOWN | | | 10 | 9.6 | 31 | 29.8 | 20 | 19.2 | 15 | 14.4 | 6 | 5.8 | 4 | 3.8 | 18 | 17.3 | 104 | 1.3 |
| | SUBTOTAL | 2 | 0.0 | 814 | 9.9 | 2290 | 28.0 | 2172 | 26.5 | 1908 | 23.3 | 681 | 8.3 | 132 | 1.6 | 184 | 2.2 | 8183 | 4.3 |
| SEX FOR DRUGS/MONEY | MALE | | | 86 | 9.5 | 280 | 30.8 | 228 | 25.1 | 208 | 22.9 | 69 | 7.6 | 16 | 1.8 | 22 | 2.4 | 909 | 30.4 |
| DRUGS/ MUNE Y | FEMALE | 2 | 0.1 | 205 | 11.0 | 399 | 21.5 | 566 | 30.5 | 534 | 28.7 | 108 | 5.8 | 14 | 0.8 | 30 | 1.6 | 1858 | 62.2 |
| | TG | | | 17 | 8.8 | 84 | 43.5 | 65 | 33.7 | 16 | 8.3 | 7 | 3.6 | 1 | 0.5 | 3 | 1.6 | 193 | 6.5 |
| | UNKNOWN | | | 4 | 14.3 | 8 | 28.6 | 5 | 17.9 | 5 | 17.9 | 2 | 7.1 | | | 4 | 14.3 | 28 | 0.9 |
| | SUBTOTAL | 2 | 0.1 | 312 | 10.4 | 771 | 25.8 | 864 | 28.9 | 763 | 25.5 | 186 | 6.2 | 31 | 1.0 | 59 | 2.0 | 2988 | 1.6 |
| TRANSFUSION | MALE | 1 | 0.2 | 10 | 2.2 | 92 | 20.0 | 92 | 20.0 | 121 | 26.3 | 102 | 22.2 | 29 | 6.3 | 13 | 2.8 | 460 | 51.7 |
| | FEMALE | 1 | 0.2 | 13 | 3.1 | 51 | 12.2 | 67 | 16.0 | 154 | 36.8 | 94 | 22.4 | 32 | 7.6 | 7 | 1.7 | 419 | 47.1 |
| | TG | | | | | 1 | 50.0 | | | | | 1 | 50.0 | | | | | 2 | 0.2 |
| | UNKNOWN | | | | | 1 | 11.1 | 3 | 33.3 | 3 | 33.3 | 1 | 11.1 | 1 | 11.1 | | | 9 | 1.0 |
| | SUBTOTAL | 2 | 0.2 | 23 | 2.6 | 145 | 16.3 | 162 | 18.2 | 278 | 31.2 | 198 | 22.2 | 62 | 7.0 | 20 | 2.2 | 890 | 0.5 |

| TABLE 9. OA-F | | | | | | | | | AGE (| GROUP | | | | | | | | | |
|--------------------------------|---------------|---------|------|----------|------|---------|------|----------|-------|---------|------|----------|------|------------------|-----|--------|------|------------------|------|
| SERVICES BY R GENDER, AND A | ISK BEHAVIOR, | 0-11 YI | EARS | 12-19 YI | EARS | 20-29 Y | EARS | 30-39 YI | EARS | 40-49 Y | EARS | 50-59 YI | EARS | 60 YEAF OLDEF | | UNKNO | VN | TOTAL RISK/GE | |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HETEROSEXUAL - | MALE | 27 | 0.1 | 5480 | 12.5 | 17049 | 38.8 | 9869 | 22.5 | 6458 | 14.7 | 2649 | 6.0 | 844 | 1.9 | 1563 | 3.6 | 43939 | 63.9 |
| /MULTIPLE PARTNERS | FEMALE | 19 | 0.1 | 4517 | 18.9 | 9674 | 40.6 | 4671 | 19.6 | 2804 | 11.8 | 836 | 3.5 | 188 | 0.8 | 1136 | 4.8 | 23845 | 34.7 |
| | TG | 1 | 0.3 | 34 | 9.9 | 133 | 38.8 | 100 | 29.2 | 37 | 10.8 | 19 | 5.5 | 10 | 2.9 | 9 | 2.6 | 343 | 0.5 |
| | UNKNOWN | | | 99 | 15.3 | 208 | 32.2 | 137 | 21.2 | 67 | 10.4 | 26 | 4.0 | 8 | 1.2 | 101 | 15.6 | 646 | 0.9 |
| | SUBTOTAL | 47 | 0.1 | 10130 | 14.7 | 27064 | 39.4 | 14777 | 21.5 | 9366 | 13.6 | 3530 | 5.1 | 1050 | 1.5 | 2809 | 4.1 | 68773 | 36.2 |
| OCCUPATIONAL | MALE | | | | | 10 | 20.4 | 17 | 34.7 | 13 | 26.5 | 7 | 14.3 | 2 | 4.1 | | | 49 | 32.2 |
| | FEMALE | 1 | 1.0 | 6 | 5.9 | 22 | 21.8 | 28 | 27.7 | 25 | 24.8 | 13 | 12.9 | 3 | 3.0 | 3 | 3.0 | 101 | 66.4 |
| | TG | | | | | 1 | 100 | | | | | | | | | | | 1 | 0.7 |
| | UNKNOWN | | | | | | | 1 | 100 | | | | | | | | | 1 | 0.7 |
| | SUBTOTAL | 1 | 0.7 | 6 | 3.9 | 33 | 21.7 | 46 | 30.3 | 38 | 25.0 | 20 | 13.2 | 5 | 3.3 | 3 | 2.0 | 152 | 0.1 |
| PARENT RISK | MALE | 3 | 100 | | | | | | | | | | | | | | | 3 | 60.0 |
| | FEMALE | 2 | 100 | | | | | | | | | | | | | | | 2 | 40.0 |
| | SUBTOTAL | 5 | 100 | | | | | | | | | | | | | | | 5 | 0.0 |
| NO REPORTED RISK | MALE | 19 | 0.1 | 1588 | 8.7 | 5180 | 28.4 | 4571 | 25.0 | 3707 | 20.3 | 1860 | 10.2 | 734 | 4.0 | 606 | 3.3 | 18265 | 45.7 |
| HISK | FEMALE | 26 | 0.1 | 2911 | 13.7 | 6739 | 31.7 | 4808 | 22.6 | 3713 | 17.5 | 1776 | 8.4 | 516 | 2.4 | 745 | 3.5 | 21234 | 53.1 |
| | TG | | | 6 | 4.4 | 43 | 31.9 | 43 | 31.9 | 21 | 15.6 | 10 | 7.4 | 6 | 4.4 | 6 | 4.4 | 135 | 0.3 |
| | UNKNOWN | | | 33 | 9.6 | 83 | 24.3 | 70 | 20.5 | 72 | 21.1 | 29 | 8.5 | 12 | 3.5 | 43 | 12.6 | 342 | 0.9 |
| | SUBTOTAL | 45 | 0.1 | 4538 | 11.4 | 12045 | 30.1 | 9492 | 23.7 | 7513 | 18.8 | 3675 | 9.2 | 1268 | 3.2 | 1400 | 3.5 | 39976 | 21.0 |
| UNKNOWN | MALE | 13 | 0.5 | 149 | 5.8 | 729 | 28.5 | 649 | 25.4 | 501 | 19.6 | 208 | 8.1 | 69 | 2.7 | 240 | 9.4 | 2558 | 62.5 |
| | FEMALE | 3 | 0.2 | 156 | 12.2 | 427 | 33.5 | 284 | 22.3 | 202 | 15.8 | 80 | 6.3 | 24 | 1.9 | 99 | 7.8 | 1275 | 31.2 |
| | TG | 1 | 4.5 | 3 | 13.6 | 8 | 36.4 | 5 | 22.7 | 3 | 13.6 | 1 | 4.5 | | | 1 | 4.5 | 22 | 0.5 |
| | UNKNOWN | | | 4 | 1.7 | 11 | 4.6 | 31 | 13.0 | 18 | 7.6 | 9 | 3.8 | 1 | 0.4 | 164 | 68.9 | 238 | 5.8 |
| | SUBTOTAL | 17 | 0.4 | 312 | 7.6 | 1175 | 28.7 | 969 | 23.7 | 724 | 17.7 | 298 | 7.3 | 94 | 2.3 | 504 | 12.3 | 4093 | 2.2 |
| TOTAL BY AGE | GROUP | 181 | 0.1 | 19516 | 10.3 | 62154 | 32.7 | 48340 | 25.4 | 34934 | 18.4 | 13684 | 7.2 | 4183 | 2.2 | 7156 | 3.8 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

TABLE ACRONAMS:
CDHS = California Department of Health Services
IDU = Injection Drug User
OA = Office of AIDS
TG = Transgender

| TABLE 10. 0A- | | | | | TES | TED | | | | NOT TES | TED | | |
|---|-----------|--------|------|--------|------|-----------|------|---|------------|--|------------|-----------------------------|------|
| COUNSELING AND SERVICES BY R AND PREGNANCY CLIENTS ONLY) | | POSITI | /E | NEGATI | VE | INCONCLUS | SIVE | TOTAL BY BEHAVIOR PREGNAI STATU: | AND NCY | TOTAL BY BEHAVIOR PREGNAI STATU | AND NCY | TOTAI SERVICI PROVIDI | ES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| RISK BEHAVIOR | PREGNANT | | | | | | | | | | | | |
| BISEXUAL | NO | 13 | 0.4 | 3352 | 99.4 | 7 | 0.2 | 3372 | 98.7 | 100 | 100 | 3472 | 98.7 |
| | YES | | | 44 | 100 | | | 44 | 1.3 | | | 44 | 1.3 |
| IDU | NO | 83 | 1.4 | 5920 | 98.2 | 28 | 0.5 | 6031 | 98.4 | 78 | 98.7 | 6109 | 98.4 |
| | YES | | | 99 | 99.0 | 1 | 1.0 | 100 | 1.6 | 1 | 1.3 | 101 | 1.6 |
| PARTNER HIV POSITIVE | NO | 54 | 4.0 | 1292 | 95.8 | 3 | 0.2 | 1349 | 98.2 | 22 | 100 | 1371 | 98.2 |
| POSTTIVE | YES | 1 | 4.0 | 24 | 96.0 | | | 25 | 1.8 | | | 25 | 1.8 |
| PARTNER OF BISEXUAL | NO | 13 | 0.8 | 1648 | 99.2 | 1 | 0.1 | 1662 | 98.7 | 10 | 100 | 1672 | 98.7 |
| BISEXUAL | YES | | | 22 | 100 | | | 22 | 1.3 | | | 22 | 1.3 |
| PARTNER OF | NO | 23 | 0.7 | 3401 | 99.1 | 7 | 0.2 | 3431 | 98.1 | 23 | 100 | 3454 | 98.1 |
| 100 | YES | 2 | 2.9 | 66 | 97.1 | | | 68 | 1.9 | | | 68 | 1.9 |
| SEX FOR DRUGS/MONEY | NO | 31 | 1.7 | 1748 | 97.6 | 12 | 0.7 | 1791 | 97.6 | 23 | 100 | 1814 | 97.6 |
| DRUGS/MONE I | YES | | | 44 | 100 | | | 44 | 2.4 | | | 44 | 2.4 |
| TRANSFUSION | NO | 7 | 1.7 | 404 | 97.8 | 2 | 0.5 | 413 | 99.0 | 2 | 100 | 415 | 99.0 |
| | YES | 1 | 25.0 | 3 | 75.0 | | | 4 | 1.0 | | | 4 | 1.0 |
| HETEROSEXUAL - /MULTIPLE | NO | 89 | 0.4 | 22193 | 99.4 | 43 | 0.2 | 22325 | 97.7 | 969 | 97.5 | 23294 | 97.7 |
| PARTNERS | YES | 1 | 0.2 | 524 | 99.6 | 1 | 0.2 | 526 | 2.3 | 25 | 2.5 | 551 | 2.3 |
| OCCUPATIONAL | NO | | | 100 | 99.0 | 1 | 1.0 | 101 | 100 | | | 101 | 100 |
| PARENT RISK | NO | 1 | 50.0 | 1 | 50.0 | | | 2 | 100 | | | 2 | 100 |
| NO REPORTED RISK | NO | 98 | 0.5 | 18033 | 99.1 | 59 | 0.3 | 18190 | 90.6 | 889 | 77.4 | 19079 | 89.9 |
| i i i i i i i i i i i i i i i i i i i | YES | 12 | 0.6 | 1881 | 99.3 | 2 | 0.1 | 1895 | 9.4 | 260 | 22.6 | 2155 | 10.1 |
| UNKNOWN | NO | 12 | 1.6 | 748 | 97.9 | 4 | 0.5 | 764 | 97.4 | 469 | 95.5 | 1233 | 96.7 |
| | YES | | | 19 | 95.0 | 1 | 5.0 | 20 | 2.6 | 22 | 4.5 | 42 | 3.3 |
| SUBTOTALS BY | PREGNANCY | | | | | | | | | | | | |
| NO | | 424 | 0.7 | 58840 | 99.0 | 167 | 0.3 | 59431 | 95.6 | 2585 | 89.4 | 62016 | 95.3 |
| YES | | 17 | 0.6 | 2726 | 99.2 | 5 | 0.2 | 2748 | 4.4 | 308 | 10.6 | 3056 | 4.7 |
| TOTAL BY RESU | LT | 441 | 0.7 | 61566 | 99.0 | 172 | 0.3 | 62179 | 100 | 2893 | 100 | 65072 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS: CDHS = California Department of Health Services IDU = Injection Drug User OA = Office of AIDS

ALL SERVICES OUTREACH SERVICES: CLINIC TYPE EQUALS STREET OUTREACH, MOBILE VAN OR REFERRAL SOURCE EQUALS REFERRED BY OA OUTREACH

| TABLE 11. 0A | | | | | TES | TED | | | | NOT TES | STED | | |
|--|-----------------------------|--------|------|--------|------|-----------|------|-------------------------------|------|--------------------------------|------|------------------|------|
| COUNSELING AN SERVICES BY I AND GENDER | ND TESTING RISK BEHAVIOR | POSITI | /E | NEGATI | VΕ | INCONCLUS | SIVE | TOTAL BY BEHAVIOR GENDE | AND | TOTAL BY BEHAVIOR GENDER | AND | TOTAL RISK/GE | |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 155 | 3.0 | 5072 | 96.6 | 25 | 0.5 | 5252 | 100 | 292 | 100 | 5544 | 100 |
| | SUBTOTAL | 155 | 3.0 | 5072 | 96.6 | 25 | 0.5 | 5252 | 13.6 | 292 | 49.2 | 5544 | 14.1 |
| BISEXUAL | MALE | 50 | 2.8 | 1700 | 96.6 | 10 | 0.6 | 1760 | 64.5 | 54 | 93.1 | 1814 | 65.1 |
| | FEMALE | 2 | 0.2 | 964 | 99.6 | 2 | 0.2 | 968 | 35.5 | 4 | 6.9 | 972 | 34.9 |
| | SUBTOTAL | 52 | 1.9 | 2664 | 97.7 | 12 | 0.4 | 2728 | 7.1 | 58 | 9.8 | 2786 | 7.1 |
| IDU | MALE | 48 | 1.2 | 4017 | 98.5 | 12 | 0.3 | 4077 | 60.4 | 21 | 65.6 | 4098 | 60.4 |
| | FEMALE | 29 | 1.1 | 2495 | 98.5 | 8 | 0.3 | 2532 | 37.5 | 10 | 31.3 | 2542 | 37.5 |
| | TG | 6 | 6.1 | 93 | 93.9 | | | 99 | 1.5 | | | 99 | 1.5 |
| | UNKNOWN | | | 45 | 95.7 | 2 | 4.3 | 47 | 0.7 | 1 | 3.1 | 48 | 0.7 |
| | SUBTOTAL | 83 | 1.2 | 6650 | 98.4 | 22 | 0.3 | 6755 | 17.5 | 32 | 5.4 | 6787 | 17.3 |
| GAY/IDU | MALE | 46 | 7.9 | 532 | 91.6 | 3 | 0.5 | 581 | 100 | 5 | 100 | 586 | 100 |
| | SUBTOTAL | 46 | 7.9 | 532 | 91.6 | 3 | 0.5 | 581 | 1.5 | 5 | 0.8 | 586 | 1.5 |
| PARTNER HIV | MALE | 7 | 3.5 | 194 | 96.0 | 1 | 0.5 | 202 | 45.3 | | | 202 | 45.3 |
| POSITIVE | FEMALE | 6 | 2.7 | 215 | 96.8 | 1 | 0.5 | 222 | 49.8 | | | 222 | 49.8 |
| | TG | 3 | 20.0 | 11 | 73.3 | 1 | 6.7 | 15 | 3.4 | | | 15 | 3.4 |
| | UNKNOWN | | | 7 | 100 | | | 7 | 1.6 | | | 7 | 1.6 |
| | SUBTOTAL | 16 | 3.6 | 427 | 95.7 | 3 | 0.7 | 446 | 1.2 | | | 446 | 1.1 |
| PARTNER OF | FEMALE | 2 | 0.5 | 393 | 99.5 | | | 395 | 100 | | | 395 | 100 |
| BISEXUAL | SUBTOTAL | 2 | 0.5 | 393 | 99.5 | | | 395 | 1.0 | | | 395 | 1.0 |
| PARTNER OF | MALE | 11 | 0.7 | 1632 | 99.1 | 3 | 0.2 | 1646 | 57.1 | 2 | 66.7 | 1648 | 57.1 |
| IDU | FEMALE | 7 | 0.6 | 1181 | 99.2 | 2 | 0.2 | 1190 | 41.2 | 1 | 33.3 | 1191 | 41.2 |
| | TG | | | 12 | 100 | | | 12 | 0.4 | | | 12 | 0.4 |
| | UNKNOWN | 2 | 5.4 | 35 | 94.6 | | | 37 | 1.3 | | | 37 | 1.3 |
| | SUBTOTAL | 20 | 0.7 | 2860 | 99.1 | 5 | 0.2 | 2885 | 7.5 | 3 | 0.5 | 2888 | 7.4 |
| SEX FOR | MALE | 7 | 2.1 | 323 | 97.6 | 1 | 0.3 | 331 | 31.7 | 3 | 23.1 | 334 | 31.6 |
| DRUGS/MONEY | FEMALE | 17 | 2.6 | 644 | 97.0 | 3 | 0.5 | 664 | 63.5 | 3 | 23.1 | 667 | 63.0 |
| | TG | 3 | 7.5 | 37 | 92.5 | | | 40 | 3.8 | 7 | 53.8 | 47 | 4.4 |
| | UNKNOWN | | | 10 | 100 | | | 10 | 1.0 | | | 10 | 0.9 |
| | SUBTOTAL | 27 | 2.6 | 1014 | 97.0 | 4 | 0.4 | 1045 | 2.7 | 13 | 2.2 | 1058 | 2.7 |
| TRANSFUSION | MALE | 1 | 1.1 | 91 | 98.9 | | | 92 | 49.5 | 2 | 100 | 94 | 50.0 |
| | FEMALE | 1 | 1.1 | 91 | 98.9 | | | 92 | 49.5 | | | 92 | 48.9 |
| | TG | | | 1 | 100 | | | 1 | 0.5 | | | 1 | 0.5 |
| | UNKNOWN | | | 1 | 100 | | | 1 | 0.5 | | | 1 | 0.5 |
| | SUBTOTAL | 2 | 1.1 | 184 | 98.9 | | | 186 | 0.5 | 2 | 0.3 | 188 | 0.5 |

$\qquad \qquad \text{ALL SERVICES} \\ \text{OUTREACH SERVICES: CLINIC TYPE EQUALS STREET OUTREACH, MOBILE VAN OR}$ REFERRAL SOURCE EQUALS REFERRED BY OA OUTREACH

| TABLE 11. 0A- | | | | | TES | TED | | | | NOT TES | TED | | |
|---|----------|--------|------|--------|------|-----------|------|--------------------------------|------|-------------------------------|------|---------------------|------|
| COUNSELING AND SERVICES BY R AND GENDER | | POSITI | /E | NEGATI | VΕ | INCONCLUS | SIVE | TOTAL BY BEHAVIOR GENDER | AND | TOTAL BY BEHAVIOR GENDE | AND | TOTAL I RISK/GEI | |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HETEROSEXUAL - | MALE | 38 | 0.5 | 7217 | 99.3 | 14 | 0.2 | 7269 | 65.7 | 29 | 65.9 | 7298 | 65.7 |
| PARTNERS | FEMALE | 20 | 0.5 | 3616 | 99.3 | 5 | 0.1 | 3641 | 32.9 | 13 | 29.5 | 3654 | 32.9 |
| | TG | 1 | 1.7 | 57 | 98.3 | | | 58 | 0.5 | 1 | 2.3 | 59 | 0.5 |
| | UNKNOWN | | | 99 | 100 | | | 99 | 0.9 | 1 | 2.3 | 100 | 0.9 |
| | SUBTOTAL | 59 | 0.5 | 10989 | 99.3 | 19 | 0.2 | 11067 | 28.6 | 44 | 7.4 | 11111 | 28.3 |
| OCCUPATIONAL | MALE | 1 | 20.0 | 4 | 80.0 | | | 5 | 27.8 | | | 5 | 27.8 |
| | FEMALE | | | 11 | 100 | | | 11 | 61.1 | | | 11 | 61.1 |
| | TG | | | 1 | 100 | | | 1 | 5.6 | | | 1 | 5.6 |
| | UNKNOWN | | | 1 | 100 | | | 1 | 5.6 | | | 1 | 5.6 |
| | SUBTOTAL | 1 | 5.6 | 17 | 94.4 | | | 18 | 0.0 | | | 18 | 0.0 |
| NO REPORTED | MALE | 32 | 0.9 | 3570 | 98.9 | 7 | 0.2 | 3609 | 52.0 | 62 | 62.6 | 3671 | 52.1 |
| HISK | FEMALE | 26 | 0.8 | 3217 | 98.9 | 11 | 0.3 | 3254 | 46.9 | 32 | 32.3 | 3286 | 46.7 |
| | TG | 1 | 4.8 | 20 | 95.2 | | | 21 | 0.3 | 1 | 1.0 | 22 | 0.3 |
| | UNKNOWN | | | 57 | 100 | | | 57 | 0.8 | 4 | 4.0 | 61 | 0.9 |
| | SUBTOTAL | 59 | 0.9 | 6864 | 98.9 | 18 | 0.3 | 6941 | 18.0 | 99 | 16.7 | 7040 | 17.9 |
| UNKNOWN | MALE | 6 | 2.6 | 227 | 97.0 | 1 | 0.4 | 234 | 67.0 | 34 | 73.9 | 268 | 67.8 |
| | FEMALE | 2 | 1.9 | 103 | 98.1 | | | 105 | 30.1 | 11 | 23.9 | 116 | 29.4 |
| | TG | | | 3 | 100 | | | 3 | 0.9 | | | 3 | 0.8 |
| | UNKNOWN | | | 7 | 100 | | | 7 | 2.0 | 1 | 2.2 | 8 | 2.0 |
| | SUBTOTAL | 8 | 2.3 | 340 | 97.4 | 1 | 0.3 | 349 | 0.9 | 46 | 7.7 | 395 | 1.0 |
| TOTAL BY TEST | RESULT | 530 | 1.4 | 38006 | 98.3 | 112 | 0.3 | 38648 | 100 | 594 | 100 | 39242 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:
CDHS = California Department of Health Services
IDU = Injection Drug User
OA = Office of AIDS
TG = Transgender

ALL SERVICES

| TABLE 12. OA-I | | HA | S/HAD | STD (PAS | ST TWO |) YEARS) | | TOTAL E | BY |
|------------------------------|---------------|--------|-------|----------|--------|----------|------|---------|--------|
| SERVICES BY REGENDER, AND ST | ISK BEHAVIOR, | YES | | NO | | UNKNO | VN | RISK/GE | |
| GENDER, AND 3 | ID HISTORY | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 5377 | 17.4 | 22753 | 73.5 | 2808 | 9.1 | 30938 | 100 |
| BISEXUAL | MALE | 1287 | 17.6 | 5264 | 72.0 | 764 | 10.4 | 7315 | 67.5 |
| | FEMALE | 967 | 27.5 | 2252 | 64.1 | 297 | 8.4 | 3516 | 32.5 |
| IDU | MALE | 3651 | 34.0 | 6165 | 57.4 | 928 | 8.6 | 10744 | 61.4 |
| | FEMALE | 2551 | 41.1 | 3136 | 50.5 | 523 | 8.4 | 6210 | 35.5 |
| | TG | 78 | 18.8 | 331 | 80.0 | 5 | 1.2 | 414 | 2.4 |
| | UNKNOWN | 43 | 35.0 | 69 | 56.1 | 11 | 8.9 | 123 | 0.7 |
| GAY/IDU | MALE | 639 | 37.0 | 936 | 54.2 | 153 | 8.9 | 1728 | 100 |
| PARTNER HIV POSITIVE | MALE | 132 | 14.6 | 685 | 75.5 | 90 | 9.9 | 907 | 37.7 |
| FOSTITVE | FEMALE | 285 | 20.4 | 945 | 67.7 | 166 | 11.9 | 1396 | 58.0 |
| | TG | 9 | 13.4 | 47 | 70.1 | 11 | 16.4 | 67 | 2.8 |
| | UNKNOWN | 9 | 25.0 | 18 | 50.0 | 9 | 25.0 | 36 | 1.5 |
| PARTNER OF BISEXUAL | FEMALE | 444 | 26.2 | 1109 | 65.5 | 141 | 8.3 | 1694 | 100 |
| PARTNER OF | MALE | 886 | 19.7 | 3199 | 71.1 | 412 | 9.2 | 4497 | 55.0 |
| 100 | FEMALE | 895 | 25.4 | 2248 | 63.8 | 379 | 10.8 | 3522 | 43.0 |
| | TG | 9 | 15.0 | 49 | 81.7 | 2 | 3.3 | 60 | 0.7 |
| | UNKNOWN | 18 | 17.3 | 68 | 65.4 | 18 | 17.3 | 104 | 1.3 |
| SEX FOR DRUGS/MONEY | MALE | 171 | 18.8 | 645 | 71.0 | 93 | 10.2 | 909 | 30.4 |
| DROGS/ WONE I | FEMALE | 588 | 31.6 | 1089 | 58.6 | 181 | 9.7 | 1858 | 62.2 |
| | TG | 23 | 11.9 | 159 | 82.4 | 11 | 5.7 | 193 | 6.5 |
| | UNKNOWN | 9 | 32.1 | 16 | 57.1 | 3 | 10.7 | 28 | 0.9 |
| TRANSFUSION | MALE | 97 | 21.1 | 316 | 68.7 | 47 | 10.2 | 460 | 51.7 |
| | FEMALE | 73 | 17.4 | 314 | 74.9 | 32 | 7.6 | 419 | 47.1 |
| | TG | | | 2 | 100 | | | 2 | 0.2 |
| | UNKNOWN | 1 | 11.1 | 6 | 66.7 | 2 | 22.2 | 9 | 1.0 |
| HETEROSEXUAL- /MULTIPLE | MALE | 6248 | 14.2 | 33777 | 76.9 | 3914 | 8.9 | 43939 | 63.9 |
| PARTNERS | FEMALE | 4852 | 20.3 | 16741 | 70.2 | 2252 | 9.4 | 23845 | 34.7 |
| | TG | 45 | 13.1 | 259 | 75.5 | 39 | 11.4 | 343 | 0.5 |
| | UNKNOWN | 127 | 19.7 | 422 | 65.3 | 97 | 15.0 | 646 | 0.9 |
| OCCUPATIONAL | MALE | 2 | 4.1 | 42 | 85.7 | 5 | 10.2 | 49 | 32.2 |
| | FEMALE | 11 | 10.9 | 86 | 85.1 | 4 | 4.0 | 101 | 66.4 |
| | TG | | | 1 | 100 | | | 1 | 0.7 |
| | UNKNOWN | | | 1 | 100 | | | 1 | 0.7 |

| TABLE 12. 0A- | | HAS | S/HAD | STD (PAS | ST TWO |) YEARS) | | | |
|---|---------------|--------|-------|----------|--------|----------|------|--------------------|------|
| COUNSELING AND SERVICES BY R GENDER, AND ST | ISK BEHAVIOR, | YES | | NO | | UNKNO | VN | TOTAL E RISK/GE | - 1 |
| GENDER, AND S | ID HISTORY | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| PARENT RISK | MALE | | | 2 | 66.7 | 1 | 33.3 | 3 | 60.0 |
| | FEMALE | | | | | 2 | 100 | 2 | 40.0 |
| NO REPORTED | MALE | 1861 | 10.2 | 14487 | 79.3 | 1917 | 10.5 | 18265 | 45.7 |
| niok | FEMALE | 2737 | 12.9 | 15511 | 73.0 | 2986 | 14.1 | 21234 | 53.1 |
| | TG | 16 | 11.9 | 105 | 77.8 | 14 | 10.4 | 135 | 0.3 |
| | UNKNOWN | 43 | 12.6 | 247 | 72.2 | 52 | 15.2 | 342 | 0.9 |
| UNKNOWN | MALE | 98 | 3.8 | 663 | 25.9 | 1797 | 70.3 | 2558 | 62.5 |
| | FEMALE | 81 | 6.4 | 357 | 28.0 | 837 | 65.6 | 1275 | 31.2 |
| | TG | 1 | 4.5 | 13 | 59.1 | 8 | 36.4 | 22 | 0.5 |
| | UNKNOWN | | 0.8 | 73 | 30.7 | 163 | 68.5 | 238 | 5.8 |
| TOTAL BY STD | HISTORY | 34366 | 18.1 | 134608 | 70.8 | 21174 | 11.1 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

TABLE ACRONYMS:

CDHS = California Department of Health Services
IDU = Injection Drug User

OA = Office of AIDS

STD = Sexually Transmitted Disease
TG = Transgender

| TABLE 13. 0A- | | | Chla | nydia | | | Gonoi | rrhea | | Н | epati | tis B | | н | epati | tis C | |
|--------------------------------|---------------|--------|------|--------|------|--------|-------|--------|------|--------|-------|--------|-----|--------|-------|--------|------|
| COUNSELING AN SERVICES BY R | ISK BEHAVIOR, | NO | | YES | | NO | | YES | | NO | | YES | | NO | | YES | |
| GENDER, AND S DIAGNOSIS | TD/HEPATITIS | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 29779 | 96.3 | 1159 | 3.7 | 28801 | 93.1 | 2137 | 6.9 | 30383 | 98.2 | 555 | 1.8 | 30798 | 99.5 | 140 | 0. |
| BISEXUAL | MALE | 6992 | 95.6 | 323 | 4.4 | 6842 | 93.5 | 473 | 6.5 | 7220 | 98.7 | 95 | 1.3 | 7232 | 98.9 | 83 | 1. |
| | FEMALE | 3086 | 87.8 | 430 | 12.2 | 3317 | 94.3 | 199 | 5.7 | 3490 | 99.3 | 26 | 0.7 | 3452 | 98.2 | 64 | 1.8 |
| IDU | MALE | 10467 | 97.4 | 277 | 2.6 | 10358 | 96.4 | 386 | 3.6 | 10116 | 94.2 | 628 | 5.8 | 8082 | 75.2 | 2662 | 24.8 |
| | FEMALE | 5719 | 92.1 | 491 | 7.9 | 5906 | 95.1 | 304 | 4.9 | 5850 | 94.2 | 360 | 5.8 | 4655 | 75.0 | 1555 | 25.0 |
| | TG | 402 | 97.1 | 12 | 2.9 | 404 | 97.6 | 10 | 2.4 | 396 | 95.7 | 18 | 4.3 | 374 | 90.3 | 40 | 9. |
| | UNKNOWN | 121 | 98.4 | 2 | 1.6 | 117 | 95.1 | 6 | 4.9 | 121 | 98.4 | 2 | 1.6 | 89 | 72.4 | 34 | 27.0 |
| GAY/IDU | MALE | 1653 | 95.7 | 75 | 4.3 | 1587 | 91.8 | 141 | 8.2 | 1608 | 93.1 | 120 | 6.9 | 1391 | 80.5 | 337 | 19. |
| PARTNER HIV | MALE | 872 | 96.1 | 35 | 3.9 | 879 | 96.9 | 28 | 3.1 | 893 | 98.5 | 14 | 1.5 | 870 | 95.9 | 37 | 4. |
| POSITIVE | FEMALE | 1307 | 93.6 | 89 | 6.4 | 1332 | 95.4 | 64 | 4.6 | 1374 | 98.4 | 22 | 1.6 | 1355 | 97.1 | 41 | 2.9 |
| | TG | 67 | 100 | | | 65 | 97.0 | 2 | 3.0 | 66 | 98.5 | 1 | 1.5 | 65 | 97.0 | 2 | 3.0 |
| | UNKNOWN | 34 | 94.4 | 2 | 5.6 | 32 | 88.9 | 4 | 11.1 | 35 | 97.2 | 1 | 2.8 | 34 | 94.4 | 2 | 5.0 |
| PARTNER OF BISEXUAL | FEMALE | 1483 | 87.5 | 211 | 12.5 | 1614 | 95.3 | 80 | 4.7 | 1678 | 99.1 | 16 | 0.9 | 1669 | 98.5 | 25 | 1.5 |
| PARTNER OF | MALE | 4267 | 94.9 | 230 | 5.1 | 4238 | 94.2 | 259 | 5.8 | 4430 | 98.5 | 67 | 1.5 | 4320 | 96.1 | 177 | 3.9 |
| IDU | FEMALE | 3125 | 88.7 | 397 | 11.3 | 3368 | 95.6 | 154 | 4.4 | 3471 | 98.6 | 51 | 1.4 | 3410 | 96.8 | 112 | - |
| | TG | 57 | 95.0 | 3 | 5.0 | 57 | 95.0 | 3 | 5.0 | 59 | 98.3 | 1 | 1.7 | 59 | 98.3 | 1 | 1.7 |
| | UNKNOWN | 100 | 96.2 | 4 | 3.8 | 97 | 93.3 | 7 | 6.7 | 103 | 99.0 | 1 | 1.0 | 102 | 98.1 | 2 | |
| SEX FOR | MALE | 854 | 93.9 | 55 | 6.1 | 842 | 92.6 | 67 | 7.4 | 901 | 99.1 | 8 | 0.9 | 890 | 97.9 | 19 | 2. |
| DRUGS/MONEY | FEMALE | 1635 | 88.0 | 223 | 12.0 | 1691 | 91.0 | 167 | 9.0 | 1838 | 98.9 | 20 | 1.1 | 1799 | 96.8 | 59 | 3.2 |
| | TG | 190 | 98.4 | 3 | 1.6 | 180 | 93.3 | 13 | 6.7 | 190 | 98.4 | 3 | 1.6 | 190 | 98.4 | 3 | 1.6 |
| | UNKNOWN | 23 | 82.1 | 5 | 17.9 | 25 | 89.3 | 3 | 10.7 | 28 | 100 | | | 26 | 92.9 | 2 | 7. |
| TRANSFUSION | MALE | 446 | 97.0 | 14 | 3.0 | 438 | 95.2 | 22 | 4.8 | 446 | 97.0 | 14 | 3.0 | 429 | 93.3 | 31 | 6.7 |
| | FEMALE | 403 | 96.2 | 16 | 3.8 | 407 | 97.1 | 12 | 2.9 | 412 | 98.3 | 7 | 1.7 | 405 | 96.7 | 14 | 3.3 |
| | TG | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | |
| | UNKNOWN | 9 | 100 | | | 9 | 100 | | | 9 | 100 | | | 9 | 100 | | |
| HETEROSEXUAL - | MALE | 41394 | 94.2 | 2545 | 5.8 | 42341 | 96.4 | 1598 | 3.6 | 43741 | 99.5 | 198 | 0.5 | 43590 | 99.2 | 349 | 0.8 |
| /MULTIPLE PARTNERS | FEMALE | 21413 | 89.8 | 2432 | 10.2 | 23140 | 97.0 | 705 | 3.0 | 23762 | 99.7 | 83 | 0.3 | 23734 | 99.5 | 111 | 0.5 |
| | TG | 332 | 96.8 | 11 | 3.2 | 327 | 95.3 | 16 | 4.7 | 337 | 98.3 | 6 | 1.7 | 339 | 98.8 | 4 | 1.2 |
| | UNKNOWN | 585 | 90.6 | 61 | 9.4 | 613 | 94.9 | 33 | 5.1 | 646 | 100 | | | 642 | 99.4 | 4 | 0.0 |
| OCCUPATIONAL | MALE | 47 | 95.9 | 2 | 4.1 | 48 | 98.0 | 1 | 2.0 | 49 | 100 | | | 49 | 100 | | |
| | FEMALE | 99 | 98.0 | 2 | 2.0 | 99 | 98.0 | 2 | 2.0 | 100 | 99.0 | 1 | 1.0 | 100 | 99.0 | 1 | 1.0 |
| | TG | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | |
| | UNKNOWN | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | |
| PARENT RISK | MALE | 3 | 100 | | | 3 | 100 | | | 3 | 100 | | | 3 | 100 | | |
| | FEMALE | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | |
| NO REPORTED RISK | MALE | 17809 | 97.5 | 456 | 2.5 | 17870 | 97.8 | 395 | 2.2 | 18124 | 99.2 | 141 | 0.8 | 17909 | 98.1 | 356 | 1.9 |
| IIION | FEMALE | 20065 | 94.5 | 1169 | 5.5 | 20853 | 98.2 | 381 | 1.8 | 21149 | 99.6 | 85 | 0.4 | 21032 | 99.0 | 202 | 1.0 |
| | TG | 131 | 97.0 | 4 | 3.0 | 131 | 97.0 | 4 | 3.0 | 133 | 98.5 | 2 | 1.5 | 132 | 97.8 | 3 | 2.: |
| | UNKNOWN | 333 | 97.4 | 9 | 2.6 | 327 | 95.6 | 15 | 4.4 | 340 | 99.4 | 2 | 0.6 | 339 | 99.1 | 3 | 0. |
| UNKNOWN | MALE | 2532 | 99.0 | 26 | 1.0 | 2540 | 99.3 | 18 | 0.7 | 2546 | 99.5 | 12 | 0.5 | 2528 | 98.8 | 30 | 1.: |
| | FEMALE | 1248 | 97.9 | 27 | 2.1 | 1267 | 99.4 | 8 | 0.6 | 1271 | 99.7 | 4 | 0.3 | 1269 | 99.5 | 6 | 0. |
| | TG | 22 | 100 | | | 22 | 100 | | | 22 | 100 | | | 22 | 100 | | |
| | UNKNOWN | 238 | 100 | | | 236 | 99.2 | 2 | 0.8 | 238 | 100 | | | 238 | 100 | | |
| TOTAL BY DIAG | NOSIS | 179348 | 94.3 | 10800 | 5.7 | 182429 | 95.9 | 7719 | 4.1 | 187584 | 98.7 | 2564 | 1.3 | 183637 | 96.6 | 6511 | 3.4 |

| TABLE 13. OA- COUNSELING AN | | Genita | al/Ana | al Warts | | Gen: | ital H | Herpes | | | Syph | ilis | | Tr | ichom | oniasis | |
|--------------------------------|---------------|--------|--------|----------|------|--------|--------|--------|------|--------|------|--------|-----|--------|-------|---------|-----|
| SERVICES BY R GENDER, AND S | ISK BEHAVIOR, | NO | | YES | | NO | | YES | | NO | | YES | | NO | | YES | |
| DIAGNOSIS | TD/TIEFATTT13 | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 30242 | 97.8 | 696 | 2.2 | 30425 | 98.3 | 513 | 1.7 | 30411 | 98.3 | 527 | 1.7 | 30896 | 99.9 | 42 | 0.1 |
| BISEXUAL | MALE | 7167 | 98.0 | 148 | 2.0 | 7139 | 97.6 | 176 | 2.4 | 7163 | 97.9 | 152 | 2.1 | 7297 | 99.8 | 18 | 0.2 |
| | FEMALE | 3367 | 95.8 | 149 | 4.2 | 3380 | 96.1 | 136 | 3.9 | 3450 | 98.1 | 66 | 1.9 | 3363 | 95.6 | 153 | 4.4 |
| IDU | MALE | 10603 | 98.7 | 141 | 1.3 | 10557 | 98.3 | 187 | 1.7 | 10638 | 99.0 | 106 | 1.0 | 10728 | 99.9 | 16 | 0.1 |
| | FEMALE | 6058 | 97.6 | 152 | 2.4 | 6013 | 96.8 | 197 | 3.2 | 6108 | 98.4 | 102 | 1.6 | 6014 | 96.8 | 196 | 3.2 |
| | TG | 408 | 98.6 | 6 | 1.4 | 405 | 97.8 | 9 | 2.2 | 407 | 98.3 | 7 | 1.7 | 414 | 100 | | |
| | UNKNOWN | 123 | 100 | | | 120 | 97.6 | 3 | 2.4 | 122 | 99.2 | 1 | 0.8 | 122 | 99.2 | 1 | 0.8 |
| GAY/IDU | MALE | 1687 | 97.6 | 41 | 2.4 | 1680 | 97.2 | 48 | 2.8 | 1660 | 96.1 | 68 | 3.9 | 1716 | 99.3 | 12 | 0.7 |
| PARTNER HIV | MALE | 896 | 98.8 | 11 | 1.2 | 895 | 98.7 | 12 | 1.3 | 894 | 98.6 | 13 | 1.4 | 906 | 99.9 | 1 | 0.1 |
| POSITIVE | FEMALE | 1355 | 97.1 | 41 | 2.9 | 1358 | 97.3 | 38 | 2.7 | 1378 | 98.7 | 18 | 1.3 | 1357 | 97.2 | 39 | 2.8 |
| | TG | 66 | 98.5 | 1 | 1.5 | 65 | 97.0 | 2 | 3.0 | 65 | 97.0 | 2 | 3.0 | 67 | 100 | | |
| | UNKNOWN | 35 | 97.2 | 1 | 2.8 | 35 | 97.2 | 1 | 2.8 | 35 | 97.2 | 1 | 2.8 | 36 | 100 | | |
| PARTNER OF BISEXUAL | FEMALE | 1622 | 95.7 | 72 | 4.3 | 1613 | 95.2 | 81 | 4.8 | 1668 | 98.5 | 26 | 1.5 | 1633 | 96.4 | 61 | 3.6 |
| PARTNER OF | MALE | 4398 | 97.8 | 99 | 2.2 | 4394 | 97.7 | 103 | 2.3 | 4430 | 98.5 | 67 | 1.5 | 4476 | 99.5 | 21 | 0.5 |
| IDU | FEMALE | 3394 | 96.4 | 128 | 3.6 | 3401 | 96.6 | 121 | 3.4 | 3486 | 99.0 | 36 | 1.0 | 3446 | 97.8 | 76 | 2.2 |
| | TG | 60 | 100 | | | 58 | 96.7 | 2 | 3.3 | 60 | 100 | | | 60 | 100 | | |
| | UNKNOWN | 103 | 99.0 | 1 | 1.0 | 103 | 99.0 | 1 | 1.0 | 100 | 96.2 | 4 | 3.8 | 100 | 96.2 | 4 | 3.8 |
| SEX FOR | MALE | 901 | 99.1 | 8 | 0.9 | 892 | 98.1 | 17 | 1.9 | 891 | 98.0 | 18 | 2.0 | 904 | 99.4 | 5 | 0.6 |
| DRUGS/MONEY | FEMALE | 1818 | 97.8 | 40 | 2.2 | 1806 | 97.2 | 52 | 2.8 | 1787 | 96.2 | 71 | 3.8 | 1728 | 93.0 | 130 | 7.0 |
| | TG | 193 | 100 | | | 192 | 99.5 | 1 | 0.5 | 188 | 97.4 | 5 | 2.6 | 192 | 99.5 | 1 | 0.5 |
| | UNKNOWN | 25 | 89.3 | 3 | 10.7 | 27 | 96.4 | 1 | 3.6 | 28 | 100 | | | 28 | 100 | | |
| TRANSFUSION | MALE | 450 | 97.8 | 10 | 2.2 | 444 | 96.5 | 16 | 3.5 | 456 | 99.1 | 4 | 0.9 | 458 | 99.6 | 2 | 0.4 |
| | FEMALE | 412 | 98.3 | 7 | 1.7 | 410 | 97.9 | 9 | 2.1 | 415 | 99.0 | 4 | 1.0 | 411 | 98.1 | 8 | 1.9 |
| | TG | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | |
| | UNKNOWN | 8 | 88.9 | 1 | 11.1 | 8 | 88.9 | 1 | 11.1 | 9 | 100 | | | 9 | 100 | | |
| HETEROSEXUAL - | MALE | 43120 | 98.1 | 819 | 1.9 | 43192 | 98.3 | 747 | 1.7 | 43607 | 99.2 | 332 | 0.8 | 43815 | 99.7 | 124 | 0.3 |
| /MULTIPLE PARTNERS | FEMALE | 22983 | 96.4 | 862 | 3.6 | 23146 | 97.1 | 699 | 2.9 | 23692 | 99.4 | 153 | 0.6 | 23412 | 98.2 | 433 | 1.8 |
| | TG | 339 | 98.8 | 4 | 1.2 | 340 | 99.1 | 3 | 0.9 | 338 | 98.5 | 5 | 1.5 | 343 | 100 | | |
| | UNKNOWN | 629 | 97.4 | 17 | 2.6 | 630 | 97.5 | 16 | 2.5 | 644 | 99.7 | 2 | 0.3 | 637 | 98.6 | 9 | 1.4 |
| OCCUPATIONAL | MALE | 49 | 100 | | | 49 | 100 | | | 49 | 100 | | | 48 | 98.0 | 1 | 2.0 |
| | FEMALE | 99 | 98.0 | 2 | 2.0 | 100 | 99.0 | 1 | 1.0 | 100 | 99.0 | 1 | 1.0 | 101 | 100 | | |
| | TG | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | |
| | UNKNOWN | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | | 1 | 100 | | |
| PARENT RISK | MALE | 3 | 100 | | | 3 | 100 | | | 3 | 100 | | | 3 | 100 | | |
| | FEMALE | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | | 2 | 100 | | |
| NO REPORTED RISK | MALE | 18029 | 98.7 | 236 | 1.3 | 18023 | 98.7 | 242 | 1.3 | 18147 | 99.4 | 118 | 0.6 | 18240 | 99.9 | 25 | 0.1 |
| 111011 | FEMALE | 20872 | 98.3 | 362 | 1.7 | 20866 | 98.3 | 368 | 1.7 | 21076 | 99.3 | 158 | 0.7 | 20988 | 98.8 | 246 | 1.2 |
| | TG | 132 | 97.8 | 3 | 2.2 | 135 | 100 | | | 135 | 100 | | | 135 | 100 | | |
| | UNKNOWN | 338 | 98.8 | 4 | 1.2 | 336 | 98.2 | 6 | 1.8 | 338 | 98.8 | 4 | 1.2 | 338 | 98.8 | 4 | 1.2 |
| UNKNOWN | MALE | 2548 | 99.6 | 10 | 0.4 | 2551 | 99.7 | 7 | 0.3 | 2553 | 99.8 | 5 | 0.2 | 2556 | 99.9 | 2 | 0.1 |
| | FEMALE | 1263 | 99.1 | 12 | 0.9 | 1258 | 98.7 | 17 | 1.3 | 1273 | 99.8 | 2 | 0.2 | 1264 | 99.1 | 11 | 0.9 |
| | TG | 22 | 100 | | | 21 | 95.5 | 1 | 4.5 | 22 | 100 | | | 22 | 100 | | |
| | UNKNOWN | 238 | 100 | | | 238 | 100 | | | 238 | 100 | | | 238 | 100 | | |
| TOTAL BY DIAG | NOSIS | 186061 | 97.9 | 4087 | 2.1 | 186314 | 98.0 | 3834 | 2.0 | 188070 | 98.9 | 2078 | 1.1 | 188507 | 99.1 | 1641 | 0.9 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:
CDHS = California Department of Health Services
IDU = Injection Drug User
OA = Office of AIDS
TG = Transgender

| TABLE 14. OA-F | FUNDED HIV | | | | | | NUMBE | R OF PART | NERS | IN PAST | TWO Y | YEARS | | | | | | | |
|---------------------------------|----------------|--------|------|--------|------|--------|-------|-----------|------|---------|-------|--------|------|--------|------|---------|------|------------------|----------|
| COUNSELING AND SERVICES BY R | ISK BEHAVIOR, | 0 | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 or M | ORE | UNKNOV | VN | TOTAL RISK/GE | |
| GENDER, AND NU PARTNERS | JMBER OF | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 98 | 0.3 | 4818 | 15.6 | 3922 | 12.7 | 3619 | 11.7 | 2573 | 8.3 | 2474 | 8.0 | 13013 | 42.1 | 421 | 1.4 | 30938 | 100 |
| BISEXUAL | MALE | 27 | 0.4 | 274 | 3.7 | 980 | 13.4 | 1054 | 14.4 | 849 | 11.6 | 713 | 9.7 | 3323 | 45.4 | 95 | 1.3 | 7315 | 67.5 |
| | FEMALE | 5 | 0.1 | 195 | 5.5 | 570 | 16.2 | 584 | 16.6 | 444 | 12.6 | 331 | 9.4 | 1344 | 38.2 | 43 | 1.2 | 3516 | 32.5 |
| IDU | MALE | 1110 | 10.3 | 3035 | 28.2 | 1635 | 15.2 | 1258 | 11.7 | 772 | 7.2 | 567 | 5.3 | 2198 | 20.5 | 169 | 1.6 | 10744 | 61.4 |
| | FEMALE | 291 | 4.7 | 1648 | 26.5 | 1060 | 17.1 | 732 | 11.8 | 435 | 7.0 | 358 | 5.8 | 1600 | 25.8 | 86 | 1.4 | 6210 | 35.5 |
| | TG | 9 | 2.2 | 27 | 6.5 | 13 | 3.1 | 8 | 1.9 | 12 | 2.9 | 7 | 1.7 | 334 | 80.7 | 4 | 1.0 | 414 | 2.4 |
| | UNKNOWN | 12 | 9.8 | 31 | 25.2 | 12 | 9.8 | 14 | 11.4 | 6 | 4.9 | 8 | 6.5 | 35 | 28.5 | 5 | 4.1 | 123 | 0.7 |
| GAY/IDU | MALE | 14 | 0.8 | 199 | 11.5 | 172 | 10.0 | 141 | 8.2 | 134 | 7.8 | 117 | 6.8 | 907 | 52.5 | 44 | 2.5 | 1728 | 100 |
| PARTNER HIV | MALE | 6 | 0.7 | 307 | 33.8 | 146 | 16.1 | 130 | 14.3 | 54 | 6.0 | 45 | 5.0 | 209 | 23.0 | 10 | 1.1 | 907 | 37.7 |
| POSITIVE | FEMALE | 14 | 1.0 | 666 | 47.7 | 287 | 20.6 | 127 | 9.1 | 68 | 4.9 | 39 | 2.8 | 186 | 13.3 | 9 | 0.6 | 1396 | 58.0 |
| | TG | | | 9 | 13.4 | 4 | 6.0 | 4 | 6.0 | 4 | 6.0 | 2 | 3.0 | 44 | 65.7 | | | 67 | 2.8 |
| | UNKNOWN | | | 14 | 38.9 | 5 | 13.9 | 2 | 5.6 | | | 3 | 8.3 | 12 | 33.3 | | | 36 | 1.5 |
| PARTNER OF | FEMALE | | | | | | | | | | | | | | | | | | T |
| BISEXUAL | | 6 | 0.4 | | 21.5 | | 20.0 | | 16.3 | 155 | 9.1 | 130 | 7.7 | 415 | - | 9 | 0.5 | 1694 | |
| PARTNER OF IDU | MALE | 15 | 0.3 | 548 | 12.2 | 689 | 15.3 | 706 | 15.7 | 474 | 10.5 | 370 | 8.2 | 1662 | 37.0 | 33 | 0.7 | 4497 | |
| | FEMALE | 12 | 0.3 | | 26.4 | 842 | | | 15.0 | 338 | 9.6 | 216 | 6.1 | 637 | 18.1 | 18 | 0.5 | 3522 | |
| | TG | | | 2 | 3.3 | 6 | | | 11.7 | 2 | 3.3 | 2 | 3.3 | 40 | - | 1 | 1.7 | 60 | |
| | UNKNOWN | 1 | 1.0 | | 12.5 | 17 | 16.3 | | 12.5 | 11 | 10.6 | 11 | 10.6 | 37 | 35.6 | 1 | 1.0 | 104 | |
| SEX FOR DRUGS/MONEY | MALE | 17 | 1.9 | 97 | 10.7 | 119 | | | 13.9 | 70 | 7.7 | 84 | 9.2 | 382 | 42.0 | 14 | 1.5 | 909 | |
| | FEMALE | 23 | 1.2 | 259 | 13.9 | 257 | 13.8 | | 11.2 | 143 | 7.7 | 121 | 6.5 | 784 | 42.2 | 63 | 3.4 | 1858 | |
| | TG | 2 | 1.0 | 9 | 4.7 | 10 | 5.2 | 3 | 1.6 | 7 | 3.6 | 6 | 3.1 | 150 | | 6 | 3.1 | 193 | |
| | UNKNOWN | | | 3 | 10.7 | 1 | 3.6 | | 17.9 | 2 | 7.1 | 2 | 7.1 | 15 | | | | 28 | |
| TRANSFUSION | MALE | 34 | 7.4 | | 24.1 | 101 | 22.0 | | 14.6 | 41 | 8.9 | 25 | 5.4 | 77 | 16.7 | 4 | 0.9 | 460 | |
| | FEMALE | 41 | 9.8 | 208 | 49.6 | 89 | | | 10.3 | 20 | 4.8 | 5 | 1.2 | 8 | 1.9 | 5 | 1.2 | 419 | |
| | TG | | | | | | 50.0 | 1 | 50.0 | | | | | | | | | 2 | |
| | UNKNOWN | | | 2 | 22.2 | | 44.4 | | | | | | | 3 | | | | 9 | |
| HETEROSEXUAL- /MULTIPLE | MALE | | | | | 13125 | | 9229 | | 5581 | 12.7 | 4212 | 9.6 | 11520 | | 272 | 0.6 | 43939 | |
| PARTNERS | FEMALE | | | | | 10799 | 45.3 | 5432 | | 2772 | 11.6 | 1761 | 7.4 | 2910 | | 171 | 0.7 | 23845 | |
| | TG | | | | | 87 | 25.4 | | 13.7 | 35 | 10.2 | 28 | 8.2 | 143 | 41.7 | 3 | 0.9 | 343 | |
| | UNKNOWN | | | | | 220 | 34.1 | 138 | 21.4 | 70 | 10.8 | 50 | 7.7 | 156 | 24.1 | 12 | 1.9 | 646 | |
| OCCUPATIONAL | MALE | 9 | 18.4 | 39 | 79.6 | | | | | | | | | | | 1 | 2.0 | 49 | |
| | FEMALE | 17 | 16.8 | 82 | 81.2 | | | | | | | | | | | 2 | 2.0 | 101 | 66.4 |
| | TG | | | 1 | 100 | | | | | | | | | | | | | 1 | 0.7 |
| | UNKNOWN | | | 1 | 100 | | | | | | | | | | | | | 1 | <u> </u> |
| PARENT RISK | MALE | + | 66.7 | | | | | | | | | | | | | | 33.3 | 3 | |
| | FEMALE | 1 | 50.0 | | | | | | | | | | | | | 1 | 50.0 | | 40.0 |
| NO REPORTED RISK | MALE | | 19.5 | 14696 | | | | | | | | | | | | | | 18265 | |
| | FEMALE | | 9.9 | 19129 | | | | | | | | | | | | | | 21234 | 53.1 |
| | TG | | 13.3 | | 86.7 | | | | | | | | | | | | | | 0.3 |
| | UNKNOWN | 70 | 20.5 | 272 | 79.5 | | | | | | | | | | | | | | 0.9 |
| UNKNOWN | MALE | | | | | | | | | | | | | | | 2558 | 100 | | 62.5 |
| | FEMALE | | | | | | | | | | | | | | | 1275 | 100 | 1275 | 31.2 |
| | TG | | | | | | | | | | | | | | | 22 | 100 | 22 | 0.5 |
| | UNKNOWN | | | | | | | | | | | | | | | 238 | 100 | 238 | 5.8 |
| TOTAL BY NUMBER | ER OF PARTNERS | 7528 | 4.0 | 48108 | 25.3 | 35511 | 18.7 | 24502 | 12.9 | 15072 | 7.9 | 11687 | 6.1 | 42144 | 22.2 | 5596 | 2.9 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS: CDHS = California Department of Health Services IDU = Injection Drug User OA = Office of AIDS TG = Transgender

| TABLE 15. OA- | | | | | | | NUMBI | ER OF PR | IOR T | ESTS | | | | | | TOTAL | D\/ |
|------------------------|----------------|--------|------|--------|------|--------|-------|----------|-------|--------|------|--------|------|--------|------|---------------------|------|
| COUNSELING AN | ISK BEHAVIOR, | 0 | | 1 | | 2 | | 3 | | 4 | | 5 or M | ORE | UNKNO | WN | TOTAL I RISK/GEI | |
| TESTS | UMBER OF PRIOR | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 2912 | 9.4 | 4513 | 14.6 | 2969 | 9.6 | 3023 | 9.8 | 2611 | 8.4 | 14176 | 45.8 | 734 | 2.4 | 30938 | 10 |
| BISEXUAL | MALE | 1922 | 26.3 | 1735 | 23.7 | 874 | 11.9 | 680 | 9.3 | 477 | 6.5 | 1434 | 19.6 | 193 | 2.6 | 7315 | 67. |
| | FEMALE | 844 | 24.0 | 940 | 26.7 | 477 | 13.6 | 374 | 10.6 | 220 | 6.3 | 613 | 17.4 | 48 | 1.4 | 3516 | 32. |
| IDU | MALE | 2171 | 20.2 | 2700 | 25.1 | 1490 | 13.9 | 1121 | 10.4 | 783 | 7.3 | 2343 | 21.8 | 136 | 1.3 | 10744 | 61. |
| | FEMALE | 835 | 13.4 | 1510 | 24.3 | 841 | 13.5 | 683 | 11.0 | 545 | 8.8 | 1733 | 27.9 | 63 | 1.0 | 6210 | 35. |
| | TG | 162 | 39.1 | 52 | 12.6 | 49 | 11.8 | 25 | 6.0 | 30 | 7.2 | 94 | 22.7 | 2 | 0.5 | 414 | 2. |
| | UNKNOWN | 18 | 14.6 | 26 | 21.1 | 15 | 12.2 | 5 | 4.1 | 13 | 10.6 | 38 | 30.9 | 8 | 6.5 | 123 | 0. |
| GAY/IDU | MALE | 184 | 10.6 | 312 | 18.1 | 200 | 11.6 | 183 | 10.6 | 148 | 8.6 | 660 | 38.2 | 41 | 2.4 | 1728 | 10 |
| PARTNER HIV | MALE | 221 | 24.4 | 228 | 25.1 | 112 | 12.3 | 91 | 10.0 | 60 | 6.6 | 174 | 19.2 | 21 | 2.3 | 907 | 37. |
| POSITIVE | FEMALE | 258 | 18.5 | 352 | 25.2 | 188 | 13.5 | 150 | 10.7 | 118 | 8.5 | 302 | 21.6 | 28 | 2.0 | 1396 | 58. |
| | TG | 2 | 3.0 | 10 | 14.9 | 8 | 11.9 | 8 | 11.9 | 8 | 11.9 | 30 | 44.8 | 1 | 1.5 | 67 | 2. |
| | UNKNOWN | 4 | 11.1 | 4 | 11.1 | 4 | 11.1 | 5 | 13.9 | 3 | 8.3 | 15 | 41.7 | 1 | 2.8 | 36 | 1. |
| PARTNER OF BISEXUAL | FEMALE | 458 | 27.0 | 518 | 30.6 | 220 | 13.0 | 169 | 10.0 | 84 | 5.0 | 221 | 13.0 | 24 | 1.4 | 1694 | 10 |
| PARTNER OF | MALE | 1574 | 35.0 | 1202 | 26.7 | 596 | 13.3 | 371 | 8.2 | 249 | 5.5 | 451 | 10.0 | 54 | 1.2 | 4497 | 55. |
| IDU | FEMALE | 1012 | 28.7 | 1051 | 29.8 | 486 | 13.8 | 346 | 9.8 | 175 | 5.0 | 409 | 11.6 | 43 | 1.2 | 3522 | 43. |
| | TG | 11 | 18.3 | 10 | 16.7 | 8 | 13.3 | 7 | 11.7 | 5 | 8.3 | 19 | 31.7 | | | 60 | 0. |
| | UNKNOWN | 29 | 27.9 | 38 | 36.5 | 8 | 7.7 | 6 | 5.8 | 4 | 3.8 | 11 | 10.6 | 8 | 7.7 | 104 | 1.3 |
| SEX FOR | MALE | 250 | 27.5 | 235 | 25.9 | 124 | 13.6 | 99 | 10.9 | 40 | 4.4 | 145 | 16.0 | 16 | 1.8 | 909 | 30. |
| DRUGS/MONEY | FEMALE | 339 | 18.2 | 383 | 20.6 | 237 | 12.8 | 196 | 10.5 | 160 | 8.6 | 512 | 27.6 | 31 | 1.7 | 1858 | 62. |
| | TG | 22 | 11.4 | 29 | 15.0 | 14 | 7.3 | 23 | 11.9 | 17 | 8.8 | 85 | 44.0 | 3 | 1.6 | 193 | 6. |
| | UNKNOWN | 4 | 14.3 | 11 | 39.3 | 2 | 7.1 | | | 2 | 7.1 | 7 | 25.0 | 2 | 7.1 | 28 | 0.9 |
| TRANSFUSION | MALE | 166 | 36.1 | 120 | 26.1 | 61 | 13.3 | 36 | 7.8 | 21 | 4.6 | 49 | 10.7 | 7 | 1.5 | 460 | 51. |
| | FEMALE | 147 | 35.1 | 125 | 29.8 | 48 | 11.5 | 26 | 6.2 | 18 | 4.3 | 49 | 11.7 | 6 | 1.4 | 419 | 47. |
| | TG | 1 | 50.0 | 1 | 50.0 | | | | | | | | | | | 2 | 0.: |
| | UNKNOWN | 2 | 22.2 | 1 | 11.1 | 2 | 22.2 | | | | | 3 | 33.3 | 1 | 11.1 | 9 | 1.0 |
| HETEROSEXUAL - | MALE | 16780 | 38.2 | 12158 | 27.7 | 5012 | 11.4 | 3235 | 7.4 | 1946 | 4.4 | 3927 | 8.9 | 881 | 2.0 | 43939 | 63. |
| /MULTIPLE PARTNERS | FEMALE | 8089 | 33.9 | 6744 | 28.3 | 3093 | 13.0 | 2040 | 8.6 | 1149 | 4.8 | 2230 | 9.4 | 500 | 2.1 | 23845 | 34. |
| | TG | 66 | 19.2 | 69 | 20.1 | 45 | 13.1 | 24 | 7.0 | 27 | 7.9 | 109 | 31.8 | 3 | 0.9 | 343 | 0. |
| | UNKNOWN | 228 | 35.3 | 163 | 25.2 | 67 | 10.4 | 39 | 6.0 | 25 | 3.9 | 80 | 12.4 | 44 | 6.8 | 646 | 0.9 |
| OCCUPATIONAL | MALE | 15 | 30.6 | 15 | 30.6 | 6 | 12.2 | 5 | 10.2 | 3 | 6.1 | 5 | 10.2 | | | 49 | 32. |
| | FEMALE | 27 | 26.7 | 24 | 23.8 | 13 | 12.9 | 10 | 9.9 | 5 | 5.0 | 18 | 17.8 | 4 | 4.0 | 101 | 66. |
| | TG | 1 | 100 | | | | | | | | | | | | | 1 | 0. |
| | UNKNOWN | | | | | 1 | 100 | | | | | | | | | 1 | 0. |
| PARENT RISK | MALE | 1 | 33.3 | 1 | 33.3 | 1 | 33.3 | | | | | | | | | 3 | 60. |
| | FEMALE | 1 | 50.0 | | | 1 | 50.0 | | | | | | | | | 2 | 40.0 |

| TABLE 15. OA- COUNSELING AN | | | | | | | NUMBI | ER OF PR | IOR T | ESTS | | | | | | TOTAL E | RV. |
|--------------------------------|-----------------|--------|------|--------|------|--------|-------|----------|-------|--------|-----|--------|------|--------|------|---------|------|
| SERVICES BY R | | 0 | | 1 | | 2 | | 3 | | 4 | | 5 or M | ORE | UNKNO | VN | RISK/GE | |
| TESTS | OWIDER OF PRIOR | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| NO REPORTED | MALE | 7076 | 38.7 | 5197 | 28.5 | 1968 | 10.8 | 1236 | 6.8 | 681 | 3.7 | 1739 | 9.5 | 368 | 2.0 | 18265 | 45.7 |
| niok | FEMALE | 8277 | 39.0 | 6197 | 29.2 | 2371 | 11.2 | 1460 | 6.9 | 847 | 4.0 | 1662 | 7.8 | 420 | 2.0 | 21234 | 53.1 |
| | TG | 38 | 28.1 | 23 | 17.0 | 8 | 5.9 | 19 | 14.1 | 8 | 5.9 | 35 | 25.9 | 4 | 3.0 | 135 | 0.3 |
| | UNKNOWN | 133 | 38.9 | 88 | 25.7 | 41 | 12.0 | 17 | 5.0 | 8 | 2.3 | 29 | 8.5 | 26 | 7.6 | 342 | 0.9 |
| UNKNOWN | MALE | 490 | 19.2 | 554 | 21.7 | 273 | 10.7 | 203 | 7.9 | 108 | 4.2 | 452 | 17.7 | 478 | 18.7 | 2558 | 62.5 |
| | FEMALE | 271 | 21.3 | 351 | 27.5 | 134 | 10.5 | 113 | 8.9 | 50 | 3.9 | 102 | 8.0 | 254 | 19.9 | 1275 | 31.2 |
| | TG | 3 | 13.6 | 5 | 22.7 | 2 | 9.1 | 2 | 9.1 | 2 | 9.1 | 5 | 22.7 | 3 | 13.6 | 22 | 0.5 |
| | UNKNOWN | 9 | 3.8 | 19 | 8.0 | 3 | 1.3 | 5 | 2.1 | 4 | 1.7 | 10 | 4.2 | 188 | 79.0 | 238 | 5.8 |
| TOTAL BY NUMB | ER OF PRIOR | 55053 | 29.0 | 47714 | 25.1 | 22072 | 11.6 | 16035 | 8.4 | 10654 | 5.6 | 33976 | 17.9 | 4644 | 2.4 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS: CDHS = California Department of Health Services IDU = Injection Drug User OA = Office of AIDS TG = Transgender

ALL SERVICES

| TABLE 16. 0A- | | | | | TES | ΓED | | | | NOT TEST | ΓED | | |
|--|--------------------|--------|-----|---------|------|-----------|------|---------|------|----------|------|-----------------------------|------|
| COUNSELING AN SERVICES BY P AGENCY | ROGRAM TYPE AND | POSITI | /E | NEGATI' | ۷E | INCONCLUS | SIVE | TOTAL I | | TOTAL E | | TOTAI SERVICI PROVIDI | ES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| PROGRAM TYPE | LHD/AGENCY | | | | | | | | | | | | |
| ATS PROGRAM | ALAMEDA | 43 | 1.6 | 2582 | 98.2 | 5 | 0.2 | 2630 | 5.6 | 2 | 0.0 | 2632 | 5.1 |
| | ALPINE | | | 7 | 100 | | | 7 | 0.0 | | | 7 | 0.0 |
| | BUTTE | | | 98 | 100 | | | 98 | 0.2 | 4 | 0.1 | 102 | 0.2 |
| | CONTRA COSTA | 5 | 2.0 | 241 | 97.6 | 1 | 0.4 | 247 | 0.5 | | | 247 | 0.5 |
| | FRESNO | 11 | 1.4 | 792 | 98.6 | | | 803 | 1.7 | | | 803 | 1.6 |
| | HUMBOLDT | 1 | 0.2 | 663 | 99.8 | | | 664 | 1.4 | | | 664 | 1.3 |
| | IMPERIAL | | | 70 | 98.6 | 1 | 1.4 | 71 | 0.2 | | | 71 | 0.1 |
| | INYO | | | 33 | 100 | | | 33 | 0.1 | 3 | 0.1 | 36 | 0.1 |
| | KERN | | | 35 | 100 | | | 35 | 0.1 | | | 35 | 0.1 |
| | KINGS | | | 1 | 100 | | | 1 | 0.0 | | | 1 | 0.0 |
| | LOS ANGELES | 175 | 2.5 | 6772 | 97.4 | 7 | 0.1 | 6954 | 14.9 | 39 | 0.9 | 6993 | 13.7 |
| | MARIN | 1 | 0.2 | 537 | 99.8 | | | 538 | 1.2 | 5 | 0.1 | 543 | 1.1 |
| | MENDOCINO | | | 306 | 100 | | | 306 | 0.7 | | | 306 | 0.6 |
| | MERCED | | | 81 | 100 | | | 81 | 0.2 | | | 81 | 0.2 |
| | MONTEREY | | | 67 | 97.1 | 2 | 2.9 | 69 | 0.1 | | | 69 | 0.1 |
| | NAPA | 3 | 2.1 | 139 | 97.9 | | | 142 | 0.3 | | | 142 | 0.3 |
| | NEVADA | | | 8 | 100 | | | 8 | 0.0 | | | 8 | 0.0 |
| | ORANGE | 29 | 1.8 | 1599 | 98.1 | 2 | 0.1 | 1630 | 3.5 | 40 | 0.9 | 1670 | 3.3 |
| | PLACER | 3 | 1.2 | 251 | 98.8 | | | 254 | 0.5 | | | 254 | 0.5 |
| | RIVERSIDE | 69 | 3.3 | 1989 | 94.9 | 37 | 1.8 | 2095 | 4.5 | 3 | 0.1 | 2098 | 4.1 |
| | SACRAMENTO | 8 | 1.3 | 623 | 98.6 | 1 | 0.2 | 632 | 1.4 | 4 | 0.1 | 636 | 1.2 |
| | SAN BERNARDINO | 23 | 1.7 | 1352 | 98.3 | 1 | 0.1 | 1376 | 2.9 | 18 | 0.4 | 1394 | 2.7 |
| | SAN DIEGO | 113 | 2.5 | 4379 | 97.4 | 5 | 0.1 | 4497 | 9.6 | 79 | 1.8 | 4576 | 9.0 |
| | SAN FRANCISCO | 132 | 2.2 | 5872 | 97.6 | 11 | 0.2 | 6015 | 12.9 | 3947 | 89.5 | 9962 | 19.5 |
| | SAN JOAQUIN | | | 167 | 99.4 | 1 | 0.6 | 168 | 0.4 | 7 | 0.2 | 175 | 0.3 |
| | SAN LUIS OBISPO | | | 537 | 99.8 | 1 | 0.2 | 538 | 1.2 | 2 | 0.0 | 540 | 1.1 |
| | SAN MATEO | | | 11 | 100 | | | 11 | 0.0 | | | 11 | 0.0 |
| | SANTA BARBARA | 8 | 0.3 | 2415 | 99.4 | 6 | 0.2 | 2429 | 5.2 | 116 | 2.6 | 2545 | 5.0 |
| | SANTA CLARA | 15 | 0.6 | 2430 | 99.4 | | | 2445 | 5.2 | 41 | 0.9 | 2486 | 4.9 |
| | SANTA CRUZ | 1 | 0.1 | 1009 | 99.9 | | | 1010 | 2.2 | 1 | 0.0 | 1011 | 2.0 |
| | SHASTA | 1 | 0.3 | 366 | 99.7 | | | 367 | 0.8 | 3 | 0.1 | 370 | 0.7 |
| | SOLANO | 3 | 0.9 | 324 | 98.8 | 1 | 0.3 | 328 | 0.7 | 4 | 0.1 | 332 | 0.6 |
| | SONOMA | 10 | 0.4 | 2242 | 99.6 | | | 2252 | 4.8 | 5 | 0.1 | 2257 | 4.4 |
| | STANISLAUS | 2 | 0.3 | 641 | 98.9 | 5 | 0.8 | 648 | 1.4 | 3 | 0.1 | 651 | 1.3 |

| TABLE 16. OA- | | | | | TES | ΓED | | | | NOT TES | ΓED | | |
|--|-----------------|--------|-----|---------|------|-----------|------|-------------|------|---------|------|-----------------------------|------|
| COUNSELING AN SERVICES BY P AGENCY | ROGRAM TYPE AND | POSITI | /E | NEGATI' | VΕ | INCONCLUS | SIVE | TOTAL AGENC | | TOTAL E | | TOTAI SERVICI PROVIDI | ES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| PROGRAM TYPE | LHD/AGENCY | | | | | | | | | | | | |
| ATS PROGRAM | TULARE | 7 | 2.2 | 301 | 96.5 | 4 | 1.3 | 312 | 0.7 | 1 | 0.0 | 313 | 0.0 |
| | TUOLUMNE | | | 150 | 100 | | | 150 | 0.3 | | | 150 | 0. |
| | VENTURA | 2 | 0.6 | 334 | 98.8 | 2 | 0.6 | 338 | 0.7 | | | 338 | 0. |
| | Y0L0 | | | 218 | 99.5 | 1 | 0.5 | 219 | 0.5 | 5 | 0.1 | 224 | 0. |
| | LONG BEACH | 63 | 3.0 | 2044 | 96.9 | 3 | 0.1 | 2110 | 4.5 | 9 | 0.2 | 2119 | 4. |
| | PASADENA | 8 | 1.2 | 679 | 98.8 | | | 687 | 1.5 | 1 | 0.0 | 688 | 1.3 |
| | BERKELEY | 28 | 0.8 | 3487 | 99.2 | | | 3515 | 7.5 | 70 | 1.6 | 3585 | 7.0 |
| | SUBTOTAL | 764 | 1.6 | 45852 | 98.2 | 97 | 0.2 | 46713 | 25.9 | 4412 | 45.8 | 51125 | 26.9 |
| NON-ATS LHD | LHD/AGENCY | | | | | | | | | | | | |
| | ALAMEDA | 109 | 2.5 | 4304 | 97.3 | 12 | 0.3 | 4425 | 3.3 | 3 | 0.1 | 4428 | 3.2 |
| | ALPINE | | | 6 | 100 | | | 6 | 0.0 | | | 6 | 0.0 |
| | AMADOR | 2 | 2.5 | 71 | 88.8 | 7 | 8.8 | 80 | 0.1 | | | 80 | 0. |
| | BUTTE | 4 | 0.3 | 1229 | 99.7 | | | 1233 | 0.9 | 102 | 2.1 | 1335 | 1.0 |
| | CALAVERAS | | | 91 | 97.8 | 2 | 2.2 | 93 | 0.1 | | | 93 | 0. |
| | CONTRA COSTA | 7 | 0.4 | 1857 | 99.6 | | | 1864 | 1.4 | 34 | 0.7 | 1898 | 1.4 |
| | DEL NORTE | | | 30 | 100 | | | 30 | 0.0 | | | 30 | 0.0 |
| | EL DORADO | 2 | 0.4 | 476 | 99.2 | 2 | 0.4 | 480 | 0.4 | 1 | 0.0 | 481 | 0.4 |
| | FRESNO | 43 | 1.6 | 2661 | 98.4 | 1 | 0.0 | 2705 | 2.0 | 11 | 0.2 | 2716 | 2. |
| | GLENN | | | 98 | 100 | | | 98 | 0.1 | | | 98 | 0. |
| | HUMBOLDT | 1 | 0.1 | 811 | 99.8 | 1 | 0.1 | 813 | 0.6 | | | 813 | 0. |
| | IMPERIAL | 6 | 0.6 | 1010 | 98.3 | 11 | 1.1 | 1027 | 0.8 | | | 1027 | 0. |
| | INYO | | | 13 | 100 | | | 13 | 0.0 | | | 13 | 0.0 |
| | KERN | 46 | 1.1 | 4328 | 98.9 | | | 4374 | 3.3 | 1 | 0.0 | 4375 | 3.: |
| | KINGS | 4 | 1.4 | 286 | 98.3 | 1 | 0.3 | 291 | 0.2 | 1 | 0.0 | 292 | 0.: |
| | LAKE | 1 | 0.5 | 199 | 99.5 | | | 200 | 0.2 | | | 200 | 0. |
| | LASSEN | | | 168 | 99.4 | 1 | 0.6 | 169 | 0.1 | 1 | 0.0 | 170 | 0. |
| | LOS ANGELES | 800 | 1.9 | 40053 | 97.5 | 222 | 0.5 | 41075 | 31.0 | 1690 | 34.0 | 42765 | 31.2 |
| | MADERA | 2 | 0.7 | 288 | 99.3 | | | 290 | 0.2 | 2 | 0.0 | 292 | 0.: |
| | MARIN | 6 | 0.3 | 2144 | 99.7 | | | 2150 | 1.6 | 19 | 0.4 | 2169 | 1.0 |
| | MARIPOSA | | | 64 | 98.5 | 1 | 1.5 | 65 | 0.0 | | | 65 | 0. |
| | MENDOCINO | 4 | 0.4 | 885 | 99.6 | | | 889 | 0.7 | 1 | 0.0 | 890 | 0. |
| | MERCED | 2 | 0.5 | 382 | 99.2 | 1 | 0.3 | 385 | 0.3 | | | 385 | 0.: |
| | MODOC | | | 4 | 100 | | | 4 | 0.0 | | | 4 | 0.0 |
| | MONTEREY | 1 | 0.2 | 412 | 99.5 | 1 | 0.2 | 414 | 0.3 | | | 414 | 0.3 |
| | NEVADA | 4 | 0.5 | 867 | 99.4 | 1 | 0.1 | 872 | 0.7 | 3 | 0.1 | 875 | 0.0 |

ALL SERVICES

| TABLE 16. OA- | | | | | TES | TED | | | | NOT TES | ΓED | | |
|--|--------------------|--------|-----|--------|------|-----------|------|---------|------|---------|------|-----------------------------|------|
| COUNSELING AN SERVICES BY P AGENCY | ROGRAM TYPE AND | POSITI | /E | NEGATI | VE | INCONCLUS | SIVE | TOTAL I | | TOTAL I | | TOTAI SERVICI PROVIDI | ES |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| PROGRAM TYPE | LHD/AGENCY | | | | | | | | | | | | |
| NON-ATS LHD | ORANGE | 63 | 0.7 | 8386 | 99.2 | 6 | 0.1 | 8455 | 6.4 | 102 | 2.1 | 8557 | 6.2 |
| | PLACER | 2 | 0.5 | 378 | 99.5 | | | 380 | 0.3 | | | 380 | 0.3 |
| | PLUMAS | | | 98 | 100 | | | 98 | 0.1 | | | 98 | 0.1 |
| | RIVERSIDE | 66 | 2.5 | 2606 | 97.0 | 14 | 0.5 | 2686 | 2.0 | 3 | 0.1 | 2689 | 2.0 |
| | SACRAMENTO | 41 | 0.8 | 5022 | 99.1 | 7 | 0.1 | 5070 | 3.8 | 9 | 0.2 | 5079 | 3.7 |
| | SAN BERNARDINO | 33 | 0.8 | 4172 | 99.2 | 1 | 0.0 | 4206 | 3.2 | 47 | 0.9 | 4253 | 3.1 |
| | SAN DIEGO | 123 | 1.5 | 8260 | 98.5 | 4 | 0.0 | 8387 | 6.3 | 1356 | 27.3 | 9743 | 7.1 |
| | SAN FRANCISCO | 603 | 4.2 | 13743 | 95.7 | 15 | 0.1 | 14361 | 10.9 | 119 | 2.4 | 14480 | 10.5 |
| | SAN JOAQUIN | 23 | 1.1 | 2069 | 97.7 | 25 | 1.2 | 2117 | 1.6 | 398 | 8.0 | 2515 | 1.8 |
| | SAN LUIS OBISPO | 3 | 0.2 | 1706 | 99.4 | 8 | 0.5 | 1717 | 1.3 | 4 | 0.1 | 1721 | 1.3 |
| | SAN MATEO | 25 | 0.7 | 3381 | 99.0 | 8 | 0.2 | 3414 | 2.6 | 2 | 0.0 | 3416 | 2.5 |
| | SANTA BARBARA | 2 | 0.4 | 525 | 98.9 | 4 | 0.8 | 531 | 0.4 | 72 | 1.4 | 603 | 0.4 |
| | SANTA CLARA | 18 | 1.2 | 1490 | 98.7 | 1 | 0.1 | 1509 | 1.1 | 6 | 0.1 | 1515 | 1.1 |
| | SANTA CRUZ | 2 | 0.3 | 739 | 99.7 | | | 741 | 0.6 | | | 741 | 0.5 |
| | SHASTA | | | 747 | 100 | | | 747 | 0.6 | 7 | 0.1 | 754 | 0.5 |
| | SIERRA | | | 8 | 100 | | | 8 | 0.0 | | | 8 | 0.0 |
| | SISKIYOU | | | 267 | 100 | | | 267 | 0.2 | 60 | 1.2 | 327 | 0.2 |
| | SOLANO | 5 | 2.0 | 245 | 97.6 | 1 | 0.4 | 251 | 0.2 | | | 251 | 0.2 |
| | SONOMA | 6 | 0.2 | 2661 | 99.7 | 2 | 0.1 | 2669 | 2.0 | 2 | 0.0 | 2671 | 1.9 |
| | STANISLAUS | 10 | 1.0 | 973 | 98.4 | 6 | 0.6 | 989 | 0.7 | 3 | 0.1 | 992 | 0.7 |
| | SUTTER | 2 | 0.7 | 299 | 99.3 | | | 301 | 0.2 | 2 | 0.0 | 303 | 0.2 |
| | TEHAMA | | | 108 | 100 | | | 108 | 0.1 | | | 108 | 0.1 |
| | TRINITY | | | 15 | 100 | | | 15 | 0.0 | | | 15 | 0.0 |
| | TULARE | 20 | 2.5 | 774 | 96.8 | 6 | 0.8 | 800 | 0.6 | 11 | 0.2 | 811 | 0.6 |
| | TUOLUMNE | | | 11 | 100 | | | 11 | 0.0 | | | 11 | 0.0 |
| | VENTURA | 2 | 0.3 | 635 | 99.4 | 2 | 0.3 | 639 | 0.5 | | | 639 | 0.5 |
| | Y0L0 | | | 494 | 100 | | | 494 | 0.4 | | | 494 | 0.4 |
| | YUBA | 2 | 0.5 | 422 | 98.6 | 4 | 0.9 | 428 | 0.3 | 1 | 0.0 | 429 | 0.3 |
| | LONG BEACH | 44 | 1.6 | 2661 | 98.4 | | | 2705 | 2.0 | 11 | 0.2 | 2716 | 2.0 |
| | PASADENA | 1 | 0.3 | 377 | 99.7 | | | 378 | 0.3 | 3 | 0.1 | 381 | 0.3 |
| | BERKELEY | 24 | 1.0 | 2277 | 99.0 | | | 2301 | 1.7 | 886 | 17.8 | 3187 | 2.3 |
| | CSU LONG BEACH | 19 | 1.3 | 1444 | 98.4 | 4 | 0.3 | 1467 | 1.1 | 1 | 0.0 | 1468 | 1.1 |
| | SUBTOTAL | 2183 | 1.7 | 129730 | 98.1 | 382 | 0.3 | 132295 | 73.3 | 4974 | 51.6 | 137269 | 72.2 |

| TABLE 16. OA-I | - | | | | TES | TED | | | | NOT TEST | ΓED | TOTA | |
|-------------------------|------------------------|--------|-----|--------|------|-----------|------|---------|------|----------|-----|--------------------|------|
| | ROGRAM TYPE AND | POSITI | /E | NEGATI | /E | INCONCLUS | SIVE | TOTAL I | | TOTAL E | | SERVICI PROVIDI | ES |
| | | NUMBER | 96 | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| PROGRAM TYPE | LHD/AGENCY | | | | | | | | | | | | |
| RURAL HEALTH PROGRAM | SAN BENITO HF | | | 476 | 100 | | | 476 | 47.1 | | | 476 | 37.7 |
| PROGRAM | DM CAMARENA HC | 1 | 0.3 | 297 | 99.7 | | | 298 | 29.5 | 251 | 100 | 549 | 43.5 |
| | SALUD LA GENTE | | | 236 | 100 | | | 236 | 23.4 | | | 236 | 18.7 |
| | SUBTOTAL | 1 | 0.1 | 1009 | 99.9 | | | 1010 | 0.6 | 251 | 2.6 | 1261 | 0.7 |
| INDIAN HEALTH | LHD/AGENCY | | | | | | | | | | | | |
| PROGRAM | URBAN INDIAN HB | 2 | 0.5 | 374 | 99.5 | | | 376 | 76.7 | | | 376 | 76.3 |
| | AMERICAN INDIAN H&S | | | 7 | 100 | | | 7 | 1.4 | | | 7 | 1.4 |
| | CHAPA-DE IHC | | | 15 | 100 | | | 15 | 3.1 | | | 15 | 3.0 |
| | SONOMA IHP | | | 73 | 100 | | | 73 | 14.9 | 3 | 100 | 76 | 15.4 |
| | SOUTHERN IHC | | | 19 | 100 | | | 19 | 3.9 | | | 19 | 3.9 |
| | SUBTOTAL | 2 | 0.4 | 488 | 99.6 | | | 490 | 0.3 | 3 | 0.0 | 493 | 0.3 |
| TOTAL BY RESU | LT | 2950 | 1.6 | 177079 | 98.1 | 479 | 0.3 | 180508 | 100 | 9640 | 100 | 190148 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

ATS = Alternative Test Site

CDHS = California Department of Health Services

THC = Indian Health Center

THC = Indian Health Center

THC = Indian Health Program

HC = Health Center
HF = Health Foundation

OA = Office of AIDS

| | -FUNDED HIV C&T | | | | | | F | RACE/ETHN | ICITY | | | | | | | | |
|-------------|----------------------------------|-------------------|------|-------------------|-----|----------------------|-----|-----------|-------|--------|------|----------|------|--------|------|--------------------|------|
| | RISK BEHAVIOR, RACE/ETHNICITY | AFRIC/ AMERIC/ | | AMERICA INDIAN | | ASIAN/PAO ISLANDE | | LATIN | 0 | WHIT | Ε | OTHER RA | ACE | UNKNO | ΝN | TOTAL RISK/GE | |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HOMOSEXUAL | MALE | 1975 | 6.9 | 176 | 0.6 | 2596 | 9.0 | 8158 | 28.3 | 14823 | 51.4 | 853 | 3.0 | 249 | 0.9 | 28830 | 100 |
| | SUBTOTAL | 1975 | 6.9 | 176 | 0.6 | 2596 | 9.0 | 8158 | 28.3 | 14823 | 51.4 | 853 | 3.0 | 249 | 0.9 | 28830 | 16.0 |
| BISEXUAL | MALE | 1117 | 15.7 | 55 | 0.8 | 350 | 4.9 | 2766 | 38.8 | 2519 | 35.4 | 245 | 3.4 | 70 | 1.0 | 7122 | 67.6 |
| | FEMALE | 830 | 24.3 | 86 | 2.5 | 138 | 4.0 | 686 | 20.1 | 1517 | 44.4 | 113 | 3.3 | 46 | 1.3 | 3416 | 32.4 |
| | SUBTOTAL | 1947 | 18.5 | 141 | 1.3 | 488 | 4.6 | 3452 | 32.8 | 4036 | 38.3 | 358 | 3.4 | 116 | 1.1 | 10538 | 5.8 |
| IDU | MALE | 1797 | 17.0 | 266 | 2.5 | 133 | 1.3 | 2841 | 26.9 | 5175 | 49.0 | 236 | 2.2 | 114 | 1.1 | 10562 | 61.3 |
| | FEMALE | 888 | 14.5 | 289 | 4.7 | 81 | 1.3 | 1374 | 22.4 | 3321 | 54.2 | 115 | 1.9 | 63 | 1.0 | 6131 | 35.6 |
| | TG | 42 | 10.2 | 10 | 2.4 | 6 | 1.5 | 294 | 71.5 | 55 | 13.4 | 2 | 0.5 | 2 | 0.5 | 411 | 2.4 |
| | UNKNOWN | 19 | 16.0 | 4 | 3.4 | 3 | 2.5 | 26 | 21.8 | 45 | 37.8 | 4 | 3.4 | 18 | 15.1 | 119 | 0.7 |
| | SUBTOTAL | 2746 | 15.9 | 569 | 3.3 | 223 | 1.3 | 4535 | 26.3 | 8596 | 49.9 | 357 | 2.1 | 197 | 1.1 | 17223 | 9.5 |
| GAY/IDU | MALE | 263 | 15.4 | 36 | 2.1 | 38 | 2.2 | 389 | 22.7 | 936 | 54.7 | 38 | 2.2 | 12 | 0.7 | 1712 | 100 |
| | SUBTOTAL | 263 | 15.4 | 36 | 2.1 | 38 | 2.2 | 389 | 22.7 | 936 | 54.7 | 38 | 2.2 | 12 | 0.7 | 1712 | 0.9 |
| PARTNER HIV | MALE | 233 | 26.1 | 8 | 0.9 | 31 | 3.5 | 260 | 29.1 | 326 | 36.5 | 22 | 2.5 | 14 | 1.6 | 894 | 37.7 |
| POSITIVE | FEMALE | 257 | 18.7 | 31 | 2.3 | 47 | 3.4 | 447 | 32.5 | 546 | 39.7 | 29 | 2.1 | 17 | 1.2 | 1374 | 58.0 |
| | TG | 14 | 20.9 | 3 | 4.5 | | | 32 | 47.8 | 14 | 20.9 | 3 | 4.5 | 1 | 1.5 | 67 | 2.8 |
| | UNKNOWN | 8 | 22.2 | | | 1 | 2.8 | 4 | 11.1 | 18 | 50.0 | 2 | 5.6 | 3 | 8.3 | 36 | 1.5 |
| | SUBTOTAL | 512 | 21.6 | 42 | 1.8 | 79 | 3.3 | 743 | 31.3 | 904 | 38.1 | 56 | 2.4 | 35 | 1.5 | 2371 | 1.3 |
| PARTNER OF | FEMALE | 272 | 16.2 | 40 | 2.4 | 67 | 4.0 | 486 | 28.9 | 750 | 44.5 | 45 | 2.7 | 24 | 1.4 | 1684 | 100 |
| BISEXUAL | SUBTOTAL | 272 | 16.2 | 40 | 2.4 | 67 | 4.0 | 486 | 28.9 | 750 | 44.5 | 45 | 2.7 | 24 | 1.4 | 1684 | 0.9 |
| PARTNER OF | MALE | 929 | 20.8 | 71 | 1.6 | 77 | 1.7 | 1377 | 30.8 | 1857 | 41.6 | 90 | 2.0 | 68 | 1.5 | 4469 | 55.0 |
| IDU | FEMALE | 492 | 14.1 | 132 | 3.8 | 90 | 2.6 | 957 | 27.4 | 1711 | 48.9 | 70 | 2.0 | 47 | 1.3 | 3499 | 43.0 |
| | TG | 3 | 5.0 | 2 | 3.3 | 2 | 3.3 | 45 | 75.0 | 8 | 13.3 | | | | | 60 | 0.7 |
| | UNKNOWN | 12 | 11.8 | 2 | 2.0 | 1 | 1.0 | 26 | 25.5 | 38 | 37.3 | 1 | 1.0 | 22 | 21.6 | 102 | 1.3 |
| | SUBTOTAL | 1436 | 17.7 | 207 | 2.5 | 170 | 2.1 | 2405 | 29.6 | 3614 | 44.5 | 161 | 2.0 | 137 | 1.7 | 8130 | 4.5 |
| SEX FOR | MALE | 398 | 44.5 | 15 | 1.7 | 9 | 1.0 | 256 | 28.6 | 183 | 20.5 | 25 | 2.8 | 8 | 0.9 | 894 | 30.4 |
| DRUGS/MONEY | FEMALE | 1019 | 55.5 | 38 | 2.1 | 98 | 5.3 | 252 | 13.7 | 384 | 20.9 | 27 | 1.5 | 17 | 0.9 | 1835 | 62.4 |
| | TG | 31 | 16.7 | 2 | 1.1 | 15 | 8.1 | 119 | 64.0 | 15 | 8.1 | 4 | 2.2 | | | 186 | 6.3 |
| | UNKNOWN | 8 | 28.6 | 1 | 3.6 | | | 13 | 46.4 | 3 | 10.7 | 1 | 3.6 | 2 | 7.1 | 28 | 1.0 |
| | SUBTOTAL | 1456 | 49.5 | 56 | 1.9 | 122 | 4.1 | 640 | 21.7 | 585 | 19.9 | 57 | 1.9 | 27 | 0.9 | 2943 | 1.6 |
| TRANSFUSION | MALE | 83 | 18.2 | 10 | 2.2 | 10 | 2.2 | 118 | 25.8 | 215 | 47.0 | 15 | 3.3 | 6 | 1.3 | 457 | 51.6 |
| | FEMALE | 84 | 20.1 | 8 | 1.9 | 13 | 3.1 | 139 | 33.3 | 158 | 37.9 | 10 | 2.4 | 5 | 1.2 | 417 | 47.1 |
| | TG | | | | | | | 1 | 50.0 | 1 | 50.0 | | | | | 2 | 0.2 |
| | UNKNOWN | 1 | 11.1 | | | | | 3 | 33.3 | 3 | 33.3 | 1 | 11.1 | 1 | 11.1 | 9 | 1.0 |
| | SUBTOTAL | 168 | 19.0 | 18 | 2.0 | 23 | 2.6 | 261 | 29.5 | 377 | 42.6 | 26 | 2.9 | 12 | 1.4 | 885 | 0.5 |

| TABLE 17. OA- SERVICES BY R | FUNDED HIV C&T | | | | | | F | RACE/ETHN: | ICITY | | | | | | | | |
|--------------------------------|----------------|-------------------|------|-------------------|-----|----------------------|------|------------|-------|--------|------|----------|------|--------|------|---------|------|
| GENDER, AND R | , | AFRICA AMERICA | | AMERICA INDIAN | | ASIAN/PAO ISLANDE | | LATIN | 0 | WHIT | E | OTHER RA | ACE | UNKNO | VN | TOTAL I | |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| HETEROSEXUAL- | MALE | 8900 | 21.1 | 391 | 0.9 | 1948 | 4.6 | 14105 | 33.4 | 14967 | 35.5 | 1324 | 3.1 | 550 | 1.3 | 42185 | 63.9 |
| PARTNERS | FEMALE | 4364 | 19.1 | 333 | 1.5 | 1787 | 7.8 | 6022 | 26.4 | 9347 | 40.9 | 670 | 2.9 | 328 | 1.4 | 22851 | 34.6 |
| | TG | 25 | 7.6 | 5 | 1.5 | 17 | 5.2 | 181 | 54.8 | 95 | 28.8 | 6 | 1.8 | 1 | 0.3 | 330 | 0.5 |
| | UNKNOWN | 88 | 14.1 | 6 | 1.0 | 29 | 4.7 | 156 | 25.0 | 208 | 33.4 | 18 | 2.9 | 118 | 18.9 | 623 | 0.9 |
| | SUBTOTAL | 13377 | 20.3 | 735 | 1.1 | 3781 | 5.7 | 20464 | 31.0 | 24617 | 37.3 | 2018 | 3.1 | 997 | 1.5 | 65989 | 36.6 |
| OCCUPATIONAL | MALE | 4 | 8.2 | 1 | 2.0 | 3 | 6.1 | 16 | 32.7 | 22 | 44.9 | | | 3 | 6.1 | 49 | 32.2 |
| | FEMALE | 13 | 12.9 | 2 | 2.0 | 7 | 6.9 | 42 | 41.6 | 35 | 34.7 | 2 | 2.0 | | | 101 | 66.4 |
| | TG | | | | | | | 1 | 100 | | | | | | | 1 | 0.7 |
| | UNKNOWN | | | | | | | | | | | 1 | 100 | | | 1 | 0.7 |
| | SUBTOTAL | 17 | 11.2 | 3 | 2.0 | 10 | 6.6 | 59 | 38.8 | 57 | 37.5 | 3 | 2.0 | 3 | 2.0 | 152 | 0.1 |
| PARENT RISK | MALE | 1 | 33.3 | | | | | 2 | 66.7 | | | | | | | 3 | 60.0 |
| | FEMALE | 1 | 50.0 | | | | | 1 | 50.0 | | | | | | | 2 | 40.0 |
| | SUBTOTAL | 2 | 40.0 | | | | | 3 | 60.0 | | | | | | | 5 | 0.0 |
| NO REPORTED RISK | MALE | 3089 | 17.8 | 211 | 1.2 | 1074 | 6.2 | 6071 | 35.0 | 6124 | 35.3 | 566 | 3.3 | 234 | 1.3 | 17369 | 45.8 |
| nion | FEMALE | 3778 | 18.8 | 267 | 1.3 | 1455 | 7.2 | 7996 | 39.8 | 5756 | 28.7 | 566 | 2.8 | 267 | 1.3 | 20085 | 53.0 |
| | TG | 10 | 7.7 | 1 | 0.8 | 7 | 5.4 | 76 | 58.5 | 34 | 26.2 | 2 | 1.5 | | | 130 | 0.3 |
| | UNKNOWN | 36 | 11.7 | 6 | 1.9 | 15 | 4.9 | 83 | 26.9 | 97 | 31.4 | 18 | 5.8 | 54 | 17.5 | 309 | 0.8 |
| | SUBTOTAL | 6913 | 18.2 | 485 | 1.3 | 2551 | 6.7 | 14226 | 37.5 | 12011 | 31.7 | 1152 | 3.0 | 555 | 1.5 | 37893 | 21.0 |
| UNKNOWN | MALE | 229 | 18.5 | 12 | 1.0 | 56 | 4.5 | 276 | 22.3 | 572 | 46.3 | 48 | 3.9 | 43 | 3.5 | 1236 | 57.4 |
| | FEMALE | 144 | 18.4 | 14 | 1.8 | 58 | 7.4 | 191 | 24.4 | 300 | 38.3 | 32 | 4.1 | 45 | 5.7 | 784 | 36.4 |
| | TG | 1 | 5.6 | | | 2 | 11.1 | 8 | 44.4 | 5 | 27.8 | 1 | 5.6 | 1 | 5.6 | 18 | 0.8 |
| | UNKNOWN | 4 | 3.5 | | | 2 | 1.7 | 11 | 9.6 | 13 | 11.3 | 17 | 14.8 | 68 | 59.1 | 115 | 5.3 |
| | SUBTOTAL | 378 | 17.6 | 26 | 1.2 | 118 | 5.5 | 486 | 22.6 | 890 | 41.3 | 98 | 4.6 | 157 | 7.3 | 2153 | 1.2 |
| TOTAL BY RACE | /ETHNICITY | 31462 | 17.4 | 2534 | 1.4 | 10266 | 5.7 | 56307 | 31.2 | 72196 | 40.0 | 5222 | 2.9 | 2521 | 1.4 | 180508 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

C&T = Counseling and Testing
CDHS = California Department of Health Services
IDU = Injection Drug User
OA = Office of AIDS
TG = Transgender

| TABLE 18. OA- | | | MALI | Ε | | | | | FEMA | LE | | | | | TG | | | | | |
|---|--------|-----|--------|------|---------------------------|------|--------|-----|--------|------|---------------------------|------|--------|------|--------|----------|---------------------------|------|---------------|--------------|
| FUNDED HIV C&T SERVICES BY DRUG USE, GENDER, AND TEST RESULT | POSITI | IVE | NEGAT | IVE | TOTAL I USE I GENDI | 3Y | POSIT | IVE | NEGAT | IVE | TOTAL I USE I GENDI | BY | POSIT | IVE | NEGAT | IVE | TOTAL I USE I GENDI | BY | TOTAL DRUG | |
| | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| Alcohol | | | | | | | | | | | | | | | | | | | | |
| used | 1313 | 1.9 | 69013 | 98.1 | 70326 | 60.9 | 187 | 0.6 | 30440 | 99.4 | 30627 | 49.4 | 42 | 5.6 | 710 | 94.4 | 752 | 62.5 | 101705 | 56.9 |
| not reported | 1108 | 2.5 | 44052 | 97.5 | 45160 | 39.1 | 254 | 0.8 | 31126 | 99.2 | 31380 | 50.6 | 34 | 7.5 | 417 | 92.5 | 451 | 37.5 | 76991 | 43.1 |
| Marijuana | | | | | | | | | | | | | | | | | | | | |
| used | 667 | 1.9 | 34106 | 98.1 | 34773 | 30.1 | 87 | 0.6 | 15211 | 99.4 | 15298 | 24.7 | 22 | 7.4 | 277 | 92.6 | 299 | 24.9 | 50370 | 28.2 |
| not reported | 1754 | 2.2 | 78959 | 97.8 | 80713 | 69.9 | 354 | 0.8 | 46355 | 99.2 | 46709 | 75.3 | 54 | 6.0 | 850 | 94.0 | 904 | 75.1 | 128326 | 71.8 |
| Heroin | | | | | | | | | | | | | | | | | | | | |
| used | 231 | 2.6 | 8549 | 97.4 | 8780 | 7.6 | 70 | 1.6 | 4310 | 98.4 | 4380 | 7.1 | 13 | 17.8 | 60 | 82.2 | 73 | 6.1 | 13233 | 7.4 |
| not reported | 2190 | 2.1 | 104516 | 97.9 | 106706 | 92.4 | 371 | 0.6 | 57256 | 99.4 | 57627 | 92.9 | 63 | 5.6 | 1067 | 94.4 | 1130 | 93.9 | 165463 | 92.6 |
| Barbiturates | | | | | | | | | | | | | | | | | | | | |
| used | 51 | 3.5 | 1411 | 96.5 | 1462 | 1.3 | 9 | 1.2 | 764 | 98.8 | 773 | 1.2 | 3 | 16.7 | 15 | 83.3 | 18 | 1.5 | 2253 | 1.3 |
| not reported | 2370 | 2.1 | 111654 | 97.9 | 114024 | 98.7 | 432 | 0.7 | 60802 | 99.3 | 61234 | 98.8 | 73 | 6.2 | 1112 | 93.8 | 1185 | 98.5 | 176443 | 98.7 |
| Tranquilizers | | | | | | | | | | | | | | | | | | | | |
| used | 36 | 2.7 | 1276 | 97.3 | 1312 | 1.1 | 5 | 0.6 | 774 | 99.4 | 779 | 1.3 | | | 10 | 100 | 10 | 0.8 | 2101 | 1.2 |
| not reported | 2385 | 2.1 | 111789 | 97.9 | 114174 | 98.9 | 436 | 0.7 | 60792 | 99.3 | 61228 | 98.7 | 76 | 6.4 | 1117 | 93.6 | 1193 | 99.2 | 176595 | 98.8 |
| Crack | | | | | | | | | | | | | | | | | | | | |
| used | 289 | 3.2 | 8733 | 96.8 | 9022 | 7.8 | 100 | 1.9 | 5041 | 98.1 | 5141 | 8.3 | 25 | 21.2 | 93 | 78.8 | 118 | 9.8 | 14281 | 8.0 |
| not reported | 2132 | 2.0 | 104332 | 98.0 | 106464 | 92.2 | 341 | 0.6 | 56525 | 99.4 | 56866 | 91.7 | 51 | 4.7 | 1034 | 95.3 | 1085 | 90.2 | 164415 | 92.0 |
| Amphetamines | | | | | | | | | | | | | | | | | | | | |
| used | 570 | 3.2 | 17257 | 96.8 | 17827 | 15.4 | 54 | 0.6 | 8640 | 99.4 | 8694 | 14.0 | 31 | 15.9 | 164 | 84.1 | 195 | 16.2 | 26716 | 15.0 |
| not reported | 1851 | 1.9 | 95808 | 98.1 | 97659 | 84.6 | 387 | 0.7 | 52926 | 99.3 | 53313 | 86.0 | 45 | 4.5 | 963 | 95.5 | 1008 | 83.8 | 151980 | 85.0 |
| Cocaine | | | | | | | | | | | | | | | | | | | | _ |
| used | 303 | 2.2 | 13348 | 97.8 | 13651 | 11.8 | 66 | 1.2 | 5275 | 98.8 | 5341 | 8.6 | 14 | 11.8 | 105 | 88.2 | 119 | 9.9 | 19111 | 10.7 |
| not reported | 2118 | 2.1 | 99717 | 97.9 | 101835 | 88.2 | 375 | 0.7 | | | 56666 | 91.4 | 62 | 5.7 | 1022 | 94.3 | 1084 | 90.1 | 159585 | 89.3 |
| Nitrates/nitrites | | | | | | | | | | | | | | | | - | | | | |
| used | 90 | 4.8 | 1775 | 95.2 | 1865 | 1.6 | | | 285 | 100 | 285 | 0.5 | | | 10 | 100 | 10 | 0.8 | 2160 | 1.2 |
| not reported | 2331 | 2.1 | 111290 | | 113621 | | 441 | 0.7 | | 99.3 | 61722 | | 76 | 6.4 | | 93.6 | | 99.2 | 176536 | |
| Ecstasy | | | | | | | | | | | | | | | | - | | | | |
| used | 145 | 2.6 | 5336 | 97.4 | 5481 | 4.7 | 11 | 0.5 | 2167 | 99.5 | 2178 | 3.5 | 3 | 6.3 | 45 | 93.8 | 48 | 4.0 | 7707 | 4.3 |
| not reported | 2276 | | | | 110005 | | | 0.7 | 59399 | | 59829 | | 73 | | | 93.7 | | - | 170989 | |
| PCP | | | | | | | | | | - | | - | | | | - | | - | | - |
| used | 21 | 1.6 | 1322 | 98.4 | 1343 | 1.2 | 5 | 0.8 | 627 | 99.2 | 632 | 1.0 | | | 14 | 100 | 14 | 1.2 | 1989 | 1.1 |
| not reported | 2400 | 2.1 | 111743 | | | | 436 | | 60939 | - | 61375 | | 76 | 6.4 | | 93.6 | <u> </u> | 98.8 | | |
| Hallucinogens | | | | | | | | | | | | | | | | | | | | - |
| used | 41 | 1.5 | 2652 | 98.5 | 2693 | 2.3 | 5 | 0.4 | 1158 | 99.6 | 1163 | 1.9 | | | 15 | 100 | 15 | 1.2 | 3871 | 2.2 |
| not reported | 2380 | 2.1 | 110413 | | | | 436 | | 60408 | | 60844 | | 76 | 6.4 | | 93.6 | ! | 98.8 | 174825 | |
| Other Drug | 2000 | ٠.١ | 110413 | 31.3 | 112133 | 31.1 | 400 | 0.7 | 00400 | 33.3 | 00044 | 30.1 | / 6 | 0.4 | 1112 | 55.6 | 1100 | 30.0 | 17-025 | 37.0 |
| used | 157 | 4.8 | 3000 | 95.2 | 3247 | 2.8 | 10 | 1.0 | 000 | 99.0 | 1008 | 1.6 | 8 | 2.6 | 303 | 97.4 | 210 | 25.8 | 4565 | 2.6 |
| not reported | 2264 | 2.0 | 109975 | | | | 431 | 0.7 | 60568 | | | | 68 | | | <u> </u> | 1 | 74.2 | | |
| nor reported | 2204 | 2.0 | 109975 | 96.0 | 112239 | 91.2 | 431 | 0.7 | 80000 | 99.3 | 60999 | 90.4 | 68 | 7.6 | 825 | 92.4 | 893 | 14.2 | 1/4131 | 97.4 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

C&T = Counseling and Testing
CDHS = California Department of Health Services

OA = Office of AIDS

| | OW RATE BY PROGRAM | NON - OA | - FUNDE | ED SERVIC | ES | 0A-FI | JNDED | SERVICES | |
|-----------------|--------------------|----------|---------|-----------|------|---------|-------|----------|-----|
| TIPE, AGENCY, A | ND FUNDING SOURCE | APPEARI | ED | NO-SH | OW | APPEARI | ED | NO-SH | OW |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| ATS PROGRAM | ALAMEDA | | | | | 2000 | 76.0 | 630 | 24. |
| | ALPINE | | | | | 7 | 100 | | |
| | BUTTE | 1 | 16.7 | 5 | 83.3 | 73 | 74.5 | 25 | 25. |
| | CONTRA COSTA | | | | | 215 | 87.0 | 32 | 13. |
| | FRESNO | | | | | 580 | 72.2 | 223 | 27. |
| | HUMBOLDT | | | | | 485 | 73.0 | 179 | 27. |
| | IMPERIAL | | | | | 43 | 60.6 | 28 | 39. |
| | INYO | | | | | 29 | 87.9 | 4 | 12. |
| | KERN | | | | | 28 | 80.0 | 7 | 20. |
| | KINGS | | | | | 1 | 100 | | |
| | LOS ANGELES | 9 | 100 | | | 5873 | 84.5 | 1081 | 15. |
| | MARIN | | | | | 491 | 91.3 | 47 | 8 |
| | MENDOCINO | | | | | 266 | 86.9 | 40 | 13 |
| | MERCED | | | | | 61 | 75.3 | 20 | 24 |
| | MONTEREY | | | | | 69 | 100 | | |
| | NAPA | | | | | 112 | 78.9 | 30 | 21 |
| | NEVADA | | | | | 7 | 87.5 | 1 | 12 |
| | ORANGE | 1 | 100 | | | 1411 | 86.6 | 219 | 13 |
| | PLACER | | | | | 228 | 89.8 | 26 | 10 |
| | RIVERSIDE | | | | | 1637 | 78.1 | 458 | 21 |
| | SACRAMENTO | | | | | 529 | 83.7 | 103 | 16 |
| | SAN BERNARDINO | | | 1 | 100 | 1104 | 80.2 | 272 | 19 |
| | SAN DIEGO | 6 | 50.0 | 6 | 50.0 | 3936 | 87.5 | 561 | 12 |
| | SAN FRANCISCO | | | | | 5444 | 90.5 | 571 | 9. |
| | SAN JOAQUIN | | | | | 129 | 76.8 | 39 | 23 |
| | SAN LUIS OBISPO | | | | | 440 | 81.8 | 98 | 18 |
| | SAN MATEO | | | | | 11 | 100 | | |
| | SANTA BARBARA | | | | | 1967 | 81.0 | 462 | 19 |
| | SANTA CLARA | 1 | 50.0 | 1 | 50.0 | 2086 | 85.3 | 359 | 14 |
| | SANTA CRUZ | | | | | 748 | 74.1 | 262 | 25 |
| | SHASTA | | | | | 302 | 82.3 | 65 | 17 |
| | SOLANO | | | | | 272 | 82.9 | 56 | 17 |
| | SONOMA | | | | | 1743 | 77.4 | 509 | 22 |
| | STANISLAUS | 1 | 100 | | | 435 | 67.1 | 213 | 32 |

| TABLE 19. NO-SHOW | | NON - OA | - FUNDE | ED SERVIC | ES | 0A-FI | JNDED | SERVICES | |
|-------------------|----------------|----------|---------|-----------|------|---------|-------|----------|------|
| TYPE, AGENCY, AND | FUNDING SOURCE | APPEAR | ED | NO-SH | OW | APPEARI | ED | NO-SH | OW |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| ATS PROGRAM | TULARE | 1 | 100 | | | 237 | 76.0 | 75 | 24.0 |
| | TUOLUMNE | | | | | 123 | 82.0 | 27 | 18.0 |
| | VENTURA | 1 | 50.0 | 1 | 50.0 | 279 | 82.5 | 59 | 17.5 |
| | YOLO | | | | | 175 | 79.9 | 44 | 20.1 |
| | LONG BEACH | | | | | 1786 | 84.6 | 324 | 15.4 |
| | PASADENA | | | | | 624 | 90.8 | 63 | 9.2 |
| | BERKELEY | | | | | 3229 | 91.9 | 286 | 8.1 |
| | SUBTOTAL | 21 | 60.0 | 14 | 40.0 | 39215 | 83.9 | 7498 | 16.1 |
| NON-ATS LHD | ALAMEDA | 1 | 50.0 | 1 | 50.0 | 2739 | 61.9 | 1686 | 38.1 |
| | ALPINE | | | | | 6 | 100 | | |
| | AMADOR | | | | | 72 | 90.0 | 8 | 10.0 |
| | BUTTE | 32 | 82.1 | 7 | 17.9 | 895 | 72.6 | 338 | 27.4 |
| | CALAVERAS | | | | | 86 | 92.5 | 7 | 7.5 |
| | CONTRA COSTA | 749 | 67.4 | 363 | 32.6 | 1252 | 67.2 | 612 | 32.8 |
| | DEL NORTE | | | | | 23 | 76.7 | 7 | 23.3 |
| | EL DORADO | 2 | 50.0 | 2 | 50.0 | 368 | 76.7 | 112 | 23.3 |
| | FRESNO | 72 | 49.3 | 74 | 50.7 | 1557 | 57.6 | 1148 | 42.4 |
| | GLENN | | | | | 71 | 72.4 | 27 | 27.6 |
| | HUMBOLDT | 1 | 100 | | | 544 | 66.9 | 269 | 33.1 |
| | IMPERIAL | 29 | 51.8 | 27 | 48.2 | 472 | 46.0 | 555 | 54.0 |
| | INYO | 4 | 80.0 | 1 | 20.0 | 12 | 92.3 | 1 | 7.7 |
| | KERN | | | | | 2750 | 62.9 | 1624 | 37.1 |
| | KINGS | 71 | 98.6 | 1 | 1.4 | 197 | 67.7 | 94 | 32.3 |
| | LAKE | 50 | 75.8 | 16 | 24.2 | 173 | 86.5 | 27 | 13.5 |
| | LASSEN | 1 | 100 | | | 129 | 76.3 | 40 | 23.7 |
| | LOS ANGELES | 5937 | 78.6 | 1612 | 21.4 | 30530 | 74.3 | 10545 | 25.7 |
| | MADERA | | | | | 186 | 64.1 | 104 | 35.9 |
| | MARIN | | | | | 1668 | 77.6 | 482 | 22.4 |
| | MARIPOSA | | | | | 45 | 69.2 | 20 | 30.8 |
| | MENDOCINO | | | | | 759 | 85.4 | 130 | 14.6 |
| | MERCED | | | | | 304 | 79.0 | 81 | 21.0 |
| | MODOC | | | | | 3 | 75.0 | 1 | 25.0 |
| | MONO | 14 | 100 | | | | | | |
| | MONTEREY | | | | | 413 | 99.8 | 1 | 0.2 |

| | OW RATE BY PROGRAM ND FUNDING SOURCE | NON - OA | - FUNDE | ED SERVIC | ES | OA-FI | JNDED | SERVICES | |
|-------------|---|----------|---------|-----------|------|---------|-------|----------|-----|
| ,, | | APPEARI | ED | NO-SH | OW | APPEARI | ED | NO-SH | OW |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| NON-ATS LHD | NEVADA | | | | | 610 | 70.0 | 262 | 30. |
| | ORANGE | 1127 | 81.0 | 265 | 19.0 | 6927 | 81.9 | 1528 | 18. |
| | PLACER | 2 | 100 | | | 310 | 81.6 | 70 | 18. |
| | PLUMAS | | | | | 91 | 92.9 | 7 | 7. |
| | RIVERSIDE | | | | | 1813 | 67.5 | 873 | 32. |
| | SACRAMENTO | 578 | 61.3 | 365 | 38.7 | 3200 | 63.1 | 1870 | 36. |
| | SAN BERNARDINO | 145 | 57.8 | 106 | 42.2 | 2922 | 69.5 | 1284 | 30. |
| | SAN DIEGO | 2026 | 78.4 | 558 | 21.6 | 6110 | 72.9 | 2277 | 27. |
| | SAN FRANCISCO | | | | | 12077 | 84.1 | 2284 | 15. |
| | SAN JOAQUIN | 32 | 42.7 | 43 | 57.3 | 1079 | 51.0 | 1038 | 49. |
| | SAN LUIS OBISPO | | | | | 1201 | 69.9 | 516 | 30. |
| | SAN MATEO | | | | | 2068 | 60.6 | 1346 | 39. |
| | SANTA BARBARA | 316 | 94.9 | 17 | 5.1 | 361 | 68.0 | 170 | 32. |
| | SANTA CLARA | 152 | 70.7 | 63 | 29.3 | 1089 | 72.2 | 420 | 27. |
| | SANTA CRUZ | 147 | 86.0 | 24 | 14.0 | 569 | 76.8 | 172 | 23. |
| | SHASTA | | | 1 | 100 | 583 | 78.0 | 164 | 22. |
| | SIERRA | | | | | 8 | 100 | | |
| | SISKIYOU | | | | | 189 | 70.8 | 78 | 29. |
| | SOLANO | 32 | 86.5 | 5 | 13.5 | 150 | 59.8 | 101 | 40. |
| | SONOMA | 10 | 62.5 | 6 | 37.5 | 1785 | 66.9 | 884 | 33. |
| | STANISLAUS | 341 | 56.6 | 262 | 43.4 | 619 | 62.6 | 370 | 37. |
| | SUTTER | 3 | 75.0 | 1 | 25.0 | 185 | 61.5 | 116 | 38. |
| | TEHAMA | 34 | 53.1 | 30 | 46.9 | 84 | 77.8 | 24 | 22. |
| | TRINITY | | | | | 12 | 80.0 | 3 | 20. |
| | TULARE | 28 | 47.5 | 31 | 52.5 | 539 | 67.4 | 261 | 32. |
| | TUOLUMNE | | | | | 9 | 81.8 | 2 | 18. |
| | VENTURA | 10 | 100 | | | 482 | 75.4 | 157 | 24. |
| | YOLO | | | | | 347 | 70.2 | 147 | 29. |
| | YUBA | | | | | 274 | 64.0 | 154 | 36. |
| | LONG BEACH | 205 | 84.0 | 39 | 16.0 | 1987 | 73.5 | 718 | 26. |
| | PASADENA | | | | | 359 | 95.0 | 19 | 5. |
| | BERKELEY | | | | | 1610 | 70.0 | 691 | 30. |
| | CSU LONG BEACH | 1 | | | | 1123 | 76.6 | 344 | 23. |
| | SUBTOTAL | 12151 | 75.6 | 3920 | 24.4 | 96026 | 72.6 | 36269 | 27 |

| TABLE 19. NO-SHOW | | NON - OA | - FUNDE | ED SERVIC | ES | 0A-FI | JNDED | SERVICES | |
|-------------------------|---------------------|----------|---------|-----------|------|---------|-------|----------|------|
| TYPE, AGENCY, AND | FUNDING SOURCE | APPEAR | ED | NO-SH | OW | APPEARI | ED | NO-SH | OW |
| | | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| RURAL HEALTH PROGRAM | SAN BENITO HF | | | | | 275 | 99.6 | 1 | 0.4 |
| FROGRAW | DM CAMARENA HC | | | | | 185 | 62.1 | 113 | 37.9 |
| | SALUD LA GENTE | | | | | 233 | 98.7 | 3 | 1.3 |
| | SUBTOTAL | | | | | 693 | 85.6 | 117 | 14.4 |
| INDIAN HEALTH | URBAN INDIAN HB | | | | | 286 | 76.1 | 90 | 23.9 |
| PROGRAM | AMERICAN INDIAN H&S | | | | | 3 | 42.9 | 4 | 57.1 |
| | CHAPA-DE IHC | | | | | 13 | 86.7 | 2 | 13.3 |
| | SONOMA IHP | | | | | 56 | 76.7 | 17 | 23.3 |
| | SOUTHERN IHC | | | | | 17 | 89.5 | 2 | 10.5 |
| | SUBTOTAL | | | | | 375 | 76.5 | 115 | 23.5 |
| DADP | ALAMEDA DADP | 687 | 73.3 | 250 | 26.7 | | | | |
| | FRESNO DADP | 1289 | 76.1 | 405 | 23.9 | | | | |
| | HUMBOLDT DADP | 97 | 77.0 | 29 | 23.0 | | | | |
| | MARIN DADP | 3 | 60.0 | 2 | 40.0 | | | | |
| | MERCED DADP | 115 | 87.8 | 16 | 12.2 | | | | |
| | PLACER DADP | 499 | 81.0 | 117 | 19.0 | | | | |
| | RIVERSIDE DADP | 16 | 100 | | | | | | |
| | SAN BERNARDINO DADP | 794 | 76.8 | 240 | 23.2 | | | | |
| | SAN JOAQUIN DADP | 480 | 86.5 | 75 | 13.5 | | | | |
| | SAN MATEO DADP | 132 | 75.4 | 43 | 24.6 | | | | |
| | SANTA CLARA DADP | 21 | 67.7 | 10 | 32.3 | | | | |
| | SANTA CRUZ DADP | 259 | 80.9 | 61 | 19.1 | | | | |
| | SUBTOTAL | 4392 | 77.9 | 1248 | 22.1 | | | | |
| TOTAL BY FUNDING | SOURCE AND RESULT | 16564 | 76.2 | 5182 | 23.8 | 136309 | 75.6 | 43999 | 24.4 |
| | | | | | | | | | |

PREPARED BY CDHS/OA

TABLE ACRONYMS:

ATS = Alternative Test Site
AIHC = American Indian Health Center
CSU = California State University
CDHS = California Department of Health Services
DADP = Department of Alcohol and Drug Programs

DM = Darin M.
HB = Health Board

HC = Health Center HF = Health Foundation H&S = Health and Services IHC = Indian Health Center

IHP = Indian Health Program LHD = Local Health Department

OA = Office of AIDS

| TABLE 20. OA-FUNDED HIV | | CL | IENT RIS | K LEV | EL | | | |
|---|---------|-------|----------|-------|--------|------|--------|------|
| COUNSELING AND TESTING SERVICES BY DISCLOSURE REFERRALS AND CLIENT RISK | HIV POS | ITIVE | HIGH-R | ı ek | LOW-R | TCK | | |
| LEVEL | INCONCL | JSIVE | NEGAT: | | NEGAT: | | TOTAL | |
| | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| MISSING ALL REFERRAL DATA | | | | | | | | |
| yes | 622 | 24.4 | 13611 | 17.7 | 10333 | 18.2 | 24566 | 18.0 |
| no | 1931 | 75.6 | 63461 | 82.3 | 46551 | 81.8 | 111943 | 82.0 |
| NONE INDICATED | | | | | | | | |
| yes | 56 | 2.19 | 5706 | 7.40 | 6914 | 12.2 | 12676 | 9.29 |
| no | 2497 | 97.8 | 71366 | 92.6 | 49970 | 87.8 | 123833 | 90.7 |
| Referral List Only | | | | | | | | |
| referral provided | 73 | 2.86 | 3933 | 5.10 | 3121 | 5.49 | 7127 | 5.22 |
| not reported | 2480 | 97.1 | 73139 | 94.9 | 53763 | 94.5 | 129382 | 94.8 |
| CCS/HIV Children's Program | | | | | | | | |
| referral provided | 12 | 0.47 | 87 | 0.11 | 43 | 0.08 | 142 | 0.10 |
| not reported | 2541 | 99.5 | 76985 | 99.9 | 56841 | 99.9 | 136367 | 99.9 |
| Other Testing | | | | | | | | |
| referral provided | 75 | 2.94 | 1356 | 1.76 | 574 | 1.01 | 2005 | 1.47 |
| not reported | 2478 | 97.1 | 75716 | 98.2 | 56310 | 99.0 | 134504 | 98.5 |
| HIV Education Service | | | | | | | | |
| referral provided | 469 | 18.4 | 23033 | 29.9 | 17181 | 30.2 | 40683 | 29.8 |
| not reported | 2084 | 81.6 | 54039 | 70.1 | 39703 | 69.8 | 95826 | 70.2 |
| Follow-up HIV Counseling | | | | | | | | |
| referral provided | 602 | 23.6 | 24701 | 32.0 | 15535 | 27.3 | 40838 | 29.9 |
| not reported | 1951 | 76.4 | 52371 | 68.0 | 41349 | 72.7 | 95671 | 70.1 |
| Prevention Skill Development | | | | | | | | |
| referral provided | 267 | 10.5 | 18324 | 23.8 | 13156 | 23.1 | 31747 | 23.3 |
| not reported | 2286 | 89.5 | 58748 | 76.2 | 43728 | 76.9 | 104762 | 76.7 |
| Prevention Support Group | | | | | | | | |
| referral provided | 55 | 2.15 | 2092 | 2.71 | 693 | 1.22 | 2840 | 2.08 |
| not reported | 2498 | 97.8 | 74980 | 97.3 | 56191 | 98.8 | 133669 | 97.9 |
| Individual Psychotherapy | | | | | | | | |
| referral provided | 85 | 3.33 | 1072 | 1.39 | 680 | 1.20 | 1837 | 1.35 |
| not reported | 2468 | 96.7 | 76000 | 98.6 | 56204 | 98.8 | 134672 | 98.7 |
| Alcohol/Drug Treatment | | | | | | | | |
| referral provided | 63 | 2.47 | 4301 | 5.58 | 422 | 0.74 | 4786 | 3.51 |
| not reported | 2490 | 97.5 | 72771 | 94.4 | 56462 | 99.3 | 131723 | 96.5 |
| Twelve Step Program | | | | | | | | |
| referral provided | 45 | 1.76 | 3460 | 4.49 | 443 | 0.78 | 3948 | 2.89 |
| not reported | 2508 | 98.2 | 73612 | 95.5 | 56441 | 99.2 | 132561 | 97.1 |
| Needle Exchange Program | | | | | | | | |
| referral provided | 10 | 0.39 | 723 | 0.94 | 37 | 0.07 | 770 | 0.56 |
| not reported | 2543 | 99.6 | 76349 | 99.1 | 56847 | 99.9 | 135739 | 99.4 |

| TABLE 20. OA-FUNDED HIV | | CL | ENT RIS | < LEVI | EL | | | |
|---|---------------|-------|-------------------|--------|------------------|------|--------|------|
| COUNSELING AND TESTING SERVICES BY DISCLOSURE | HIV POS | ITIVE | LITOU D | T CIV | LOW D | TOK | | |
| REFERRALS AND CLIENT RISK LEVEL | or INCONCL | JSIVE | HIGH-R: NEGAT: | | LOW-R: NEGAT: | - 1 | TOTAL | |
| | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| EIP | | | | | | | | |
| referral provided | 524 | 20.5 | 66 | 0.09 | 20 | 0.04 | 610 | 0.45 |
| not reported | 2029 | 79.5 | 77006 | 99.9 | 56864 | 100 | 135899 | 99.6 |
| Medical Services | | | | | | | | |
| referral provided | 827 | 32.4 | 1937 | 2.51 | 1050 | 1.85 | 3814 | 2.79 |
| not reported | 1726 | 67.6 | 75135 | 97.5 | 55834 | 98.2 | 132695 | 97.2 |
| PCRS/Partner Notification | | | | | | | | |
| referral provided | 362 | 14.2 | 31 | 0.04 | 11 | 0.02 | 404 | 0.30 |
| not reported | 2191 | 85.8 | 77041 | 100 | 56873 | 100 | 136105 | 99.7 |
| Case Management | | | | | | | | |
| referral provided | 502 | 19.7 | 68 | 0.09 | 17 | 0.03 | 587 | 0.43 |
| not reported | 2051 | 80.3 | 77004 | 99.9 | 56867 | 100 | 135922 | 99.6 |
| Crisis Intervention | | | | | | | | |
| referral provided | 37 | 1.45 | 38 | 0.05 | 26 | 0.05 | 101 | 0.07 |
| not reported | 2516 | 98.6 | 77034 | 100 | 56858 | 100 | 136408 | 99.9 |
| ТВ | | | | | | | | |
| referral provided | 10 | 0.39 | 127 | 0.16 | 81 | 0.14 | 218 | 0.16 |
| not reported | 2543 | 99.6 | 76945 | 99.8 | 56803 | 99.9 | 136291 | 99.8 |
| STD Clinic | | | | | | | | |
| referral provided | 163 | 6.38 | 12165 | 15.8 | 7673 | 13.5 | 20001 | 14.7 |
| not reported | 2390 | 93.6 | 64907 | 84.2 | 49211 | 86.5 | 116508 | 85.3 |
| Family Planning Clinic | | | | | | | | |
| referral provided | 5 | 0.20 | 708 | 0.92 | 1102 | 1.94 | 1815 | 1.33 |
| not reported | 2548 | 99.8 | 76364 | 99.1 | 55782 | 98.1 | 134694 | 98.7 |
| Pregnancy Evaluation/Care | | | | | | | | |
| referral provided | 2 | 0.08 | 91 | 0.12 | 177 | 0.31 | 270 | 0.20 |
| not reported | 2551 | 99.9 | 76981 | 99.9 | 56707 | 99.7 | 136239 | 99.8 |
| Social Services | | | | | | | | |
| referral provided | 87 | 3.41 | 511 | 0.66 | 257 | 0.45 | 855 | 0.63 |
| not reported | 2466 | 96.6 | 76561 | 99.3 | 56627 | 99.5 | 135654 | 99.4 |
| Domestic Violence Counseling | | | | | | | | |
| referral provided | 3 | 0.12 | 71 | 0.09 | 37 | 0.07 | 111 | 0.08 |
| not reported | 2550 | 99.9 | 77001 | 99.9 | 56847 | 99.9 | 136398 | 99.9 |
| Other | | | | | | | | |
| referral provided | 150 | 5.88 | 1768 | 2.29 | 985 | 1.73 | 2903 | 2.13 |
| not reported | 2403 | 94.1 | 75304 | 97.7 | 55899 | 98.3 | 133606 | 97.9 |
| TOTAL | 2553 | 1.87 | 77072 | 56.5 | 56884 | 41.7 | 136509 | 100 |

PREPARED BY CDHS/OA

TABLE ACRONYMS:
CCS = California Children's Services
CDHS = California Department of Health Services
EIP = Early Intervention Program
OA = Office of AIDS

PCRS = Partner Counseling and Referral Services STD = Sexually Transmitted Disease TB = Tuberculosis

| DHS 8458 (11/1/2000) | COUNSEL | ING INFORMATIO | N FORM | Department of Health Servic | |
|--|--|--|--|---|--|
| Administrative Information | COUNSEL | Counseling and Test Result | | Unique Office of AIDS Client Number | |
| LHD/agency no.: Site no.: | | Counseling: (date and initial) | Date Service Print | Matching criterion: | |
| Clinic type: (mark one ☒) Client's test election: (mark one ☒) | | Provided (mm/dd/yy) Initials Risk Assessment Counseling:/ Enter first letter of last name. Mark "*" if | | | |
| ☐ (01) Alternative test site ☐ (01) Yes, Tested anonymously ☐ (02) Family planning ☐ (02) Yes, Tested confidentially | | Follow-up Contact: declined/refused. | | | |
| (03) STD (03) Yes, Court or other non-OA test (04) Alc./drug treatment (04) No, Not at risk | | (to reset missed disclosure sessions | First letter of last name: | | |
| (05) Detention facility (05) No, Tested recently (06) Primary care (06) No, Still in window period | | Disclosure Counseling:/ | | | |
| \square (07) HIV test \square (07) No, Concern with confidentiality | | Post Disclosure Counseling: / | | (mark all that apply \boxtimes) | |
| ☐ (08) Street outreach ☐ (08) No, Disclosure not convenient ☐ (09) Mobile van ☐ (09) No, Does NOT want to know | | Test result: (mark one ⊠ and initial | | ☐ No billing to OA☐ Risk Assessment | |
| ☐ (10) TB ☐ (10) No, Other reason☐ (11) Youth drop in☐ (11) Test not offered☐ | | (1) Positive (2) Negative (3) Inconclusive Disclosure | | | |
| (12) Other health dept. (13) Other, specify: | | Carefully verify anonymous client Mark ⊠ if oral test kit used. | | ☐ Post Disclosure☐ Laboratory Work | |
| Client Information | HIV Testing His | | Referrals | · · | |
| Race/ethnicity: (mark one or two ⊠) | | HIV tests: (circle one) | Client referrals: | | |
| 1st 2nd ☐ (1) ☐ (1) African American (not Hispanic) | (0) (1) (2) (3) | (4) (5) (6) (7) (8) (9+) | | RA), disclosure (D) and post | |
| (2) (2) American Indian/Alaskan Native | Date of last test re | sult:/ (mm/yy) | disclosure (PD). Order by r referral. Other referrals sho | | |
| (3) (3) Asian/Pacific Islander (4) (4) Hispanic/Latino(a) | Last test result: (n | nark one ⊠) | RA D PD | | |
| ☐ (5) ☐ (5) White (not Hispanic) ☐ (6) ☐ (6) Other, specify: | (2) Negative | | (01) NO | | |
| Date of birth: | (3) Inconclusive | | (02) Ref | erral list only | |
| (mm/dd/yy) | Risk Reduction | | | S/HIV children's program | |
| ☐ (1) Male | | tage of change: (mark one ⊠) | | er testing | |
| (2) Female (3) Pregnant Female | (1) Not thinking | about it (Precontemplation) | Risk/Harm Reduction | Advertion service | |
| (4) Transgendered: Male to Female | (2) Thinking about (3) Ready for ac | ut it (Contemplation) (05) HIV education service ion (Preparation) (06) Follow-up HIV counsel | | | |
| (5) Transgendered: Female to Male (6) Other, specify: | (4) Action | • | | vention skill development | |
| Residence county: | [(5) Maintenance | duction goal setting: | | vention support group | |
| | | duction goal setting: (09) Individual psychotherapy i by client before disclosure) (10) Alcohol/drug treatment | | | |
| ☐ Mark ☒ if client is homeless. | | | | elve step program | |
| Client was referred by: (mark one ⊠) | | | | dle exchange program | |
| ☐ (01) HIV+ partner☐ (02) PCRS/partner notification☐ | ☐ (01) HIV+ partner ☐ (02) PCRS/partner notification ☐ (1) No Goal Est | | HIV Positive and Other I | | |
| (03) OA NIGHT outreach (incentive/referral) | | No Effort | | | |
| ☐ (04) Other outreach worker ☐ (3) Goal Atte | | | (15) PCRS/partner notification (16) Case management | | |
| ☐ (06) AIDS telephone hotline☐ (07) Other AIDS agency | Post Disclosure/Sl | | | sis intervention | |
| (08) Alcohol/drug treatment program | | | (18) TB | | |
| (09) M.D./health clinic (10) Friend/relative | | | Other Services | N 11 1 | |
| (11) Media (TV, radio, print) | | | (19) STI | O clinic nily planning clinic | |
| ☐ (12) No identifiable referral source Client's reason for testing: (mark one ☒) | Long term risk re | duction goal(s): | | gnancy evaluation/care | |
| (01) Reconfirming HIV+ result | | | | ial services | |
| ☐ (02) Reports AIDS-like symptoms☐ (03) Has current HIV+ partner | | | | nestic violence counseling er, specify: | |
| (04) Had past HIV+ partner | | | (24) Out | cr, spectry | |
| ☐ (05) TB diagnosis☐ (06) STD related☐ | Counselor: Revie | w/Assess Introductory Issues | Counselor: Review/Assess | | |
| (07) Pregnancy | ☐ Risk assessmen | t process and purpose of form. | Process of testing. | , | |
| (08) Risky behavior (09) Starting a new relationship | ☐ What the HIV test measures. ☐ Meaning and accuracy of test results | | ☐ Coping with waiting for test results. ☐ Client's readiness to be tested. | | |
| (10) Just wanted to know (11) Other, specify: | (positive, negative, inconclusive). ☐ Impact of HIV on the immune system. | | ☐ Offer testing, if appropriate. ☐ Encourage the client to return for results. | | |
| | | | | | |
| Counselor Notes: | | | | | |
| | | | | | |
| | | | | - | |
| L | | | | | |

Discuss and record the client's behavior during the last two years unless otherwise indicated. If client has received an HIV test result during the last two years then discuss and record the client's behavior since the date of the client's last test result. **Date of Last Test Result:** (if within last 2 years) (mm/yy) (from HIV Testing History on front of form) Sexual Risk History (last 2 years/last result) Drug and Substance Use History (last 2 years/last result) Total number of sex partners: (000-999) Drug and substance use. ☐ (*) declined/refused Drugs & substances used: Injected: Frequency used with sex: (mark if yes) (mark all that apply ⊠) Never Rarely Sometimes Usually Male sex partner(s). □ alcohol \square (1) \square (2) \square (3) □ (4) Partner(s): Sexual activity: Frequency of barrier use: ☐ marijuana \square (1) \square (2) \square (3) \square (4) (mark one ⊠) (mark all that apply ⊠) Never Sometimes Always ☐ heroin, etc. (1) yes \square (1) \square (2) \square (3) □ (4) (0) no partners ☐ Oral Π (1) \square (2) \square (3) □ barbiturate (1) yes \square (1) \square (2) \square (3) \square (4) (1) one or more □ Vaginal \square (1) \square (2) \square (3) ☐ tranquilizers □ (4) (1) yes \square (1) \square (2) \square (3) ☐ (*) declined/refused ☐ Anal insertive \square (1) \square (2) \square (3) ☐ (1) (2) crack \square (3) \square (4) Anal receptive □ (3) \Box (1) \square (2) amphetamine (1) yes \square (1) □ (2) □ (3) □ (4) (1) yes □ (1) \square (4) cocaine \square (2) \square (3) Female sex partner(s). ■ nitrate/nitrite \square (1) \square (2) \square (3) □ (4) Partner(s): Sexual activity: Frequency of barrier use: ecstasy (1) yes \square (1) \square (2) \square (3) \square (4) (mark one ⊠) (mark all that apply \boxtimes) Never Sometimes Always ☐ PCP \square (1) \square (2) \square (3) □ (4) (0) no partners ☐ Oral \square (1) \square (2) \square (3) ☐ hallucinogens \square (1) **(2)** □ (3) □ (4) (1) yes \square (1) one or more □ Vaginal \square (1) \square (2) \square (3) other, specify: \square (1) \square (2) \square (3) □ (4) ☐ (*) declined/refused ☐ Anal insertive **(2)** \square (1) \square (3) Injected drugs or other substances. Shared needles: (mark one ⊠) Needle exchange: (mark one ⊠) Sex with sex worker(s)/prostitute(s). ☐ (1) Never (1) Never Frequency of barrier use: Partner(s): Sexual activity: (2) Sometimes (2) Sometimes (mark one ⊠) $(mark\ all\ that\ applv\ igotimes)$ Never Sometimes Always (3) Always (3) Always ☐ Oral \square (1) \square (2) (0) no partners \square (3) (4) Not available in client's area ☐ Mark ☒ if shared needles with (1) one or more ☐ Vaginal \square (1) \square (2) \square (3) a known HIV positive partner. (*) declined/refused ☐ Anal insertive **(2)** □ (3) \Box (1) Cleaned works: (mark one ⊠) **IDU treatment history:** (mark one ⊠) ☐ Anal receptive \square (1) □ (2) \square (3) □ (1) Never □ (1) Never (2) Sometimes ☐ (2) Within last 2 years/last result Sex partner(s) who injected drugs or other substances. (3) Always (3) Prior to last 2 years/last result Partner(s): Sexual activity: Frequency of barrier use: Other Risk History (last 2years/last result) (mark one ⊠) (mark all that apply ⊠) Never Sometimes Always \square (2) \square (3) \square (0) no partners □ Oral \square (1) Hepatitis and STD History. □ (*) declined/refused (1) one or more □ Vaginal \square (1) □ (2) □ (3) STDs/Hepatitis: (mark all that apply ⊠) (*) declined/refused ☐ Anal insertive \square (1) □ (2) □ (3) ☐ no STDs/Hepatitis ☐ genital/anal warts (HPV) ☐ Anal receptive \square (1) \square (2) \square (3) genital herpes (HSV) syphilis (syph, the pox, lues) ☐ gonorrhea (GC, clap, drip) ☐ hepatitis B (HBV) HIV infected sex partner(s). ☐ chlamydia hepatitis C (HCV) Partner(s): Sexual activity: Frequency of barrier use: ☐ trichomoniasis (trich) other, specify: Never Sometimes Always (mark one 🗵) (mark all that apply \boxtimes) Other risk factors. (mark ⊠, if appropriate) Declined/refused \square (0) no partners ☐ Oral \square (1) \square (2) \square (3) ☐ (3) (1) one or more □ Vaginal \square (1) \square (2) Received money/other items or services for sex. \square (*) □ (*) declined/refused ☐ Anal insertive **(**3) Received drugs for sex. □ (*) \square (1) \square (2) ☐ Behavior resulting in other blood to blood contact (SM, ☐ Anal receptive \square (1) \square (2) \square (3) □ (*) tattooing, piercing, cuts, etc.) or that allows blood contact ☐ Mark ☑ if client knew partner's HIV positive status prior to sexual contact. with mouth, vagina or anus. \square (*) ☐ Shared objects/fingers inserted in mouth, vagina or anus. (Females Only) Male partner(s) who has had sex with a male. □ (*) □ Blood to blood exposure on the job. Partner(s): Sexual activity: Frequency of barrier use: Job exposure blood known to be HIV+ \square (*) (mark one ⊠) (mark all that apply ⊠) Never Sometimes Always Blood/blood product transfusion before 1985 (or in a □ (*) (0) no partners □ Oral \square (1) \square (2) \square (3) country where blood is/was not tested for HIV). (1) one or more □ Vaginal \square (1) \square (2) \square (3) ☐ Child born of an HIV-infected woman. □ (*) ☐ Other behavior, specify: (*) declined/refused ☐ Anal receptive \square (1) \square (2) \square (3) **Optional Data** Counselor: Review/Assess Drug and STD Issues Counselor: Review/Assess Basic Issues ☐ Cultural/peer influences. ☐ Prevention/harm reduction/safer sex with IDUs. Item 1: ☐ Demonstrate proper condom & barrier use. ☐ Demonstrate proper needle cleaning. ☐ Role-play with client to build needed skills. ☐ Encourage and support substance abuse treatment ☐ Discuss safer sex guidelines. and recovery. □ Partner risks as they relate to client risk. ☐ Alcohol/drug use with sex as co-factor for HIV risk. Item 3: ☐ Communication of HIV risk reduction with partner. ☐ Other sexual behaviors affecting STDs (eg. rimming). Item 4: □ Domestic violence/sexual assault. ☐ Presence of STDs as a co-factor for HIV risk. ☐ Voluntary PCRS/partner notification. ☐ Health effects of concurrent STD/HIV (e.g. pelvic ☐ Discuss obstacles to condom/barrier use. inflammatory disease). Disclosure Counseling = MSM or Grey Box ☐ Pregnancy/maternal transmission (utero, birth, breastfeed).

DHS 8458 (11/1/2000)

Integration of birth control and risk reduction.